



# NEWS FOR THE PRODUCT RANGE 2020

[www.wolff-tools.de](http://www.wolff-tools.de)

**GOING BEYOND YOUR LIMITS**

# CHANGES IN THE WOLFF PRODUCT RANGE

# 1



## 18V CORDLESS TOOL SERIES

Junio Stripper 18V .....	4
Strip cutter LS 35/65 18V .....	5
Piranha 18V .....	6
Mastergroover 18V .....	7
Cordless Mixer Power X 18V .....	8
Battery and charger for 18V Series .....	8

# 2



## REMOVING FLOORING


Two-handed carpet clamp .....	9
-------------------------------	---

# 3



## SUBFLOOR PREPARATION

PCD Viper XT .....	10
PCD Viper XT .....	10
Air cleaner LR 690 .....	11



## APPLYING FLOORS



## USEFUL TOOLS



## PRODUCT CANCELLATION

Edge cutter Easycut _____	12	Blades in 10-piece-dispenser _____	13	Carpet clamp with wooden handle _____	14
---------------------------	----	------------------------------------	----	---------------------------------------	----

# JUNIO-STRIPPER 18V

Floor removal on small areas

— With transport case



Universal battery pack,  
full compatibility

#10327 **Junio-Stripper 18V Baretool**

#10328 **Junio-Stripper 18V set EU**

#10329 **Junio-Stripper 18V set UK**

#10334 **Junio-Stripper 18V set USA**

Removal of textile coverings, foam and covering residues and glass fibre wall coverings on small areas.

- Enables work in inaccessible places such as window recesses or under radiators
- Optimal for stairs and wall areas
- With transport case

## Technical data:

Battery voltage: 18V, Battery capacity: 5Ah, Working width: 120 / 200 mm,  
Weight without battery: 2.9 kg, Hand/arm vibrations: 12.5 m/s<sup>2</sup>, Speed: 8,500 rpm

## Scope of delivery sets:

Junio-Stripper 18V, 2x 18V 5Ah-battery, charger, replacement blade, Leather knife protection, transport case, open-end wrench

## Battery and charger for 18V-Series

Replacement battery 18V 5Ah (1 piece)	#10930
Charger 230V EU	#10939
Charger 230V UK	#11772
Charger 115V USA	#11770



# STRIP CUTTER LS 35/65 18V

For lino, vinyl and rubber

- Ideal for difficult to cut material



Universal battery pack,  
full compatibility

#10339 **Strip cutter LS 35 18V Baretool**

#10318 **Strip cutter LS 65 18V Baretool**

Battery-driven strip cutter for lino, vinyl and rubber

- For the production of plinth strips, flooring friezes and stair coverings
- Ideal for difficult to cut material

#### Technical data LS35 18V:

Battery voltage: 18V, Battery capacity: 5Ah, Working width LS35: 3-35 cm,  
Speed: 8,500 rpm, Weight without battery LS 35: 5.8 kg

#### Technical data LS65 18V:

Battery voltage: 18V, Battery capacity: 5Ah, Working width LS65: 3-65 cm,  
Speed: 8,500 rpm, Weight without battery LS 65: 6.2 kg

#### Scope of delivery sets:

LS 35/ LS 65, 2 x 18V 5Ah battery, charger, saw blade with diameter 105 mm, tool kit,  
safety goggles, hearing protection, transport case, dust bag

#### Sets

LS 35 18V set EU (with EU 230V charger)	#10344
LS 35 18V set UK (with UK 230V charger)	#15662
LS 35 18V set USA (with US 115V charger)	#10322
LS 65 18V set EU (with EU 230V charger)	#10319
LS 65 18V set UK (with UK 230V charger)	#10346
LS 65 18V set USA (with US 115V charger)	#10347


#### Battery and charger for 18V-Series

Replacement battery 18V 5Ah (1 piece)	#10930
Charger 230V EU	#10939
Charger 230V UK	#11772
Charger 115V USA	#11770

# PIRANHA 18V

For exakt cutting to lenght of door frames

- The HM saw blade with 54 teeth achieves a perfect, clean cut.



#10287 **Piranha 18V Baretool**

#10289 **Piranha 18V set EU**

#10290 **Piranha 18V set UK**

#10294 **Piranha 18V set USA**

For exact cutting to length of door frames, frames and plinths. Also for cutting edge distances on parquet and laminate flooring after installation. The HM saw blade with 54 teeth achieves a perfect, clean cut.

## Technical data:

Battery voltage 18V, Battery capacity 5Ah, Saw depth: 0-45 mm, Saw height: 7-25 mm, Suction connection: 32 mm, Speed: 8,500 rpm, carbide saw blade with 165 mm diameter and 54 teeth, Weight without battery: 5.0 kg

## Scope of delivery sets:

Piranha 18V, 2 x 18V battery 5Ah, charger, HM-saw blade with 165 mm diameter, allen key, dust bag, transport case incl. inlay

## Battery and charger for 18V-Series

Replacement battery 18V 5Ah (1 piece)	#10930
Charger 230V EU	#10939
Charger 230V UK	#11772
Charger 115V USA	#11770



# MASTERGROOVER 18V

Very compact joint milling machine with unlimited mobility

- Automatic depth control
- Full formation of the milled joint even on uneven surfaces



## #89660 Mastergroover 18V Baretool

## #89000 Mastergroover 18V set EU

Very compact joint milling machine with unlimited mobility due to battery operation.

- Automatic depth control guarantees full formation of the milled joint even on uneven surfaces.
- With adjustable side wheel, e.g. for grouting rubber nipple coverings
- Low-dust operation due to improved chip collection
- Rotatable dust pipe
- Easy adjustment of the milling depth up to 7 mm - even on very uneven ground

### Technical data:

Battery voltage 18V, Battery capacity 5Ah, Speed 5,000 rpm, Milling depth 7 mm, Milling blade 3,5 mm elliptical, 12 teeth, 130 mm diameter, Weight without battery 4.5 kg

### Scope of delivery sets:

Mastergroover 18V, 1 x 18V-battery with 5Ah, charger, HM saw blade elliptical with 130 mm diameter, allen key, dust bag, transport case incl. inlay

### Sets/Accessories

Mastergroover 18V set UK (with 230V charger)	#89663
Mastergroover 18V set USA (with 115V charger)	#89664
HM saw blade 130x20x3,5 elliptical (standard)	#89623
HM Saw blade 130x20x2,8 round	#89625
PCD saw blade 130x20x3,8 conical	#89658

### Battery and charger for 18V-Series

Replacement battery 18V 5Ah (1 piece)	#10930
Charger 230V EU	#10939
Charger 230V UK	#11772
Charger 115V USA	#11770

# CORDLESS MIXER POWER X 18V

Battery-driven 2-gear mixer

— For material-specific speeds and a strong torque

Universal battery pack,  
full compatibility



AVAILABLE FROM  
03 2020

#10415 **Cordless Mixer Power X 18V Baretool**

#10440 **Cordless Mixer Power X 18V set EU**

Flexible 2-speed agitator that can be used independently of the mains power supply thanks to battery operation

- For mixing levelling and stable levelling compounds and coatings
- For mixing applications up to 30 kg
- Robust 2-speed gearbox: for material-specific speeds and a strong torque in 3 adjustable maximum speeds
- Comfortable 3-step switch accessible from handle position without interrupting work, step 1: clean, step 2: stir, step 3: stir
- Full wave electronics: soft start, temperature monitoring, overload protection
- Ergonomic handles on the drive
- Tool holder M14

## Technical data:

Voltage: 18V, Battery capacity: 5Ah, Adjustable maximum speed 1st gear: 210/325/530 rpm, Adjustable maximum speed 2nd gear: 320/490/780 rpm, Tool holder M14, Max. diameter for stirrer 120 mm, Weight: approx. 5 kg

## Scope of delivery Baretool/ Sets:

Power X 18V, stirrer Type KR 120 S/M14

Power X 18V, 2 x 18V 5Ah battery, charger, stirrer type KR 120 S/M14

## Sets

Power X 18V set UK (with 230V charger)	#10442
Power X 18V set USA (with 115V charger)	#10443

## Battery and charger for 18V-Series

Replacement battery 18V 5Ah (1 piece)	#10930
Charger 230V EU	#10939
Charger 230V UK	#11772
Charger 115V USA	#11770



# TWO-HANDED CARPET CLAMP

Removing glued floor coverings



## #10068 Two-handed carpet clamp


Made of steel, with spring-mounted clamping jaw and rotating handle. Width of the handle suitable for two-handed pulling.

Two-handed carpet clamp

#10068

# SEGMENTS FOR SPECIAL APPLICATIONS

Recommended use for WOLFF NEO 400



**#10831 PCD Viper**

Segment with three pointed PKDs, with support. For removing highly tempered (extremely hard) filler. Recommended use for WOLFF NEO 400

**#10832 PCD Viper**

Segment with three pointed PKDs without support. For removing highly tempered (extremely hard) filler. For aggressive removal. Recommended use for WOLFF NEO 400

PCD Viper segment

#10831

PCD Viper XT segment

#10832



# AIR CLEANER LR 690

## Dust class H

- Cleaning of the ambient air during renovation and deconstruction work
- Prevents the dust from spreading into additional rooms
- Easy to transport



### #10057 Air cleaner LR 690 (230V, EU plug)

Cleaning of the ambient air during renovation and deconstruction work

- Dangerous, respirable fine dusts are filtered by means of coarse filter mats and H-filters
- The use as a vacuum unit (by means of dust doors) prevents the dust from spreading into additional rooms
- Dust can be filtered/extracted directly at the point of origin
- Automatic volume flow monitoring
- The negative pressure can be adjusted by a rotary switch and thus adapted to the requirements on the construction site
- Low working noise
- Compact design
- Easy to transport due to low weight of 6.0 kg
- Dust class H

### Accessories

Pre-filter mats G3, 340 x 405 mm (10 pcs.)	#10515
HEPA H14 Filter, 620 m <sup>3</sup> < 330 Pa	#10519
Coarse filter G4, 1100 m <sup>3</sup> < 45 Pa	#10516
Compact air hose, 125 mm diameter / 6 m length, black	#10513
Compact air hose, 205 mm diameter/ 7,5 m length, black	#10587
Air hose connection adapter 205 mm diameter	#10509
Exhaust air hose transparent 125 mm diameter x 0,15 mm, 88 meters	#10514
Cover plate for dust formation during mixing	#10511
Dust door 2,3 m x 1,3 m, 0,14 mm	#84246

# EDGE CUTTER EASYCUT

For textile coverings, PVC and CV coverings



#10807

## EDGE CUTTER EASYCUT

The Easycut is an edge cutter for textile coverings, PVC and CV coverings. Due to the inclined blade position, it enables perfect cutting along the wall. The height adjustment of the base plate to the thickness of the covering and the possibility to adjust the cutting depth of the blade ensure exact cuts. This means that only the flooring is cut and not the subfloor.

### Accessories

Easycut	#10807
Hooked break-off blades 18 mm	#10830



# BLADES IN 10 PIECE-DISPENSERS

In a hanging card with Euro perforation



## #89521 Blades in 10 piece-dispensers

Blades in a dispenser of 10 in a hanging card with Euro perforation

### Accessories

Break-off blades 18 mm	#89521
Hooked blades 0,65 mm	#89522
Concave blades	#89523
Super hooked blade with titanium coating	#89531
Super hooked blades	#89527
Straight blades 0,65 mm	#89530
Hooked blades with titanium coating	#89524
Straight blades with titanium coating	#89532
Replacement blades for hand scraper	#89520

# PRODUCT CANCELLATION

Carpet clamp with wooden handle



#87918

**Carpet clamp with wooden handle**

## Accessories

Carpet clamp with wooden handle

#87918



## Your Floor. Our Passion.

The Uzin Utz Group represents the complete range of flooring competence.

With the brands UZIN, WOLFF, PALLMANN, Arturo and codex, we offer an extensive range of products, systems and services for the installation, renovation, and maintenance of all types of floor coverings, wood flooring, coatings, ceramic tiles and natural stone floors.

For all questions concerning flooring we are a competent and reliable partner.

---



### **UZIN. THE FLOOR BELONGS TO YOU.**

Installation systems for screeds, flooring and wood flooring.



### **WOLFF going beyond your limits**

Machinery and special tools for subfloor preparation and installation of floor coverings.



### **PALLMANN My wood floor. My life.**

Complete product range for the installation, renovation and maintenance of wood flooring.



### **Arturo what a floor can do.**

Functional floor coatings with manifold design options.



### **codex exclusive to real tilers.**

Installation systems for tiles and natural stone.



## **WOLFF | A COMPANY OF UZIN UTZ AG**

Wolff GmbH & Co. KG

Ungerhalde 1 | 74360 Ilsfeld

Phone +49 7062 91556-0 | Fax +49 7062 91556-10

Email [info@wolff-tools.com](mailto:info@wolff-tools.com) | Internet [www.wolff-tools.de](http://www.wolff-tools.de)

### **Your Contacts at WOLFF:**

WOLFF GmbH & Co. KG

Ungerhalde 1 | 74360 Ilsfeld

Phone +49 7062 91 55 6 - 0

Fax +49 7062 91 55 6 - 44

Email [info@wolff-tools.com](mailto:info@wolff-tools.com)

### **Customer service | orders:**

Phone +49 731 40 97-301

Fax +49 731 40 97-230

Email [bestellung@wolff-tools.com](mailto:bestellung@wolff-tools.com)

### **Technical customer service:**

Phone +49 7062 91 55 6 - 28

Fax +49 7062 91 55 6 - 55

Email [info@wolff-tools.com](mailto:info@wolff-tools.com)



provided by  
DIN CERT COMPANY  
DIN CERT

