



# MACHINES AND SPECIAL TOOLS FOR FLOOR LAYERS

PRODUCT CATALOGUE



UZIN UTZ®

**WOLFF.**  
**GOING**  
**BEYOND**  
**YOUR**  
**LIMITS.**



# PIONEERING SPIRIT IS OUR ORIGIN

The story began in 1972 with the first powered stripper for stripping floor coverings and marked the first major milestone in the WOLFF brand's success story.

For 50 years, together with you, we have repeatedly tested and questioned the limits of feasibility of machines and special tools.

All these efforts and endeavours now result in a machine category that is absolutely new for WOLFF - the Ride-On Stripper. Our claim and our customer promise also obliges us to go one step further here. We are therefore proud to present our Independence, which will be the new top of the range of WOLFF machines from 2023.

**We look forward to experiencing great moments and exciting times together with you.**



*Christian Richter*

Christian Richter,  
Managing Director WOLFF



*Jürgen Rehmann*

Jürgen Rehmann  
Managing Director WOLFF

# TABLE OF CONTENTS

## THE COMPLETE RANGE

### FLOOR REMOVAL

Stripping .....	8
Scraping .....	39

### SUBFLOOR PREPARATION

Sanding .....	42
Vacuum Cleaners .....	72
Mixers .....	88
Levelling .....	94

### TESTING AND MEASUREMENT TECHNOLOGY

Measuring instruments .....	106
Test kit .....	110

### 18V POWER TOOLS

Removal .....	116
Mixing .....	120
Cutting .....	122
Grooving .....	124
Grinding .....	128
Parquet .....	130

### APPLYING FLOORS

Linoleum .....	134
Vinyl .....	142
Rubber .....	142
Textile coverings .....	152
Grooving .....	160
Welding .....	164

### FLOOR TILERS

Ramhammer .....	184
Tile cutters .....	186
Trowels and Spatulas .....	188
Adhesive notches .....	191
Washing .....	192
Basic Tools .....	194

### BASIC TOOLS

Knives .....	202
Rulers .....	206
Work safety .....	211

### CLEANING AND CARE

Cleaning .....	220
----------------	-----

### SERVICE

Service .....	226
---------------	-----

# FLOOR REMOVAL

Stripping ..... 8  
Scraping ..... 39



# INDEPENDENCE

## THE POWERHOUSE FROM WOLFF

**Stripper for the removal of all textile and elastic floor coverings as well as for the removal of parquet, tiles and sports coverings. Ride-On or Walk-Beside operation optionally possible.**



### Technical specifications

- Battery voltage: 48 V
- Battery capacity: 100 | 200 Ah (1 Battery | 2 Batteries)
- Battery running time: 6h | 12h (1 Battery | 2 Batteries)
- Speed: 0-51 m/min
- Working width: 50-840 mm
- Dimensions l x w x h: 161 x 77,6 x 127 cm
- Empty weight: 655 kg / 700 kg (1 | 2 Batteries without additional weights)
- Maximum weight: 1000 kg
- Additional weight: Maximum 300 kg (24 additional weights of 12.5 kg each) | 8 additional weights are already installed on delivery

### Features

- 1-Hand radio remote control
- Autonomous through lithium ion battery system
- Pure electric drive
- Vibration free in walk beside mode
- Suitable for all common floor coverings

## REMOTE CONTROL

- High precision radio remote control for Ride On and Walk Beside operation
- Particularly user-friendly through one-hand control
- Integrated display with indication of machine and battery status

## WALK BESIDE OPTION

- More precise work due to better overview
- More safety through loading without mounting
- No vibrations, therefore no physical strain for the operator

## BATTERY SYSTEM

- Guaranteed battery capacity of 80 % after 3 years
- Lithium-ion system
- Constant performance over the entire battery charge
- Completely maintenance-free, no outgassing, no refilling
- Chargers built directly into the machine

## LOADING SPEED

- Full charge with 2 batteries in 5 hours
- Full charge with 1 battery in 3 hours
- Intermediate charging possible without problems (no memory effect)

## DRIVE CONCEPT

- Purely electric, powerful drive
- Better efficiency than conventional hydraulic systems
- Maintenance free
- Low noise emission

## FEATURES

- Forklift attachment
- Integrated crane eyes for loading & lashing
- Low basic weight, thus easier transport
- Compact design, also fits in small vans
- Tool and working area directly illuminated
- Particularly quiet operation
- Rotatable tool holder
- Charger for remote control directly on board
- Suitable for all surfaces

Item no.	Scope of delivery
168801	Independence EU 1 Battery 1 transport chassis, 1 blade holder 350 mm, 1 KS-U blade 350x60x3x45° cutting edge top, 1 charging cable 10m, 1 transport case, 8 additional weights 12.5 kg each, 1 Allen key for blade exchange, 1 operating manual, 1 battery, 2 chargers
173752	Independence EU 2 Batteries 1 transport chassis, 1 blade holder 350 mm, 1 KS-U blade 350x60x3x45° cutting edge top, 1 charging cable 10m, 1 transport case, 8 additional weights 12.5 kg each, 1 Allen key for blade exchange, 1 operating manual, 2 batteries, 2 chargers
172770	Independence USA 2 Batteries

## ADDITIONAL WEIGHT

Additional weight à 12,5 kg for Independence Stripper (Maximum 24 additional weights per machine possible)

Item no.	Product
173720	Additional weight Independence 12,5 kg each



## TRANSPORT CHASSIS

Item no.	Product
172544	Transport chassis Independence



## BATTERY


Item no.	Product
172588	Battery Li-Io 5kW-100Ah Independence



## SPECIAL U-SHAPED BLADE

For simultaneous pre-cutting and removal of the coverings. Sharpened on one side


Item no.	Product	Dimensions
75010	Special U-shaped blade, top cutting edge (for hard surfaces)	450 mm
75011	Special U-shaped blade, bottom cutting edge (for soft surfaces)	450 mm
13983	Special U-shaped blade, top cutting edge	350 mm
38933	Special U-shaped blade, bottom cutting edge	350 mm
80620	Special U-shaped blade, top cutting edge	250 mm
80622	Special U-shaped blade, bottom cutting edge	250 mm



## SPECIAL BLADES FOR PARQUET AND COVERING REMOVAL

Made of special steel for stubborn floor coverings and parquette.

Item no.	Product	Dimensions
79636	Spare blade	350 x 120 x 3.0 mm
79639	Spare blade, serrated	350 x 120 x 3.0 mm
174553	Spare blade	250 x 120 x 5 mm
174532	Spare blade	350 x 120 x 5 mm
174540	Spare blade	450 x 120 x 5 mm



## BLADE HOLDER

Item no.	Product	Dimensions
172781	Blade holder 250 Independence	250 mm
171083	Blade holder 350 Independence	350 mm
173066	Blade holder 450 Independence	450 mm
173483	Blade holder 840 Independence	840 mm



## SPARE BLADES

Item no.	Product	Dimensions	PU
13979	Spare blade	350 x 60 x 1,5mm	10 Stk.
75007	Spare blade	450 x 60 x 1,5mm	10 Stk.
173490	Spare blade	840 x 120 x 1,5mm	
173491	Spare blade	840 x 60 x 1,5mm	
81205	Blade serrated	350 x 60 x 1,5mm	



## HAMMER-CHISEL

For normally glued tiles

Item no.	Product	Dimensions
173038	Hammer chisel 115 Independence	115 mm
173056	Hammer chisel 75 Independence	75 mm



## HARD METAL-CHISEL

For very firmly glued tiles and mineral coatings.

Item no.	Product	Dimensions
173211	HM chisel 115 Independence	115 mm
173210	HM chisel 69 Independence	69 mm



## COLD STEEL U-SHAPED BLADE

Made of special steel for thick, stubborn floor coverings.

Item no.	Product	Dimensions
173452	Cold steel U-shaped blade, top cutting edge	250 x 60 x 3 mm x 45°
173465	Cold steel U-shaped blade, bottom cutting edge	250 x 60 x 3 mm x 45°
173451	Cold steel U-shaped blade, top cutting edge	350 x 60 x 3 mm x 45°
173464	Cold steel U-shaped blade, bottom cutting edge	350 x 60 x 3 mm x 45°
173463	Cold steel U-shaped blade, top cutting edge	350 x 80 x 3 mm x 45°
173450	Cold steel U-shaped blade, bottom cutting edge	350 x 80 x 3 mm x 45°



## ACCESS RAMP

Lightweight, mobile and foldable ramp for safe loading of the Independence. (Two ramps are required)

- High load capacity (600kg) per piece
- Non-stick coating
- Made in Germany

Item no.	Product	Dimension	Weight
174735	Access ramp Independence	3m	30 kg



## CONNECTING CABLE REMOTE CONTROL

For radio-sensitive areas, such as hospitals, airports, etc.

Item no.	Product	Dimension
171792	Connecting cable remote control	5m



**WOLFF.  
GOING  
BEYOND  
YOUR  
LIMITS.**

# ROBO STRIPPER

## THE POWERHOUSE FROM WOLFF

Perfect machine for removing floor coverings from large areas with several levels, such as sports halls, industrial halls, department stores and office buildings.



### Technical specifications

- Voltage: 230 V
- Drive power: 2 x 0.9 kW
- Striking mechanism power: 1.3 kW
- Striking mechanism strike rate: 0 to 3000 rpm
- Blade width: 350 mm standard - 450 mm optional
- Weight: approx. 360 kg (dismountable)
- Speed: 0 to 30 m/min
- Working capacity: approx. 100 - 250 m<sup>2</sup>/h

### Features

- Easy blade change (integrated machine lift)
- Can be quickly dismantled for easy transport
- Vibration-free for the operator
- 2 hand radio remote control
- Steerable (very high manoeuvrability)
- Torsion joint
- Integrated swivel castors with directional locks
- Lashing eyes
- Striking mechanism with adjustable number of strikes

Item no.	Scope of delivery
163417	Robo Stripper 1 blade 350 x 60 x 1.5 mm, 1 U-blade cutting edge top, 1 U-blade cutting edge bottom, radio remote control, additional weights, 2 x torsion locks, tool set, extension cable, grease gun, hearing protection, protective gloves, blade guard
165834	Robo Stripper 115V UK
165833	Robo Stripper 230V AUS
165828	Robo Stripper 230V CH
165831	Robo Stripper 230V DK
163443	Robo Stripper 230V US

## TWIN WHEELS

Twin wheels fittable with 3 bolts to widen the track for improved traction.

### Item no. Product

74215 Twin wheels



## DEFLECTOR AND OSCILLATOR SET 450 MM

### Item no. Product

82333 Deflector and oscillator set 450 mm



## SPARE BLADE

### Item no. Product

75006 Spare blade

### Dimensions

450 x 120 x 1.5 mm

75007 Spare blade

450 x 60 x 1.5 mm



Top cutting edge      Bottom cutting edge

## SPECIAL U-SHAPED BLADE

### Item no. Product

75010 Special U-shaped blade, top cutting edge (for hard surfaces)

### Dimensions

450 mm

75011 Special U-shaped blade, bottom cutting edge (for soft surfaces)

450 mm



## SPECIAL BLADES FOR PARQUET AND COVERING REMOVAL

With special deflector for better deflection of larger parquet pieces. Only suitable for Independence, Robo- and BiTurbo strippers!

### Item no. Product

80359 Special blade with screwed-on blade holder (in set)

### Dimensions

350 x 150 x 3.0 mm

80358 Special blade, serrated with screwed-on blade holder (in set)

350 x 150 x 3.0 mm

79634 Spare blade

350 x 150 x 3.0 mm

79635 Spare blade, serrated

350 x 150 x 3.0 mm

## TORSION LOCK

Torsion lock, prevents the oscillator from tilting sideways with narrow blades.

### Item no. Product

80274 Torsion lock



# BITURBO STRIPPER

## THE BENCHMARK IN TERMS OF EFFECTIVENESS AND EASE OF USE

Stripper for the removal of all textile and elastic floor coverings as well as for the removal of parquet.



### Technical specifications

- Voltage: 230 V
- Striking mechanism power consumption: 1.5 kW
- Drive power consumption: 1.5 kW
- Impact rate: 3000 impacts/min
- Blade width: 350 mm
- Weight: approx. 260 kg (dismountable)
- Speed: 0 to 27 m/min
- Working capacity: approx. 100 - 150 m<sup>2</sup>/h



### Item no. Scope of delivery

85000	BiTurbo Stripper
	1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 350 x 120 x 1.5 mm, 1 blade 350/200 x 120 x 3.0 mm offset, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, additional weights, tool set, extension cable, grease gun, hearing protection, protective gloves
88784	BiTurbo Stripper 115V / 50-60HZ UK
88530	BiTurbo Stripper 230V AUS
88292	BiTurbo Stripper 230V / 50HZ CH
88755	BiTurbo Stripper 230V / 50HZ DK
89253	BiTurbo Stripper 230V / 60HZ US

### Features

- High operating comfort due to self-propulsion (forward and backward)
- Speed continuously adjustable between 0 and 27 m/min
- Adjustment to different coverings and working conditions through blade angle adjustment
- Torsion compensation for efficient detachment
- Easy transport, as additional weights are removable and the machine can be divided in the middle
- Handle height adjustable in 3 steps
- Optimum cutting results due to percussive blade movement
- Controls easily accessible on the cockpit

## SPECIAL BLADES FOR PARQUET AND COVERING REMOVAL

With special deflector for better deflection of larger parquet pieces. Only suitable for Independence, Robo- and BiTurbo strippers!

Item no.	Product	Dimensions
80359	Special blade for parquet and floor covering removal with screwed-on blade holder (in set)	350 x 150 x 3.0 mm
80358	Special blade for parquet and floor removal, serrated with screwed-on blade holder (in set)	350 x 150 x 3.0 mm
79634	Spare blade	350 x 150 x 3.0 mm
79635	Spare blade, serrated	350 x 150 x 3.0 mm



## CHASSIS

Chassis suitable for BiTurbo, Turbo EMC and Turbo.

Item no.	Product
62227	Chassis



## SPECIAL GREASE / GREASE GUN FOR STRIKING MECHANISMS

Special grease, 500g cartridge, Specially developed for the Biturbo striking mechanism.  
2-hand grease gun for Robo, BiTurbo and Turbo.

Item no.	Product
87466	2-hand grease gun
87733	Special grease



# TURBO EMC

## MORE COMFORT THROUGH ELECTRIC

Stripper for removing all bonded floor coverings. New machine variant of the Turbo stripper with electromagnetic clutch. It makes engaging the drive more comfortable and the work more ergonomic. A parking brake is integrated for safe transport.



### Technical specifications

- Voltage: 230 V
- Power: 2.600 W
- Working width: 150 - 350 mm
- Number of impacts: 5.000 impacts/min.
- Weight: 157 kg
- Working capacity: approx. 60 - 100 m<sup>2</sup>/h



### Features

- High operating comfort due to electromagnetic clutch
- 2,600 W motor with starting current limiter
- Safety during operation due to restart protection
- Easy transport due to removable weights and detachable handle
- Starting current limiter
- USB connection in the switch housing

Item no.	Scope of delivery
10622	Turbo EMC  1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, tool kit, extension cable, grease gun, hearing protection, protective gloves
11829	Turbo EMC 115V / 50HZ UK
164275	Turbo EMC 230V / 50HZ AUS
166154	Turbo EMC 230V / 50HZ CH
164461	Turbo EMC 230V / 50HZ DK
10623	Turbo EMC 230V / 60HZ US

## ADDITIONAL WEIGHT 30 KG

Additional weight 30 kg, for Turbo stripper.

Item no.	Product
38535	Additional weight 30 kg



## CHASSIS

Chassis suitable for BiTurbo, Turbo EMC and Turbo.

Item no.	Product
62227	Chassis



## SPECIAL BLADE

Heavy-duty version, angled, for heavy coverings and solid parquet.

Item no.	Product	Dimensions
39362	Special blade for Version 2 strippers	350 mm
15532	Special blade for Version 1 strippers	350 mm



## PARQUET STRIPPER SET

Parquet stripper set. For removal of parquet.  
Suitable for the Turbo stripper:

Item no.	Product
63754	Parquet stripper set

Item no.	Scope of delivery
63752	Parquet deflector
53415	Underride protection
13982	Blades for multi-layer parquet
73389	Parquet set blade holder
39362	Heavy-duty blade for solid parquet flooring
63753	Blade holder for parquet deflector



## SPECIAL GREASE / GREASE GUN FOR STRIKING MECHANISMS

Special grease, 500g cartridge, Specially developed for the Biturbo striking mechanism.  
2-hand grease gun for Robo, BiTurbo and Turbo.

Item no.	Product
87466	2-hand grease gun
87733	Special grease



# TURBO STRIPPER

## NO. 1 WORLDWIDE

Tried and tested stripper for removing all bonded floor coverings.



### Technical specifications

- Voltage: 230 V
- Power: 2.600 W
- Working width: 150-350 mm
- Number of impacts: 5.000 impacts/min.
- Weight: 157 kg
- Working capacity: approx. 60-100 m<sup>3</sup>/h



### Features

- 2,600 W motor with starting current limiter
- Travel drive with manual clutch
- Safety during operation due to restart protection
- Easy transport due to removable weights and detachable handle
- USB connection in the switch housing

Item no.	Scope of delivery
43778	Turbo Stripper  1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, tool kit, extension cable, grease gun, hearing protection, protective gloves
39087	Turbo Stripper 115V UK
39086	Turbo Stripper 115 US

## ADDITIONAL WEIGHT 30 KG

Additional weight 30 kg, for Turbo stripper.

Item no.	Product
38535	Additional weight 30 kg



## CHASSIS

Chassis suitable for BiTurbo, Turbo EMC and Turbo.

Item no.	Product
62227	Chassis



## SPECIAL BLADE

Heavy-duty version, angled, for heavy coverings and solid parquet.

Item no.	Product	Dimensions
39362	Special blade for Version 2 strippers	350 mm
15532	Special blade for Version 1 strippers	350 mm



## PARQUET STRIPPER SET

Parquet stripper set. For removal of parquet.  
Suitable for the Turbo stripper.

Item no.	Product
63754	Parquet stripper set

Item no.	Scope of delivery
63752	Parquet deflector
53415	Underride protection
13982	Blades for multi-layer parquet
73389	Parquet set blade holder
39362	Heavy-duty blade for solid parquet flooring
63753	Blade holder for parquet deflector



## SPECIAL GREASE / GREASE GUN FOR STRIKING MECHANISMS


Special grease, 500g cartridge, Specially developed for the Biturbo striking mechanism.  
2-hand grease gun for Robo, BiTurbo and Turbo.

Item no.	Product
87466	2-hand grease gun
87733	Special grease



## SPARE BLADE


Item no.	Product	Dimensions	PU
13978	Spare blade for textile	350 x 60 x 1.0 mm	10 pieces
13982	Spare blade for multi-layer parquet	350 x 120 x 1.5 mm	1 pieces
13982	Spare blade for linoleum, vinyl and rubber	350 x 120 x 1.5 mm	1 pieces
13979	Spare blade for linoleum, vinyl and rubber	350 x 60 x 1.5 mm	10 pieces
13981	Spare blade for linoleum, vinyl and rubber	150 x 60 x 1.5 mm	10 pieces
13980	Spare blade for linoleum, vinyl and rubber	200 x 60 x 1.5 mm	10 pieces



## SPECIAL U-SHAPED BLADE 350 MM


For simultaneous pre-cutting and removal of the coverings. Sharpened on one side.

Item no.	Product	Dimensions
13983	Special U-shaped blade, top cutting edge	350 mm
13933	Special U-shaped blade, bottom cutting edge	350 mm



## SPECIAL BLADE

Item no.	Product	Dimensions
79636	Special blade	350 x 120 x 3.0 mm
79637	Special blade	350/200 x 120 x 3.0 mm offset
79638	Special blade for strongly bonded coverings	350/100 x 120 x 3.0 mm
79639	Special blade for multi-layer parquet	350 x 120 x 3.0 mm
81205	Special blade for coverings with fleece backing	350 x 60 x 1.5 mm



## BLADE SELECTOR FOR SPARE AND SPECIAL BLADES FOR INDEPENDENCE, ROBO-, BITURBO- AND TURBO STRIPPER

Knives	350 x 60 x 1,0	350 x 60 x 1,5	350 x 120 x 1,5	350 x 120 x 3,0	350/200 x 120 x 3,0	350/100 x 120 x 3,0	350 x 120 x 3,0	350 x 60 x 1,5
--------	----------------	----------------	-----------------	-----------------	---------------------	---------------------	-----------------	----------------

Item no.	13978	13979	13982	79636	79637	79638	79639	81205
----------	-------	-------	-------	-------	-------	-------	-------	-------

also available as U-blades      serrated      serrated      Sawtooth

### FLOOR COVERING

Textile covering with SDR Equipment & woven fabric	●							
Textile covering with fleece backing or foam backing								●
CV covering in sheets	●	●	●					●
Homogeneous vinyl covering in sheets and tiles		●						
Rubber covering in sheets		●						
Linoleum up to 2.5 mm in sheets and tiles		●						
Linoleum from 2.5 mm			●	●				
Rubber covering from 3.5 mm			●	●				
Solid parquet 10 - 22 mm				●	●	●		
Multi-layer parquet with real wood backing			●		●	●	●	
Two-layer parquet with MDF/HDF carrier					●	●		●
End-grain parquet				●	●	●		
Chipboard glued / nailed						●		
Sports composite coverings	●		●		●			
Needle punch	●							
Ceramic tiles (small format)						●		

Some blades in 1.5 mm thickness are also available in narrower dimensions for strong bonding.  
This selector is not a substitute for a thorough review of the conditions on site.  
Wolff accepts no liability for damage caused by improper use, to the structure or to the tools.

# BLADE CASE

## FOR ROBO, BITURBO AND TURBO

Blade case for Robo, BiTurbo and Turbo strippers with a selection of blades for a wide range of applications. The case includes two compartments so that the blades can be transported safely and in a space-saving way. There is also enough space to store other tools.



### Technical specifications

- Weight: 10.5 kg

# BLADE CASE

## FOR VARIO STRIPPER

Blade case for Vario stripper with all important blades for a wide range of applications. The case includes two compartments so that the blades can be transported safely and in a space-saving way. There is also enough space to store other tools.



### Technical specifications

- Weight: 8.0 kg

Item no.	Scope of delivery
88634	Blade case for Robo, BiTurbo and Turbo  1 x transport case, 2 x compartments for blades, 10 x spare blades 350 x 60 x 1.5 mm, 2 x spare blades 350 x 120 x 1.5 mm, 5 x U-blade 350 top cutting edge, 1 x U-blade 350 bottom cutting edge, 1 x parquet blade 200 x 120 x 3 mm, 1 x blade 350 x 60 x 1.5 mm serrated, 10 x spare blades 350 x 60 x 1.0 mm

Item no.	Scope of delivery
88635	Blade case for Vario stripper  1 x transport case, 2 x compartments for blades, 10 x spare blades 250 x 60 x 1.0 mm, 10 x spare blades 250 x 60 x 0.7 mm, 10 x spare blades 250 x 60 x 1.5 mm, 5 x U-blade 250 top cutting edge, 1 x U-blade 250 bottom cutting edge, 1 x serrated blade 250 x 60 x 1 mm

# VARIO-SILENT STRIPPER

## THE PERFECT CHOICE, FOR LOW-NOISE COATING REMOVAL

Extremely quiet stripper with stepless angle adjustment for use on medium-sized surfaces.



### Technical specifications

- Voltage: 230 V
- Power: 1.650 W
- Speed: 3.000 rpm.
- Total weight: 107 kg (basic unit: 60 kg, additional weight (hood) removable: 30 kg, handle removable: 17 kg)
- Working width: max. 250 mm
- Speed: 2,5 - 17 m/min
- Working capacity: approx. 30 - 70 m<sup>2</sup>/h
- With starting current limitation



### Features

- Removal of vinyl, linoleum, rubber and textile floor coverings
- Quiet motor enables working even during operation (hospitals, business premises)
- High operating comfort due to self-propulsion
- Easy transport, as additional weight and handle are removable
- Secure working in corners and wall areas with pull-back system
- Vario drive: Speed continuously adjustable between 2.5 and 17 m/min
- Adaptation to different coverings and working conditions through blade holders with different angles
- USB connection in the switch housing
- Continuous angle adjustment

Item no.	Scope of delivery
38764	Vario Silent Stripper 1 blade 250 x 60 x 0.7 mm, 1 blade 250 x 60 x 1.0 mm, 1 blade 250 x 60 x 1.5 mm, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, tool set, extension cable, protective gloves, blade guard
42453	Vario Silent Stripper 115V UK
50202	Vario Silent Stripper 115V US

## PULL-BACK-SYSTEM

The pull-back system was developed to make it easy to pull the Silent Vario stripper backwards. When you reach a wall or other obstacle while working, you can lift the drive wheels by simply pulling the handle. The machine stops even though the wheels can continue to turn. If you pull harder on the handle, you can pull the machine back until the next sheet is to be detached. When the handle is moved forward again, the drive wheels touch down on the floor again and the machine moves forward again. When working, the handle must be pushed slightly forward so that the small transport castors are raised.

## SPARE BLADE

Item no.	Product	Dimensions	PU
38765	Spare blade for textile	250 x 60 x 0.7 mm	10 pieces
38766	Spare blade for textile	250 x 60 x 1.0 mm	10 pieces
38767	Spare blade for linoleum, vinyl and rubber	250 x 60 x 1.5 mm	10 pieces



## SERRATED BLADE

Serrated blade for removing coverings with felt and fleece backing. The serrated edge ensures optimum cutting of the fibre. The blades are made of high-quality hardened and specially coated spring steel with CNC-controlled sharpening.

Item no.	Product	Dimensions
48401	Serrated blade	250 x 60 x 1.0 mm



## SPECIAL U-SHAPED BLADE

For simultaneous pre-cutting and removal of the coverings (for CV and needle punch coverings). Sharpened on one side.

Item no.	Product	Dimensions
38768	Special U-shaped blade, top cutting edge	250 mm
38932	Special U-shaped blade, bottom cutting edge	250 mm



Top cutting edge      Bottom cutting edge

## SET BLADE ANGLE ADJUSTMENT

Complete conversion kit for retrofitting the stepless angle adjustment on older Vario-Silent.

Item no.	Product
171262	Set blade angle adjustment



SUITABLE FOR MACHINES UP TO  
YEAR OF CONSTRUCTION 2022  
(MACHINE NO. 02405/2022).

# DURO STRIPPER 2.0


## WELL-KNOWN AND PROVEN

**Best-selling stripper - The No. 1 for universal use on small to medium-sized areas.**



### Technical specifications

- Voltage: 230 V
- Power: 2.000 W
- Starting current limitation
- Max. working width: 210 mm
- Speed: 8.500 rpm
- Weight: 16 kg



### Features

- Chassis for easier work
- Operation as a hand-held unit or as a floor unit with height-adjustable guide handle
- Robust housing for tough use
- Low-vibration running due to special bearings

Item no.	Scope of delivery
84888	Duro Stripper 2.0 Chassis, 1 blade 210 x 60 x 0.7 mm, 1 blade 210 x 60 x 1.0 mm, tool set, hearing protection, protective gloves, blade guard
85641	Duro Stripper 2.0 115V UK
85642	Duro Stripper 2.0 115V US

## SPARE BLADE

Item no.	Product	Dimensions	PU
13344	Spare blade for textile	210 x 60 x 0.7 mm	10 pieces
13345	Spare blade for linoleum, vinyl and rubber	210 x 60 x 1.0 mm	10 pieces
13346	Spare blade for linoleum, vinyl and rubber	210 x 60 x 1.5 mm	10 pieces



## SERRATED BLADE

Serrated blade for removing coverings with felt and fleece backing. The serrated edge ensures optimum cutting of the fibre. The blades are made of high-quality hardened and specially coated spring steel with CNC-controlled sharpening.

Item no.	Product	Dimensions
48402	Serrated blade	210 x 60 x 1.0 mm



## TRANSPORT BOX

Item no.	Product
13349	Transport box



## CHASSIS

Item no.	Product
85357	Chassis for Duro stripper only



## OSCILLATOR

Item no.	Product
015221	Oscillator

## REJECTOR

Item no.	Product
015223	Rejector

## RUBBER BEARING

Item no.	Product
014931	Rubber Bearing

# JUNIO STRIPPER

HARD-TO-REACH PLACES?  
NO PROBLEM!

Removal of textile coverings, foam and covering residues as well as glass fibre wall coverings on small surfaces.



#### Technical specifications

- Voltage: 230V
- Power: 1.200 W
- Max. working width: 200 mm
- Weight: 3,1 kg

#### Features

- Enables work in inaccessible places such as window recesses and under radiators
- Also ideal for stairs and walls
- With transport systainer

Item no.	Scope of delivery
16876	Junio stripper 1 blade 120 mm, tool set, transport systainer, blade guard, protective gloves, hearing protection
20819	Junio stripper 115V UK
50080	Junio stripper 115V US

## SPARE BLADE

Item no.	Product	Dimensions	PU
13998	Spare blade for textile	120 mm	10 pieces
14000	Spare blade for vinyl	200 mm	10 pieces



## BLADE GUARD

Item no.	Product
33199	Leather blade guard



# RAMHAMMER

## HAMMER WITH HIGH IMPACT FORCE FOR EASY REMOVAL OF TILES

Ergonomic design minimises the user's exposure to vibrations and ensures safe operation



### Technical data

- Rated output power: 1,750W
- Impact energy: 41J
- Impact speed at nominal speed: 1300 bpm
- Tool holder: HEX 30 mm
- Voltage: 230V
- Total weight: 51kg
- Weight hammer: 17kg
- Weight trolley: 34kg
- Dimensions l x w x h: 1285 mm x 610 mm x 860 mm
- Working width: 130 mm

### Properties

- Ergonomic working due to upright posture (independent of working angle)
- 9-fold angle adjustment
- Quick mounting of the demolition hammer on the trolley
- Powerful motor with 41 joules of impact energy
- Low vibration and high manoeuvrability enables perfect handling

Item no.	Scope of delivery
169208	RamHammer RamHammer Trolley, Bosch Hammer GSH16-30, Blade holder, Blade

## RAMHAMMER TROLLEY

Trolley for holding a Bosch GSH16-30 demolition hammer

- Total weight: 34kg
- Dimensions l x w x h: 920 mm x 610 mm x 860 mm
- Working width: 130 mm

### Item no. Product

170000 RamHammer Trolley



# PARQUET MILLING MACHINE PM200

## THE PROBLEM SOLVER FOR REMOVING PARQUET

Milling machine for the removal of strongly bonded two-layer parquet with HDF/MDF carrier.



### Technical specifications

- Voltage: 230V
- Power: 2600 W
- Working width: 200 mm
- Milling depth: 15 mm
- Working capacity: up to 50m<sup>2</sup>/hour
- Weight: approx. 70 kg
- Speed: 6500 rpm
- Dimensions L x W x H: 620 mm x 590 mm x 1080 mm



### Features

- Low dust emissions in the air through fine dust extraction
- Space-saving disposal of the old covering as small chips are produced
- Chips are deposited in a row behind the machine and can be collected afterwards
- Continuous adjustment of the milling depth
- Simple and effortless lowering of the milling drum
- Continuous adjustment of the handle position
- Controls easily accessible on the handle
- Two sturdy handles for safe transport

Item no.	Scope of delivery
163361	Parquet milling machine PM200 fully loaded milling drum, hose adapter for suction hose 38 mm, extension cable, tool kit, hearing protection, protective gloves, safety goggles, transport chassis

## SET OF INDEXABLE INSERTS

Item no.	Product	PU
164252	Indexable insert set (including screws)	14 pieces



## PAPER BAGS

Item no.	Product	Dimensions	PU
168069	Paper Waste Bags	120 l	25 pieces



## TRANSPORT CHASSIS

Item no.	Product
166208	Transport chassis



## SUCTION BONNET

Item no.	Product
162800	Suction bonnet



## MILLING DRUM

Item no.	Product
162871	Milling drum



## TWO-HAND SWITCH 12A

Item no.	Product
163316	Two-hand switch 12A



# PARQUET SAW PS 230


## PARQUET AND JOINT SAW

For fast, precise sawing of parquet and mineral substrates.



### Technical specifications

- Voltage: 230V
- Power: 2600 W
- Speed: 6500 rpm
- Saw blade diameter: 230 mm
- Continuous cutting depth: 0 - 60 mm
- Suction nozzle diameter: 50 mm
- Weight: 28 kg



### Features

- Powerful motor enables non-stop sawing of parquet and mineral substrates
- Cutting depth continuously adjustable from 0 - 60 mm
- Connection for dust extraction

Item no.	Scope of delivery
84919	PS 230 Parquet and joint saw Carbide saw blade Ø 230 mm, tool for saw blade change, cable extension arm

## CARBIDE SAW BLADE

Item no.	Product	Dimensions
85147	Carbide saw blade (Standard)	230 mm



## PCD SAW BLADE

Item no.	Product	Dimensions
85148	PCD saw blade (for wood)	230 mm



## DIA SAW BLADE

Item no.	Product	Dimensions
85541	DIA saw blade (for hard substrate-concrete)	230 mm



## DIA SAW BLADE



Item no.	Product	Dimensions
85149	DIA saw blade 230 mm (for soft substrate)	230 mm



## ERGO CUTTER PRO

The perfect tool for pre-cutting textile coverings.  
The long metal handle makes forward pushing quick and easy.

Item no.	Product
88300	Ergo Cutter Pro



## ERGO CUTTER PRO SPARE BLADES

Item no.	Product	PU
13421	Ergo Cutter Pro spare blades	100 pieces
89522	Ergo Cutter Pro spare blades	10 pieces

## PREMIUM RIPPER CLAW

A great help when removing bonded floor coverings. Indestructible thanks to high-quality aluminium material. The ergonomic shape protects hands and fingers. Tested to a tensile force of 200 kp.

Item no.	Product
13342	Premium ripper claw



## RIPPER CLAW

Made of steel, with spring-loaded clamping jaw and rotating wooden handle.

Item no.	Product
160344	Ripper claw



## TWO-HAND RIPPER CLAW

Made of steel, with spring-loaded clamping jaw and rotating handle.  
Width of the handle suitable for pulling with both hands.

Item no.	Product
10068	Two-hand ripper claw



## FLOOR SCRAPER

Suitable for removing adhesive and carpet residues during installation work.  

- Very sturdy design
- Painted 140 cm black tubular steel handle
- 30 cm wide, welded-on back for holding the blade

Item no.	Product	Dimensions
34543	Floor scraper with blade	Width 30 cm, handle length 140 cm
34649	Spare blade floor scraper	



## IMPACT SCRAPER

The push scraper with handle is suitable for removing adhesive or mortar residues from the floor.  

- Painted 140 cm black tubular steel handle.
- 15 cm wide, welded-on back to hold the blade

Item no.	Product	Dimensions
34521	Impact scraper with blade	Width 15 cm, handle length 140 cm
34650	Spare blade Impact scraper	



## HAND SCRAPER

For removing floor and wall coverings.  

- Ergonomically shaped handle

Item no.	Product	Dimensions	PU
51505	Hand scraper, incl. 5 blades	Working width 10 cm	
13617	Spare blades for hand scraper, in box		100 pieces
89520	Spare blades for hand scraper, in hanging packaging with Euro perforation		10 pieces
88367	Screw set for hand scraper		



## PROFESSIONAL HAND SCRAPER

For removing floor and wall coverings.  

- Ergonomically shaped handle
- Delivery without blades

Item no.	Product	Dimensions	PU
65500	Professional hand scraper	Working width 52 mm	
13419	Trapezoid blades for Professional hand scraper		100 pieces



# SUBFLOOR PREPARATION

Sanding	42
Vacuum Cleaners	72
Mixers	88
Levelling	94



# MILLING AND GRINDING MACHINE NEO 400

## THE POWERFUL ONE FOR LARGE AREAS

High area performance due to efficient and aggressive removal.  
Improved extraction enables almost dust-free working.



### Technical specifications

- Voltage: 400 V
- Power: 4.000 W
- Speed: 1.500 rpm
- Working width: 400 mm
- Weight: 95 kg
- Suction connection: 50 mm



### Features

- High area output
- Efficient and aggressive removal even of very hard coatings
- Effective dust extraction through two extraction nozzles and double extraction rim with brushes
- Handle continuously height adjustable
- Suction ring with brushes
- Suction port Ø 50 mm
- Support wheel enables easy movement of the machine on soft surfaces

Item no.	Scope of delivery
76970	Floor grinding machine NEO 400 <small>1 additional weight 15 kg, support wheel, cable extension, segment holder for 4 - 12 DIA segments, tool set, soft-face hammer, hearing protection, safety goggles, protective gloves, without grinding tool!</small>
80765	Floor grinding machine NEO 400 115V US

## EXTENSION CABLE

Item no.	Product	Dimensions
15960	Extension cable 400 V, 16 A	25 m



## ADDITIONAL WEIGHT

Item no.	Product
72225	Additional weight, complete

## SUPPORT WHEEL

Item no.	Product
83702	Support wheel, complete

# MILLING AND GRINDING MACHINE NEO 230

## OUR BESTSELLER

Ideal for small to medium areas as well as for edge trimming.



### Technical specifications

- Voltage: 230 V
- Power: 2.000 W
- Speed: 1.500 rpm
- Working width: 230 mm
- Weight: 44 kg
- Suction connection: 50 mm



### Features

- Angular adjustment of the grinding head in three positions
- Movable suction hood that follows the floor in all positions
- Push-on suction hood for working close to the edge
- Height-adjustable and foldable handle
- Easy replacement of diamond segments in seconds thanks to modern slide-in system

Item no.	Scope of delivery
74650	Floor grinding machine NEO 230
	Disc holder for 4 diamond segments, cable extension arm, extension cable, soft-face hammer, hearing protection, safety goggles, without grinding tools!
74895	Floor grinding machine NEO 230 115V UK
75382	Floor grinding machine NEO 230 115V US

## EXTENSION CABLE

Item no.	Product	Dimensions
41811	Extension cable WOLFF 2,5 <sup>2</sup>	25 m
47382	Extension cable WOLFF 2,5 <sup>2</sup>	12,5 m



## BRUSH SET

Item no.	Product
87313	Replacement brush set

## DUST SEAL RING HIGH

Item no.	Product
83233	Dust seal ring high

## SEGMENT HOLDERS

Item no.	Product
80943	Segment holders

## GRINDING PLATE

Item no.	Product
80159	Grinding plate complete

# 5C-QUALITY

## FINEST DIAMOND TOOLS -MADE IN GERMANY

All diamond segments and diamond grinding discs with 5C quality can be recognised by the diamond logo.



### 5C quality stands for:

- 1. concrete specification of the diamond quality
- 2. constant size and strength of the PCDs
- 3. constant overall height of the segments and base bodies
- 4. clear areas of application
- 5. consistent quality assurance

The diamond segments from German origin have precisely defined PCD proportions and are subjected to permanent quality controls such as microscope inspection, segment fracture test, strength strength test and shear force measurement. With the 5C quality, you can be sure of working successfully with and stable products.

### 5C-QUALITY DIAMONDS IN DETAIL

**Microscope sighting:**  
Distribution, quantity and size of the PCD and diamonds



**Segment break test:**  
Distribution, quantity and size of the PCD and diamonds



**Comparison with commercial usual segment:**  
Left 5C quality | Right without 5C quality



## DIAMOND SEGMENT ES 5C 20-60



5C

SUBFLOOR  
PREPARATION

## DIAMOND SEGMENT BT 5C 20-60



5C

## DIAMOND SEGMENT XTRA 5C PCD



5C

## DIAMOND SEGMENT JET 5C PCD



5C

## DIAMOND SEGMENT TRI SPIKE 5C



5C

## DIAMOND GRINDING DISC BT 5C 20



5C

## STROKE NUMBERS

On the BT and ES 5C segments you will find an embossed beat number. This makes it easy to distinguish between the different segments.

Item no.	Product	Stroke Number
163281	ES-5C 20	1
163282	ES-5C 40	2
163283	ES-5C 60	3
163284	BT-5C 20	4
163285	BT-5C 40	5
163286	BT-5C 60	6

## SELECTOR FOR 5C SEGMENTS



Product	BT-5C 20 BT-5C 40 BT-5C 60	ES-5C 20 ES-5C 40 ES-5C 60	Jet PKD	Tri Spike	Xtra PKD
Item no.	163284 163285 163286	163281 163282 163283	163288	163289	163287

Please select the appropriate segments based on your substrate

Hard   Extremely hard compound					●
Hard concrete	●				
Cement screed		●	●		
Anhydrite screed		●	●		
Cast asphalt		●	●		
Magnesia screed	●		●		
Thin epoxy layers	●		●	●	
PU coatings				●	●
Synthetic resin floors				●	●
Adhesive layers < 1 mm		●	●		
Adhesive layers > 1 mm			●		●
Dispersion fixings		●	●	●	
Tile mortar					●
Insulating board					●
Foam and Fleece residues			●		●
Jute and SDR residues			●		●

Due to different construction site conditions, the use of the appropriate segments must be thoroughly checked on site in each individual case.  
No liability can be accepted for improper use of the segments.

## SELECTOR FOR STANDARD PCD SEGMENTS



Product	PCD Scraper XT	PCD Ultra	PCD Ultra XT	PCD Viper	PCD Viper XT
---------	----------------	-----------	--------------	-----------	--------------

Item no.	75366	75364	75365	10831	10832
Please select the appropriate segments based on your substrate	Like PCD Scraper, but without support segment. For removing thicker compounds and adhesive layers	Segment with five straight PCD and support. For medium-hard to hard compounds, adhesive residues and coatings.	Segment with five straight PCD, without support. For medium-hard to hard compounds, adhesive residues and coatings. More aggressive, especially for higher layer thicknesses.	Segment with three pointed PCDs, with support. For removing highly hardened (extremely hard) compounds. Recommended use for the NEO 400.	Segment with three pointed PCDs without support. For removing highly hardened (extremely hard) compounds. For aggressive removal. Recommended use for the NEO 400.
Extremely hard compound				●	●
Hard compound		●	●	●	●
Epoxy coatings		●	●		
PU coatings		●	●		
Thick adhesive layers	●				
Tile mortar	●				
Foam and fleece backings		●	●		
Covering backings	●	●	●		

Due to different construction site conditions, the use of the appropriate segment must be thoroughly checked on site in each individual case.  
No liability can be accepted for improper use of the segments.

## DIAMONDS STARTER SETS

### Item.no Product

163794	PCD scraper starter set 4x PCD scraper (#68388), 4x ES G 20 (#68391), soft-face hammer #80208, transport case
163795	PCD scraper starter set 4x PCD split (#68389), 4x ES G 20 (#68391), soft-face hammer #80208, transport case



# NINJA DIAMOND GRINDING PLATE

## EFFECTIVE, SIMPLE AND PROVEN

**Extremely effective grinding plate for all surfaces. Easy replacement of the diamond segments due to the impact system. Secure and easy application due to diamond selector.**



### Features

- High quality and long service life of the segments
- Easy replacement of segments due to modern slide-in system
- Diamond segments for various applications with application table

## SEGMENT SELECTOR



Product	BT K20	ES K20	PCD Split	PCD Scraper
Item no.	68390	68391	68389	68388
<b>Please select the appropriate segments based on your substrate</b>				
Hard concrete	●			
Cement screed		●		
Anhydrite screed		●		
Mastic asphalt		●		
Magnesia screed	●			
Thin epoxy layers	●		●	
PU coatings			●	
Synthetic resin floorings			●	
Adhesive layers < 1 mm		●		
Adhesive layers > 1 mm				●
Dispersion fixings		●		
Tile mortar				●
Insulating cardboard			●	
Foam and fleece backings		●		●
Jute and SDR backings	●			●

Due to different construction site conditions, the use of the appropriate segment must be thoroughly checked on site in each individual case. No liability can be accepted for improper use of the segments.

Item no.	Versions
68867	Ninja complete with PCD split segments
68866	Ninja complete with PCD scraper segments
68869	Ninja complete with ES G20 segments
68868	Ninja complete with BT G20 segments
68392	Ninja complete without segments

# MAMBO EVO

## MONODISC SANDING MACHINE

The most versatile sanding machine for all sanding and milling work.



### Technical specifications

- Voltage: 230 V
- Power: 2.000 W
- Speed: 100 - 400 rpm
- Working width: 375 - 400 mm
- Weight: 52 kg + 18 kg additional weight



### Features

- Continuously variable speed control from 100 - 400 rpm enables optimum adaptation of the abrasive to the surface
- Internal suction ring
- Effective, fast working and high removal rate due to high torque - high tractive power even at low speeds
- Additional weight for increased removal rate
- Easy transport by car due to foldable handle and removable weight (dimensions when folded 55 x 40 x 88 cm)
- Vibration and shock-absorbing plate support
- Height-adjustable wheels
- With starting current limitation

Item no.	Scope of delivery
61804	Mambo Evo sanding machine Protection and suction ring, additional weight 18 kg, hearing protection, extension cable 2.5 <sup>2</sup> , without drive plate and vacuum
62551	Mambo Evo sanding machine 115V UK
68952	Mambo Evo sanding machine 115V US

## EXTENSION CABLE

Item no.	Product
41811	Extension cable



## DUST SEAL RING, COMPLETE

Item no.	Product
20747	Dust seal ring, complete



## REPLACEMENT BRUSH FOR DUST SEAL RING

Item no.	Product
20993	Replacement brush for dust seal ring



## BASIC GRINDING PLATE FOR DIAMOND SEGMENTS

Complete with segment holders for diamond segments. For machines from a power of 1.700 W.

Item no.	Product	Dimensions
169398	Basic grinding Plate for diamond segments	Ø 400 mm

# SAMBA

## MONODISC SANDING MACHINE 1,700 W

Handy, very powerful machine with powerful 1,700 W motor for sanding and brushing screeds and compounds as well as for wet cleaning and polishing hard floors.



### Technical specifications

- Voltage: 230 V
- Power: 1.700 W
- Speed: 154 rpm
- Weight: 44 kg
- Working width: 375/400 mm



Dust seal ring with manifold

### Item no. Scope of delivery

56364	Samba sanding machine without vacuum and drive plate
65218	Samba sanding machine 115V UK
63047	Samba sanding machine 115V US

# FLAMENCO

## MONODISC SANDING MACHINE 2,200 W

Handy, very powerful machine for sanding and brushing screeds and compounds. Now with a new carrying handle for better transport.



### Technical specifications

- Voltage: 230 V
- Power: 2.200 W
- Speed: 154 rpm
- Weight: 44 kg
- Working width: 375/400 mm



### Features

- Powerful motor for problem-free machining of the underfloor
- Low working weight
- Can be used for any task thanks to a wide range of working plates and cleaning accessories
- Specially reinforced handle
- Robust steel gearbox

# TANGO

## MONODISC SANDING MACHINE 1,000 W

Handy 1,000 W machine with a wide range of applications. Now with a new carrying handle for better transport.



### Technical specifications

- Voltage: 230 V
- Power: 1.000 W
- Speed: 154 rpm
- Weight: 41 kg
- Working width: 375/400 mm



### Features

- Sanding and brushing of screeds and compounds
- For the fine sanding of parquet and cork
- Wet cleaning of carpets and polishing of floors
- Polishing out oiled and waxed floors

Item no.	Scope of delivery
56366	Tango sanding machine without vacuum and drive plate

**WOLFF.  
GOING  
BEYOND  
YOUR  
LIMITS.**

## ADDITIONAL WEIGHT

Increases the removal rate

**Item no.** Product

34097 Additional weight, 11 kg



## VACUUM PLASTIC DUST SEAL RING

**Item no.** Product

13503 Vacuum plastic dust seal ring, complete

**Item no.** Scope of delivery

35082 Vacuum with basket  
14038 Hose set with T-piece  
14039 Suction ring with apron  
15353 Brush ring



## VACUUM METAL DUST SEAL RING

**Item no.** Product

74177 Vacuum metal dust seal ring, complete

**Item no.** Scope of delivery

35082 Vacuum with basket  
**72462 Dust seal ring with manifold**  
73385 Hose set for dust seal ring  
78742 Brush for dust seal ring with manifold



## PAPER FILTER BAGS 80 CM

**Item no.** Product

Dimensions	PU
80 cm	6 pieces



## WOLFF EXTENSION CABLE

**Item no.** Product

41811 3Gx2.5<sup>2</sup> Schuko extension cable

**Dimensions**

25m



## CLEANING TANK

For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the sanding machine. Tank capacity approx. 12 l.

**Item no.** Product

59831 Cleaning tank



## METAL WHEEL RETROFIT KIT

For retrofitting older models that are still equipped with plastic wheels.

**Item no.** Product


83950 Metal wheel retrofit kit



## DRIVE PLATE WITH MICROCELLULAR RUBBER OVERLAY

For sandpaper, carbide grinding discs and sanding mesh.


Item no.	Product	Dimensions
13299	Drive plate	Ø 375 mm
13327	Drive plate	Ø 400 mm
13500	Microcellular rubber pad, single	Ø 375 mm
13328	Microcellular rubber pad, single	Ø 400 mm



## DRIVE PLATE WITH FELT

For sandpaper.

Item no.	Product	Dimensions
13501	Drive plate	Ø 375 mm
13526	Felt pad	Ø 375 mm



## DRIVE PLATE WITH FELT

Item no.	Product
14044	Left-hand threaded screw
14959	A/F 8 Allen key
14043	Spring washer



## SANDING MESH

Item no.	Product - grain size	Dimensions	PU
33511	Sanding mesh - grain size 60	Ø 150 mm	10 pieces
33513	Sanding mesh - grain size 80	Ø 150 mm	10 pieces
33514	Sanding mesh - grain size 100	Ø 150 mm	10 pieces
33515	Sanding mesh - grain size 120	Ø 150 mm	10 pieces
33516	Sanding mesh - grain size 150	Ø 150 mm	10 pieces
33517	Sanding mesh - grain size 180	Ø 150 mm	10 pieces
12665	Sanding mesh - grain size 60	Ø 406 mm	10 pieces
12666	Sanding mesh - grain size 80	Ø 406 mm	10 pieces
12667	Sanding mesh - grain size 100	Ø 406 mm	10 pieces
12668	Sanding mesh - grain size 120	Ø 406 mm	10 pieces
12669	Sanding mesh - grain size 150	Ø 406 mm	10 pieces
13549	Sanding mesh - grain size 180	Ø 406 mm	10 pieces



## SANDPAPER DISCS, DOUBLE-SIDED

Item no.	Product - grain size	Dimensions	PU
50820	Sandpaper discs - grain size 16	Ø 380 mm	10 pieces
13527	Sandpaper discs - grain size 24	Ø 380 mm	10 pieces
13528	Sandpaper discs - grain size 40	Ø 380 mm	10 pieces
13529	Sandpaper discs - grain size 60	Ø 380 mm	10 pieces
13530	Sandpaper discs - grain size 80	Ø 380 mm	10 pieces
13532	Sandpaper discs - grain size 100	Ø 380 mm	10 pieces
13533	Sandpaper discs - grain size 120	Ø 380 mm	10 pieces
51243	Sandpaper discs - grain size 16	Ø 400 mm	10 pieces
13329	Sandpaper discs - grain size 24	Ø 400 mm	10 pieces
13330	Sandpaper discs - grain size 40	Ø 400 mm	10 pieces
13534	Sandpaper discs - grain size 60	Ø 400 mm	10 pieces
13535	Sandpaper discs - grain size 80	Ø 400 mm	10 pieces
13536	Sandpaper discs - grain size 100	Ø 400 mm	10 pieces
13537	Sandpaper discs - grain size 120	Ø 400 mm	10 pieces



## CARBIDE GRINDING DISC, DOUBLE-SIDED

For sanding screeds and compounds and for removing adhesive and covering residues.  
High removal rate.

Item no.	Product - grain size	Dimensions
33291	Carbide grinding disc - grain size 12	Ø 375 mm
50849	Carbide grinding disc - grain size 14	Ø 375 mm
13510	Carbide grinding disc - grain size 16	Ø 375 mm
13517	Carbide grinding disc - grain size 24	Ø 375 mm
33292	Carbide grinding disc - grain size 12	Ø 400 mm
50850	Carbide grinding disc - grain size 14	Ø 400 mm
13515	Carbide grinding disc - grain size 16	Ø 400 mm
13518	Carbide grinding disc - grain size 24	Ø 400 mm
38197	Carbide grinding disc - grain size 36	Ø 400 mm



## FLAT WIRE BRUSH

For removing foam, felt and jute backings. For roughening anhydrite flowing screeds, for industrial floor cleaning. Wire length 45 mm.

Item no.	Product
15738	Flat wire brush



## BRUSH CUP PLATE

Cleaning sanding for anhydrite and cement-based screeds

Item no.	Product
15735	Brush cup plate
15736	Cup brush set, 6 pieces
15737	Mounting set for cup brush set



## GRINDING PLATE WITH 6 STONES G 20

For sanding screeds and compounds and removing uneven surfaces, colour and plaster residues. For machines with a power of 1,700 W or more.

Item no.	Product
13540	Grinding plate with 6 stones G 20
13490	Grindstone, G 20



## MULTI GRINDING PLATE

For fine sanding of parquet and intermediate sanding of seals. For 4 grinding discs, 150 mm. Incl. extra high brush ring, #40982, for working with the Mambo sanding machine.

Item no.	Product
14023	Multi grinding plate
40982	Brush ring, high. To work with Mambo sanding machine



## VELCRO DISC FOR MULTI-HOLE PAD

Diameter 410 mm  
For surface sanding of freshly laid wooden floors, for intermediate varnish sanding, for renovating oiled surfaces and finishing sealed parquet floors (dirt, dust influences), for matting varnished surfaces and for machining solid surface floors.


Item no.	Product	Dimensions
40607	Velcro disc, complete	Ø 410 mm
42796	Dust collection pad	Ø 410 mm
41043	Velcro pad	



## GRINDING PLATE WITH DIAMOND GRINDING HEADS, SPIRAL FANNED

For sanding all common coatings, compounds and especially concrete floors. Even extremely hard compounds can be sanded without any problems. For machines with a power of 1,700 W or more.


Item no.	Product
14248	Grinding plate with diamond grinding heads, spiral fanned
14249	Diamond sanding head



## GRINDING PLATE WITH DIAMOND GRINDING HEADS

For grinding highly tempered fillers. Grinding with diamond prevents the polishing of the filler, thus the filler can absorb the moisture and the flash-off time is reduced.

Item no.	Product
169543	Grinding Plate with diamond grinding heads, spiral green
169547	Diamond grinding head green



## BASIC GRINDING PLATE FOR DIAMOND SEGMENTS


Complete with segment holders for diamond segments. For machines from a power of 1,700 W.

Item no.	Product	Dimensions
169398	Basic grinding Plate for diamond segments	Ø 400 mm



## MULTI-HOLE PAD

Item no.	Product - grain size	Dimensions	PU
40775	Multi-hole pad - grain size 40	Ø 150 mm	10 pieces
40776	Multi-hole pad - grain size 60	Ø 150 mm	10 pieces
40777	Multi-hole pad - grain size 80	Ø 150 mm	10 pieces
70754	Multi-hole pad - grain size 100	Ø 150 mm	10 pieces
40778	Multi-hole pad - grain size 320	Ø 150 mm	10 pieces
40720	Multi-hole pad - grain size 36	Ø 410 mm	10 pieces
40741	Multi-hole pad - grain size 40	Ø 410 mm	10 pieces
40742	Multi-hole pad - grain size 60	Ø 410 mm	10 pieces
40743	Multi-hole pad - grain size 80	Ø 410 mm	10 pieces
40744	Multi-hole pad - grain size 100	Ø 410 mm	10 pieces
40745	Multi-hole pad - grain size 120	Ø 410 mm	10 pieces
40746	Multi-hole pad - grain size 150	Ø 410 mm	10 pieces
40747	Multi-hole pad - grain size 220	Ø 410 mm	10 pieces
40748	Multi-hole pad - grain size 320	Ø 410 mm	10 pieces
40749	Multi-hole pad - grain size 400	Ø 410 mm	10 pieces



## DRIVE PLATE FOR PADS

Item no.	Product	Dimensions
13300	Drive plate for pads	Ø 400 mm
15739	Spare support for drive plate	Ø 400 mm



## SHAMPOOING BRUSH

With soft brushes for cleaning carpet coverings.

Item no.	Product
13506	Shampooing brush



## PERLON BRUSH

With hard brushes for the initial cleaning of hard coverings (linoleum, vinyl, stone, ceramics)

Item no.	Product
13507	Perlon brush



## CORRUGATED WIRE BRUSH

For brushing and pre-cleaning surfaces.

Item no.	Product
13539	Corrugated wire brush



## COIR POLISHING BRUSH

For brushing and polishing hard coverings (linoleum, vinyl, stone, ceramics)

Item no.	Product
13505	Coir polishing brush



## PLATE FOR NATURAL STONE

For cleaning natural stone floors. Not for use with the Mambo single disc sanding machine!

Item no.	Product
33209	Plate for natural stone



## SCRUBBING BRUSH

For maintenance cleaning of hard coverings with coarse soiling and incrustations

Item no.	Product
13508	Scrubbing brush



## CLEANING PADS

Item no.	Product - grain size	Dimensions	PU
12679	Cleaning pads for high-gloss polishing, white	10mm, Ø 410 mm	10 pieces
12676	Cleaning pads for waxing and polishing, beige	10mm, Ø 410 mm	10 pieces
34300	Cleaning pads for sanding, red	10mm, Ø 410 mm	10 pieces
12677	Cleaning pads for basic/maintenance cleaning, green	10mm, Ø 410 mm	10 pieces
12678	Cleaning pads for abrasive cleaning of ceramic coverings, black	10mm, Ø 410 mm	10 pieces
33524	Cleaning pads for oiling, black	10mm, Ø 410 mm	10 pieces
12693	Cleaning pads for high-gloss polishing, white	20mm, Ø 410 mm	5 pieces
12680	Cleaning pads for waxing and polishing, beige	20mm, Ø 410 mm	5 pieces
80718	Cleaning pads for PU-coated coverings, grey	20mm, Ø 410 mm	5 pieces
34298	Cleaning pads for sanding, red	20mm, Ø 410 mm	5 pieces
12691	Cleaning pads for basic/maintenance cleaning, green	20mm, Ø 410 mm	5 pieces
65080	Cleaning pads for abrasive cleaning of resilient coverings, brown	20mm, Ø 410 mm	5 pieces
12692	Cleaning pads for abrasive cleaning of ceramic coverings, black	20mm, Ø 410 mm	5 pieces



# BS 180 FLOOR GRINDING MACHINE

## EDGE GRINDING MACHINE FOR SUBFLOOR FINISHING

Direct working up to the wall is possible! Handy device for sanding close to the edge of stairs, landings, rail systems and wall areas.



### Technical specifications

- Voltage: 230 V
- Power: 1.700 W
- Speed: 154 rpm
- Weight: 44 kg
- Working width: 375/400 mm



### Features

- Foldable and height-adjustable cover for edge-precise, low-dust work
- For removing unevenness, adhesive and covering residues, compound and paint residues
- With vacuum connection: spring-loaded cover ensures high extraction capacity
- Including ES G20 grinding disc

Item no.	Scope of delivery
15930	BS 180 floor grinding machine
	Tool set, 1 grinding disc ES G20 #75407, transport box, hearing protection, safety goggles

## BS 180 BRUSH SET

Item no.	Product
82650	BS 180 brush set

## DIAMOND GRINDING DISC BT-5K

Item no.	Product	Dimensions
163290	Diamond grinding disc BT-5K 20K	Ø 125 mm
163291	Diamond grinding disc BT-5K 20K	Ø 180 mm



## ES G20 GRINDING DISC

Item no.	Product	Dimensions
75407	ES G20 grinding disc	Ø 180 mm
72983	ES G20 grinding disc	Ø 125 mm

## BT G20 GRINDING DISC

Item no.	Product	Dimensions
75406	BT G20 grinding disc, gold	Ø 180 mm
72984	BT G20 grinding disc, gold	Ø 125 mm

## PCD SPLIT

Item no.	Product	Dimensions
75408	PCD Split, silver	Ø 180 mm
72983	PCD Split, silver	Ø 125 mm

## PCD SCRAPER

Item no.	Product	Dimensions
75409	PCD Scraper, silver	Ø 180 mm
75405	PCD Scraper, silver	Ø 125 mm

## CARBIDE GRINDING DISC

Item no.	Product	Dimensions
15934	Carbide grinding disc - G 16	Ø 180 mm
15935	Carbide grinding disc - G 24	Ø 180 mm

# BS 125 FLOOR GRINDING MACHINE

## THE LIGHTWEIGHT EDGE GRINDING MACHINE

**High removal rate for optimum work progress.**


**Spindle lock for easy disc replacement.**

**Anti-vibration handle.**



### Technical specifications

- Voltage: 230 V
- Power: 2.200 W
- Speed: 11.000 rpm
- Working width: 125 mm
- Weight: 2,6 kg



### Features

- High removal rate for optimum work progress
- Soft start electronics and self-shut-off carbon brushes
- Foldable cover for detailed edge, low-dust work
- Dust sealing brush for high extraction performance
- Anti-vibration handle
- Spindle lock for easy disc replacement

### Item no. Scope of delivery

80582	BS 125 floor grinding machine Grinding disc Ø 125 ES G20 black, transport systainer, hearing protection, safety goggles
-------	--

## SPARE BRUSH SET

Item no.	Product
80753	Spare brush set for BS 125 floor grinding machine



## GRINDING DISC SELECTOR



Product	BT-5C K20	BT G20 gold	ES G20 black	PCD Split, silver	PCD Scraper, silver
---------	-----------	-------------	--------------	-------------------	---------------------

Item no.	180 mm	163291	75406	75407	75408	75409
	125 mm	163290	72984	72983	75404	75405

Please select the appropriate segments based on your substrate	All-round segment for medium-hard to hard substrates	All-round segment for medium-hard to hard substrates	All-round segment for soft to very soft surfaces	For removing adhesives as well as thin layers of compounds and paint	Segment with semi-circular PCD teeth, for aggressive removal of strong adhesives, tile mortar, fleece and jute residues as well as thicker layers of compound
Hard concrete	●	●			
Cement screed			●		
Anhydrite screed			●		
Mastic asphalt			●		
Magnesia screed	●	●			
Thin epoxy layers	●	●		●	
PU coatings				●	
Synthetic resin floorings				●	
Adhesive layers < 1 mm			●		
Adhesive layers > 1 mm					●
Dispersion fixings			●		
Tile mortar					●
Insulating cardboard				●	
Foam and fleece backings			●	●	
Jute and SDR backings			●	●	

Due to different construction site conditions, the use of the appropriate segment must be thoroughly checked on site in each individual case.  
No liability can be accepted for improper use of the segments.

# EF 135 SCREED JOINT CUTTER


## LOW-DUST CUTTING OF MINERAL MATERIALS

Screed joint cutter for fast and low-dust cutting of mineral materials. The perfect solution for precise, clean and efficient work.



### Technical specifications

- Voltage: 230 V
- Power: 1.550 W
- Speed: 11.000 rpm
- Cutting depth: Up to 35mm
- Weight: 4,5 kg



### Features

- Continuous depth adjustment
- Marking for centre of cutting blade
- Very handy
- Low-dust working
- Safe machine guidance due to roller chassis

## DIA CUTTING BLADE

Item no.	Product	Dimensions
68602	DIA cutting blade (Standard)	Ø 135 mm



## TRANSPORT CASE

Item no.	Product
84759	Transport case



## CORRUGATED LINKS

Item no.	Product	PU
13932	Corrugated Links	1000 pieces
13878	Corrugated Links	100 pieces



Item no.	Scope of delivery
68679	EF 135 screed joint cutter DIA cutting blade Ø 135, vacuum cleaner connection piece, protective goggles, hearing protection, tool kit, shaft connector (100 pcs.)
81340	EF 135 screed joint cutter 115V UK

# T-REX

## 3-MOTOR HIGH PERFORMANCE VACUUM CLEANER

**Powerful industrial vacuum cleaner with three motors for coarse dirt and fine dust. Accessories can be put together individually.**



### Technical specifications

- Voltage: 230 V
- Power: 3.500 W
- Tank volume: 50 l
- Air flow rate: 570 m<sup>3</sup>/h
- Suction capacity: 2.200 mm H2O
- Filter area: 3m<sup>2</sup>
- Weight: 65 kg
- Cable length: 10 m
- Dimensions: 58 x 60 x 125 cm



### Features

- Vacuums coarse dust, building dust with screed lumps or fine dust from grinding work
- Manual shaking unit for easy cleaning of the fabric filter
- 50 litre dust container can be removed and emptied easily
- The industrial vacuum cleaner comes on rugged running gear with large wheels for convenient mobility
- Works effectively and powerfully with a hose length of up to 15 m

## STARTER SET

Item no.	Product	Dimensions
40066	Starter set consisting of:	
13337	Suction hose	50 mm, length 5 m
13335	Suction pipe	50 mm
13336	Roller nozzle	
13339	End fitting	50 mm
13340	Connecting piece	50 mm
13445	Hose clamp	40 - 60 mm
14262	Suction nozzle, round	
13338	Hose connection	50 mm

## T-REX SPARE FILTER

Item no.	Product
51152	Absolute filter (HEPA)
14261	Fine dust filter

## HOSE SET 70MM

Item no.	Product	Dimensions
48373	Hose set consisting of:	70 mm
48371	Suction hose	Ø 70 mm, (15 m)
14273	End fitting	Ø 70 mm
14268	Metal connecting piece	Ø 70 mm
14269	Hose clamp	60 - 80 mm
61802	Connecting adapter 70/50	

## ROLLER NOZZLE BRUSH SET

Item no.	Product	Dimensions	PU
50286	Roller nozzle brush set	430 mm	1 Stück

## 70 CM T-REX ADD-ON NOZZLE

Item no.	Product	Dimensions
14263	Add-on nozzle 70 consisting of:	70 cm
14264	Add-on nozzle brush set	
14265	Add-on nozzle rubber lip	

Item no.	Scope of delivery
13314	T-Rex
80071	T-Rex 115V UK
14261	Fine dust filter
40066	Starter set

# VACUCLEAN 2

## 2-MOTOR VACUUM CLEANER

**High-performance industrial vacuum cleaner for coarse dirt and dust with large filter surface. Two powerful by-pass AC motors, dust class M filter with very large surface area and maximum manoeuvrability make the vacuum cleaner the ideal extraction solution for dust extraction of any kind.**



### Technical specifications

- Voltage: 230 V
- Power: 2.300 W
- Dimensions (L x W x H): 590 x 480 x 1,010 mm
- Weight: 35 kg
- Hose length: 5 m
- Air volume: 360 m<sup>3</sup>/h
- Negative pressure: 25 kPa
- Filter category main filter: M
- Tank capacity: 20 l
- Suction connection: 50 mm
- Noise level: 76 dB(A)
- Cleaning system: Dustop
- Emptying system: Detachable container

### Features

- Large filter surface for long service life
- Integrated filter cleaning system
- Robust and 100% all-steel construction
- Lowerable collection container with optional use of disposable bags
- Two powerful AC motors with by-pass Cooling
- Low noise level
- Compact and mobile
- Quick and easy change of the main filter

Item no.	Scope of delivery
81148	Vacuclean 2 Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm
83574	Vacuclean 2 115V UK
82452	Vacuclean 2 HEPA Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm, HEPA filter

## SUCTION UNIT

The suction is provided by two bypass suction motors, which can also be operated separately and are mounted in a robust steel housing for appropriate sound insulation.

## FILTER UNIT

The polyester cartridge filter with a large filter surface area installed in the filter chamber ensures a long service life and thus prevents the filter from becoming clogged quickly. A semi-automatic Dustop filter cleaning system allows the cartridge filter to be cleaned very easily and efficiently. By closing the vacuum is created in the filter chamber. Air flows in through the Dustop flap, which is opened several times. the filter cartridge is freed of dirt. This guarantees a constant and high suction power and the dust is not dispersed into the working environment.

## COLLECTION UNIT

The vacuumed material falls into a removable, collection container, which allows for quick and easy disposal of the vacuumed material. Disposable bags can also be used on request.



# VACUCLEAN 2 LP

## 2-MOTOR VACUUM CLEANER WITH LONGOPAC SYSTEM

The high-performance industrial vacuum cleaner Vacuclean 2 LP has a system with which the vacuumed dust is removed and collected. This makes the removal of fine, toxic or harmful harmful dusts absolutely safe. Ideal for vacuuming up dusts during construction and surface treatments.



### Technical specifications

- Voltage: 230 V
- Power: 2.300 W
- Dimensions (L x W x H): 500 x 480 x 1250 mm
- Weight: 55 kg
- Hose length: 5 m
- Air volume: 360 m<sup>3</sup>/h
- Negative pressure: 25 kPa
- Filter category main filter: M
- Suction connection: 50 mm
- Noise level: 76 dB(A)
- Cleaning system: Dustop

### Features

- Large filter surface for long service life
- Robust and 100% all-steel construction
- Two powerful AC motors with by-pass Cooling
- Compact and mobile
- Quick and easy changing of the main filter
- Height adjustable to facilitate transport
- Sliding dumper for DUSTOP system included
- Standard and interchangeable collection container or Longopac system

Item no.	Scope of delivery
81149	Vacuclean 2 LP Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm, endless hose, cable tie (#81628)
83727	Vacuclean 2 LP 115V UK
82453	Vacuclean 2 LP HEPA Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm, endless hose, cable tie (#81628), HEPA filter
81706	Vacuclean 2 LP 115V US
81706	Vacuclean 2 LP HEPA 115V US

## SUCTION UNIT

The suction is provided by two bypass suction motors, which can also be operated separately and are mounted in a robust steel housing for appropriate sound insulation.

## FILTER UNIT

The polyester cartridge filter with a large filter surface area installed in the filter chamber ensures a long service life and thus prevents the filter from becoming clogged quickly. A semi-automatic Dustop filter cleaning system allows the cartridge filter to be cleaned very easily and efficiently. By closing the vacuum is created in the filter chamber. Air flows in through the Dustop flap, which is opened several times. the filter cartridge is freed of dirt. This guarantees a constant and high suction power and the dust is not dispersed into the working environment.

## LONGOPAC-SYSTEM

The Longopac system is an "endless" bag system (20 metres long) whose weight and length can be adjusted as needed to ensure there is no contact between the operator and the dust. A practical lifting system means that the industrial vacuum cleaner with bag can be lowered to make transport easier. Hygienic, economical and environmentally friendly!

## HOSE FILTER

Item no. Product  
161456 Hose filter



## CONNECTING PIECE

Item no. Product Dimensions  
81990 Connecting piece 50 mm



## NOZZLES

Item no. Product Dimensions  
81618 Floor nozzle 380 mm  
83178 Flat nozzle



## REDUCING PIECE

Item no. Product Dimensions  
81626 Reducing piece 50 / 38mm

## SUCTION PIPE

Item no. Product  
81620 Suction pipe



## HOSE CONNECTION

Item no. Product Dimensions  
13338 Hose connection 50 mm



## SPARE HOSE

Item no. Product Dimensions  
13337 Spare hose, new 5 m

## SPARE BRUSH

Item no. Product Dimensions PU  
50286 Spare brush 430 mm 1 pieces

## STANDARD FILTER CLASS M

Item no. Product  
81613 Standard filter class M



## PTFE FILTER

Item no. Product  
81615 PTFE filter (Teflon-coated class M)



## FINE FILTER POLYESTER

Fine filter polyester for vacuum cleaner DC 2800

Item no. Product  
34278 Fine filter polyester



## CONICAL NOZZLE

Item no. Product  
81627 Conical nozzle



## DUST BAG, ENDLESS

Item no.	Product	Dimensions	PU
81629	Dust bag, endless, for Vacuclean 2 LP	22m	4 pieces



## CABLE TIE

Item no. Product  
81628 Cable tie for Vacuclean 2 LP

# M 30 DUST EXTRACTOR

## COMPACT VACUUM CLEANER FOR WET AND DRY CLEANING

Very compact and powerful wet/dry vacuum cleaner for the removal of hazardous and partially respirable fine dusts (dust class M). Lightweight, compact dust extractor for all common construction sites.



### Technical specifications

- Voltage: 220-240 V
- Power: 1.380 W
- Tank volume: 30l
- Sound pressure level: 69 dB
- Air volume: 74 l/s
- Weight without accessories: 13,5 kg
- Dimensions: 56 x 37 x 58 cm

### Features

- Dust class: M
- Efficient fully automatic filter cleaning
- Manually adjustable suction power
- Anti-static suction hose
- Recommendation: Full efficiency by using the bag filter #163023 (available as accessory)

Item no.	Scope of delivery
162780	Dust extractor M30 Suction hose (4m), suction tube, flat-fold filter, fleece filter bag, wet/dry floor nozzle 360 mm, crevice nozzle, connection sleeves for electric tools (4 pcs.)

## HOSE FILTER

With 8 PTFE-coated hoses for vacuuming large quantities of wood and fibre dust of all kinds. The coating and its special geometry effectively prevent blocking. For the first time, it is possible to vacuum fibrous dust without a filter bag. The filter is insensitive to moisture and rot-proof, certified for dust class L and guarantees a high dust collection efficiency of 99.9 %.

Item no.	Product	PU
163023	Hose filter	1 piece



## WET/DRY FLAT-FOLD FILTER

Item no.	Product	PU
163014	Flat-fold filter	1 piece



## FLEECE FILTER BAGS

Item no.	Product	PU
163019	Fleece filter bags	5 pieces



## DISPOSAL BAG

Item no.	Product	PU
163020	Disposal bag	5 pieces



# PRE-SEPARATOR LP

## XXL-PRE-SEPARATOR

Powerful XXL pre-separator, which removes large quantities of coarse and fine dust even before before vacuuming.



### Technical specifications

- Inlet spigot: 80 mm
- Dimensions: 55x63x118 cm
- Length dust bag: 22 m

### Features

- Constant suction power
- Gentle on hoover and filter
- Separation efficiency of up to 99 % of particles
- Suction hose and end connection adapted for WOLFF T-Rex
- Easy emptying with Longopac dust bags

## ENDLESS DUST BAG

Item no.	Product	Dimensions	PU
81629	Endless dust bag	22 m	4 pieces



## CABLE TIE

Item no.	Product
81628	Cable tie

# 50 L PRE-SEPARATOR, ANTI-STATIC

## SUITABLE FOR WOOD DUSTS

Powerful pre-separator that separates large amounts of coarse dirt and fine dust even before vacuuming.



### Technical specifications

- Weight: 10 kg
- Dimensions: Ø 40 x 92 cm
- Hose length: 1,5 m
- Filling capacity: 50 l



### Features

- Constant suction power
- Gentle on vacuum cleaner and filter
- Separation efficiency of up to 99 % of particles
- Easy to empty with standard refuse sacks
- Static conductive hose and cyclone
- Particularly suitable for wood dusts due to static conductivity
- Suction hose and end connection adapted for WOLFF M 30 dust extractor and Vacuclean (Adapter set for Ronda #82069)
- Integrated wire basket prevents the dust bag from contracting.

Item no.	Scope of delivery
82215	50 l pre-separator, anti-static Cyclone completely mounted, dirt tank, hose 1.5 m (#82202), insert basket
169273	50 l pre-separator insert

# 30 L PRE-SEPARATOR

## SEPARATION OF COARSE DIRT AND FINE DUST

Powerful pre-separator that separates large amounts of coarse dirt and fine dust even before vacuuming. It can be used for floor milling and grinding machines, saws, hand sanding machines and many other power tools and can also be used when vacuuming surfaces, with a floor nozzle.



### Technical specifications

- Weight: 8.9 kg
- Dimensions: Ø 36 x 83 cm
- Hose length: 1.2 m
- Filling capacity: 30 l

### Features

- Constant suction power
- Gentle on vacuum cleaner and filter
- Separation efficiency of up to 99 % of particles
- Non-marking wheels
- Suction hose and end connection adapted for WOLFF M 30 dust extractor and Vacuclean 2
- Easy to empty with standard refuse sacks
- Integrated wire basket prevents the dust bag from contracting.

Item no.	Scope of delivery
72916	30 l pre-separator Cyclone completely mounted, dirt tank, hose 1.2 m (#73102), insert basket

Item no.	Accessories
169270	Pre-separator 30l insert up to 2021
169272	Pre-separator 30l insert from 2022

# LR 690 AIR PURIFIER

## DUST CLASS H

Cleaning of ambient air during renovation and demolition work. By using it as a negative pressure unit (using dust doors), the dust is prevented from spreading to additional rooms.

**PROMOTION:**  
PROMOTION POSSIBLE  
FOR MEMBERS OF  
BG BAU!



### Technical specifications

- Voltage: 230 V
- Power: 170 W
- Max. Volume flow: 620 m<sup>3</sup>/h
- Idle speed: 0 - 3930/min
- Dust extraction connection: 125 mm
- Dimensions (L x W x H): 238 mm x 390 mm x 508 mm
- Weight (without filter): 6,0 kg
- Cable length: 3.5 m



### Features

- Hazardous, respirable fine dust is extracted by means of coarse and fine dust filters/H-filters
- Dust can be filtered/extracted directly at the point of origin
- Automatic volume flow monitoring
- The negative pressure is adjustable by means of a rotary switch and can thus be adapted to the requirements on the construction site
- Low working noise
- Compact design
- Easy to transport due to low weight of 6.0 kg

Item no.	Scope of delivery
10057	LR 690 air purifier Air hose, Ø 125 mm / 6 m, pre-filter mats G3 (10 pcs.), dust door 2.3 x 1.3 m, HEPA filter H14

## G3 PRE-FILTER MATS

Item no.	Product	Dimensions	PU
10515	G3 pre-filter mats	340x405 mm	10 pieces



## HEPA FILTER H14

Item no.	Product	PU
10519	HEPA H14 Filter, 620 m <sup>3</sup> < 330 Pa	1 piece

## G4 COARSE FILTER

Item no.	Product	PU
10516	G4 coarse filter, 1100 m <sup>3</sup> < 45 Pa	1 piece

## AIR HOSE

Item no.	Product	Dimensions
10513	Air hose, black	Ø 125 mm / 6 m
10587	Air hose, black	Ø 205 mm / 7.5 m



## HOSE CONNECTION ADAPTER

Item no.	Product	Dimensions
10509	Hose connection adapter	Ø 205 mm

## EXHAUST AIR HOSE, TRANSPARENT

Item no.	Product	Dimensions
10514	Exhaust air hose, transparent	Ø 125 x 0.15 mm, 88 m

## COVER PLATE

Item no.	Product
10511	Cover plate for dust formation during mixing



## DUST DOOR

Item no.	Product	Dimensions
84246	Dust door	2.3 x 1.3 m, 0.14 mm

# POWER X 1600 MIXER


## 1,600 WATT 2-SPEED STIRRER WITH SPEED CONTROL

For mixing thin and thick-bodied mortar (e.g. compounds, coatings, tile adhesives)



### Technical specifications

- Voltage: 230 V
- Power: 1.600 W
- Presettable maximum speed 1st gear: 210/325/530 rpm
- Presettable maximum speed 2nd gear: 320/490/780 rpm
- Tool holder: M14
- Max. Diameter for stirrer: 160 mm
- Weight: approx. 5 kg



### Features

- Robust 2-speed gearbox
- 1,600 W 2-speed stirrer with speed control in 3 adjustable maximum speeds
- Ergonomic handles on the drive
- Full-wave electronics: Soft running, temperature monitoring, overload protection
- Excellent for mixing larger containers up to 75 kg (in combination with the WOLFF 75 l stirring station)
- Tool holder M14

# POWER X 1000 MIXER


## 1,010 WATT 1-SPEED STIRRER

For mixing thin- and thick-bodied mortar (e.g. levelling compound, coatings)



### Technical specifications

- Voltage: 230 V
- Power: 1.010 W
- Speed: 0 - 780 rpm
- Tool holder: M14
- Max. Diameter for stirrer: 120 mm
- Weight: 4,5 kg



### Features

- Robust 1-speed gearbox
- Ergonomic handles
- Tool holder M14

Item no.	Scope of delivery
84169	Power X 1600 mixer Mixer type KR 140 S/M14

Item no.	Scope of delivery
83924	Power X 1000 mixer Mixer type KR 120 S/M14

## EXTENSION

Extension piece for stirrer. Enables mixing in large mixing buckets.


Item no.	Product	Dimensions
68353	Extension	200 mm



## STIRRER TYPE MK

Robust professional stirrer with long service life. With 3 mixing wings for fast working. High mixing effect from bottom to top. Machine holder M14.

Item no.	Product	Dimensions
13604	Stirrer type MK	120 mm
13611	Stirrer type MK	160 mm



## STIRRER TYPE KR

Very high shearing forces, easy to clean. For very tough adhesives and sealants. Ideal for compounds, prevents the formation of lumps. Machine holder A/F10.

Item no.	Product
13605	Stirrer type KR - 90S
13606	Stirrer type KR - 120S
17057	Stirrer type KR - 120S (thread-mounting M14)
39364	Mixer type KR - 140 (thread-mounting M14)



## STIRRER FOR 75 L STIRRING STATION

Large double blade stirrer for mixing up to 75 kg of powder.

Item no.	Product
65492	Stirrer for 75 l stirring station



## 110 L MIXING BUCKET

New enlarged mixing bucket with a filling capacity of 110 litres. For mixing light screeds


Item no.	Product
83248	110 l mixing bucket



## ONEMIX

The OneMix is suitable for mixing parquet adhesive and epoxy resin primer. The stirring discs (attachments) are intended for one-time stirring. Only the rod is cleaned after mixing, the stirring attachments can be thrown away.

Item no.	Product	PU
87946	One Mix stirring rod	1 piece
87947	OneMix stirring attachments	10 pieces



## TRANSPORTATION CADDY 30 L

For mixing up to 30 kg of powder.

- 2-point tip system for perfect balance
- Can be used for all common 30 l buckets

Item no.	Product
65846	Transportation caddy 30 l incl. mixing bucket
Item no.	Scope of delivery
65848	Transportation caddy base frame
65847	30 l mixing bucket



## FLOW-FIX SET FOR 30L MIXING BUCKET

Tap for quick and ergonomic spreading of the filler on the floor. Is mounted on the mixing bucket to the mixing bucket with the aid of the drill supplied.

- Delivery without 30L bucket

Item no.	Scope of delivery
84137	Flow-Fix-Set for 30L mixing bucket



## BUCKET TROLLEY

Practical bucket trolley for floor compound and paint buckets. For bucket diameters up to 500 mm with bucket mounting. The bucket trolley can be easily transported by removing the handle. Delivery without 30L mixing bucket

Item no.	Product
89432	Bucket trolley



## POURING SPOUT

Facilitate precise pouring of the filler over the edge of the bucket. Compatible with Mixing bucket 30 l (#65847).

Item no.	Product	PU
15829	Pouring spout	10 pieces



# STIRRING STATION

## 75 L COMPLETE

Complete stirring station for mixing up to 75 kg of powder.  
(without stirrer)



### Features

- 2-point tip system for perfect balance
- Specially matched tools
- Can be used with any stirrer due to special holder

## 75 L STIRRING STATION BASE FRAME

### Item no. Product

65481 75 l stirring station base frame



## 75 L STIRRING STATION MOUNTING

### Item no. Product

65491 75 l stirring station mounting

## 75 L STIRRING STATION STIRRER

### Item no. Product

65492 75 l stirring station stirrer

## 75 L STIRRING STATION MIXING BUCKET

### Item no. Product

65493 75 l stirring station mixing bucket

## 75 L STIRRING STATION HOSE MOUNTING

### Item no. Product

65494 75 l stirring station hose mounting

Item no.	Scope of delivery
65480	75 l stirring station complete 75 l stirring station base frame, 75 l stirring station mounting bracket, stirrer for 75 l stirring station, 75 l stirring station mixing bucket, 75 l stirring station hose mounting

## RIPPER

Tool for dust-reducing emptying of compound bags.  
To hang on the WOLFF 30 l mixing bucket.

**Item no. Product**

84094 Ripper



## SWISS TROWEL

For cleaning and applying tile adhesive before laying tiles, slabs, mosaics, etc.  
• Made in Germany

**Item no. Product**

56204 Swiss trowel

**Dimensions**

500 mm



## ADHESIVE TROWEL

Trowel with lateral insertion of adhesive toothed strips  
• For toothed strips with 280 mm length  
• With very easy-grip and ergonomic handle  
• Ideal for the application of UZIN KE 68 T  
• You will find our adhesive notches overview on page 102

**Item no. Product**

56205 Adhesive trowel with side insert

**Dimensions**

280 mm



## SMOOTHING TROWEL

Thanks to its generous dimensions, it is suitable for smoothing a wide range of surfaces.  
• The blade of the trowel is not toothed so that the smoothed surfaces are free of structures.  
• For comfortable working and safe holding of the trowel, there is an ergonomically shaped handle is provided. It is permanently and stably connected to the blade.

**Item no. Product**

56203 Smoothing trowel

**Dimensions**

280 x 135 mm



## SMOOTHING TROWEL FOR SCREED LAYERS

With rectangular blade made of 0.7 mm thick, hardened and polished spring band steel, light metal blade and ergonomically shaped wooden handle.

**Item no. Product**

51316 Smoothing trowel for screed layers

**Dimensions**

300x115mm

**PU**

5 pieces

65962 Smoothing trowel for screed layers

400x115mm

3 pieces

34568 Smoothing trowel for screed layers

500x115mm

3 pieces

13746 Smoothing trowel for screed layers

600x115mm

3 pieces



## SMOOTHING TROWEL FOR SCREED LAYERS, POINTED TAPERED

With rectangular blade made of 0.7 mm thick, hardened and polished spring band steel, light metal blade and ergonomically shaped wooden handle. Blade width front 70 mm, rear 115 mm.

**Item no. Product**

37860 Smoothing trowel for screed layers, pointed tapered

**Dimensions**

500mm

**PU**

5 pieces

37871 Smoothing trowel for screed layers, pointed tapered

600mm

3 pieces

34683 Smoothing trowel for screed layers, pointed tapered

700mm

3 pieces



## GRINDING STONE

For sanding screeds and compounds.

**Item no. Product**

13493 Grinding stone K20 with handle

**Dimensions**

20 x 10 x 3,5



## HAND GRINDSTONE

Graining 40

**Item no. Product**

34790 Hand grindstone



## CARBIDE GRINDING STONE

For grinding and removing coarse impurities. Aggressive action due to carbide grit. Angled work surface for sanding against the wall.

**Item no. Product**

15718 Carbide grinding stone, G 24



## ADHESIVE PRODUCT SPATULA INCL. HANDLE

- Enables adhesive to be applied in a standing position
- Mimics hand movement through special articulated joint
- Quick cleaning of the device due to special design

**Item no. Product**

65495 Adhesive nut spatula incl. handle

**Dimensions**

28 cm

**Item no. Accessories**

65496 Adhesive nut spatula replacement

65497 Universal telescopic handle

67983 Handle holder with articulated joint



## LEVELLING COMPOUND RAKE INCL. HANDLE

- Enables levelling compound to be applied in a standing position
- Mimics hand movement through special articulated joint
- Quick cleaning of the device due to special design

Item no.	Product	Dimensions
65501	Levelling compound rake incl. handle	56 cm

Item no.	Accessories
65502	Smoothing compound rake replacement
65497	Universal telescopic handle
67983	Handle holder with articulated joint



## SMOOTHING COMPOUND RAKE INCL. HANDLE

- Enables levelling or compound to be applied in a standing position
- 2 pins for adjusting height
- Mimics hand movement through special articulated joint

Item no.	Product	Dimensions
65503	Smoothing compound rake incl. handle	60 cm

Item no.	Accessories
65504	Large area rake replacement
65497	Universal telescopic handle
67983	Handle holder with articulated joint



## UNIVERSAL TELESCOPIC HANDLE

- Enables ergonomic working while standing
- Various attachments possible
- With special adapter can also be used for deflation rollers
- Adjustable from 97 cm to 170 cm length

Item no.	Product
65497	Universal telescopic handle



## ROLLER BRACKET ATTACHMENT FOR TELESCOPIC HANDLE

Enables use of paint rollers with universal telescopic handle.

Item no.	Product
87948	Roller bracket attachment for telescopic handle



## HANDLE HOLDER (ADAPTER) FOR ALL RAKES

Allows use of telescopic handle (#65497) for squeegee, pin rake and large area screed rake.

Item no.	Product
87949	Handle holder (adapter) for all rakes (without articulated joint)



NOW EVEN BETTER!  
WITH IMPROVED HANDLE MADE  
OF SUSTAINABLE MATERIALS AND  
OPTIMISED ALUMINIUM PROFILE  
INCLUDING EDGE PROTECTION.



## LEVELING COMPOUND RAKE

For applying self-leveling compound. For working while standing with mounting bracket for wooden handle.

Item no.	Product	Dimensions
52298	Leveling compound rake including R2 adhesive notch	56 cm

Item no.	Accessories
166397	Adhesive notch R1
166398	Adhesive notch R2
166399	Adhesive notch R3

## PIN RAKE

Made of aluminium, 60 cm wide, with 6 hardened sliding pins and handle sleeve. For applying and spreading coatings and compounds. With high adjustable level control made of stainless steel. The regulation bar is continuously adjustable up to an application height of 13 mm.

Item no.	Product
51318	Large area rake



## ADJUSTING GAUGE FOR PIN RAKE

For precise parallel adjustment of the large area rake 51318, so that it can be done quickly and accurately. Setting height: 1 mm, 1.2 mm, 1.4 mm, 1.6 mm, 1.8 mm and 2 mm.

Item no.	Product
38778	Adjustment bar for pin rake (#51318)

## LARGE AREA SCREED RAKE

With machine mounting sleeve for handle or telescopic handle, holding piece made of angle iron and spare steel blade, 100 mm high, 0.6 mm thick and 2 continuously adjustable skids for uniform adjustment of any desired application height between 6 and 30 mm. Width 800 mm.

Item no.	Product
13658	Large area screed rake

Item no.	Accessories
13659	Spare steel blade
12887	Spare skids, VE 2 pcs.



## SPATULA SET 30L

Item no.	Product
171766	Spatula set 30L
<b>Item no.</b> Scope of delivery	
65846	Transportation caddy 30l incl. mixing bucket
52298	Rake including R2 rake insert
13636	Spike rollers 50cm / 31mm
51549	Nail shoes 1 pair
56203	Smoothing trowel

NEW PRODUCT



## SPIKE ROLLERS

For deaerating fillers and coatings. Splash protection cap included.

Art.-Nr.	Produkt	Maße
13879	Spike roller, Length 11 mm	25 cm
14272	Spike roller, Length 21 mm	25 cm
13637	Spike roller, Length 31 mm	25 cm
13762	Spike roller, Length 11 mm	50 cm
14021	Spike roller, Length 21 mm	50 cm
13636	Spike roller, Length 31 mm	50 cm
88320	Spike roller, Length 100 mm (without splash protection cap)	50 cm
14270	Spike roller, Length 11 mm	75 cm
14271	Spike roller, Length 21 mm	75 cm
13638	Spike roller, Length 31 mm	75 cm

Art.-Nr.	Zubehör
65497	Telescopic handle universal
65499	Adapter for telescopic handle universal

## ERGOSTAR SPATULA

- Structured, elastic grip for better and ergonomic hold
- No rivets for clamping bar attachment, therefore easier to clean
- You will find our adhesive notches overview on page 102

Item no.	Product	Dimensions
41784	Ergostar spatula	21 cm
41787	Ergostar spatula	28 cm



## KLEBERSPACHTEL

To accommodate notched strips.

Item no.	Product	Dimensions
13761	Adhesive spatula, notched A1	18 cm
13876	Adhesive spatula, notched A2	18 cm
13877	Adhesive spatula, notched B1	18 cm
15566	Adhesive spatula, notched B2	18 cm
15567	Adhesive spatula, notched B3	18 cm
38622	Adhesive spatula, notched B11	18 cm
15569	Adhesive spatula, notched A1	25 cm
13886	Adhesive spatula, notched A2	25 cm
13841	Adhesive spatula, notched B1	25 cm
15570	Adhesive spatula, notched B2	25 cm
15571	Adhesive spatula, notched B3	25 cm
39923	Adhesive spatula, notched B11	25 cm



## SOLID BOARD NOTCHED TROWEL

- Special notched trowel with B11 basic teeth and 2 raised teeth.  
 • Supports the gluing of solid floorboards with two raised adhesive grooves, avoids hollow layers  
 • For solid floorboards and large-format parquet types  
 • Rustproof sheet, robust

Item no.	Product	Dimensions
65656	Solid board notched trowel	18 cm



## HEIGHT LEVELLING SPATULA

Made of 0.7 mm thick, 115 mm wide, hardened and highly polished stainless spring band steel and 40 mm high wooden handle. The height stop edge, fastened with 2 lock screws and wing nuts, is continuously adjustable from 2 to 15 mm.

Item no.	Product	Dimensions
87889	Height levelling spatula, stainless steel	280 mm



## HEIGHT LEVELLING TEMPLATE SET

Help for filling height differences in all types of rails. The set consists of 3 stainless steel templates, each with 4 different notches, so that you can fill directly at the right height depending on the thickness of the floor covering. Enables fast filling and is quick to clean.

Item no.	Product
162781	Height levelling template set



## FLOOR SPATULA

Made of 0.6 mm thick, hardened and polished steel with slanted wooden handle.

Item no.	Product	Dimensions
87884	Floor spatula	530 mm



## RAPID SPATULA

Made of 0.3 mm thick, hardened and stainless spring steel. Slightly curved at the working edge, 100 mm visible blade height. With adjustable support blade and 35 mm wide waxed wooden handle.

Item no.	Product	Dimensions
87877	Rapid spatula, stainless steel	200 mm
87878	Rapid spatula, stainless steel	270 mm



**WOLFF.  
GOING  
BEYOND  
YOUR  
LIMITS.**

# WOLFF ADHESIVE NOTCHES

**NOTCHED ON BOTH SIDES, ACCORDING TO TKB  
(VE 5 PCS., DELIVERY IN CARDBOARD BOX)**

Image in original size	TKB	Width 21 cm	Width 28 cm	Width 56 cm				
	A1	0,50	1,50	1,10	55°	166340	166341	-
	A2	1,30	1,70	1,40	55°	166342	166344	-
	A3	0,40	1,60	1,50	45°	166345	166347	-
	A4	0,40	1,10	0,75	55°	166369	166370	-
	A5	1,45	1,35	1,00	55°	166371	166372	-
	B1	2,60	2,40	2,00	55°	166373	166374	-
	B2	2,00	3,00	2,55	55°	166379	168754	-
	B3	3,30	3,70	3,25	55°	166380	166381	-
	B11	7,90	6,10	5,00	60°	166382	166383	-
	R1	1,50	4,00	3,00	-	166395	166396	166397
	R2	2,00	4,00	5,00	-	-	-	166398
	R3	2,40	5,00	6,00	-	-	-	166399
	S1	2,55	1,80	0,10	60°	166389	166390	-
	S2	0,10	4,20	3,35	60°	166391	166392	-
	S3	0,10	2,50	1,75	65°	166393	166394	-

## LEVELPIN

Self-adhesive height measurement marker for compounds and screeds.

Item no.	Product	PU
80040	Level pin	10 x 10 piece



## NAIL SHOES

For walking on coated and filled subfloors and surfaces.  
Scope of delivery: Nail shoes, spare set of nails, 2 pcs.

Item no.	Product
51549	Nail shoes
84150	Replacement kit nail shoes - nails and straps for one pair.
53091	Spare belt



## SPIKY NAIL SHOES

For walking on coated and filled subfloors and surfaces

Item no.	Product	Dimensions	PU
80454	Spiky nail shoes size M - for shoe size 42 and smaller	approx. 32 cm	
80455	Spiky nail shoes size L - for shoe size 42 - 44	approx. 34 cm	
80456	Spiky nail shoes size XL - for shoe size 44 - 48	approx. 36 cm	
80457	Standard spare nails, pointed	32 pieces	
83464	Spare nails round for epoxy coatings	32 pieces	



## COPPER BAND

For conductive installation of floor coverings. For dissipating static charge.

Item no.	Product	Dimensions	PU
13594	Copper band roll	50 m (width: 10 mm)	
13595	Copper band roll	200 m (width: 10 mm)	
54874	Copper band roll, self-adhesive	25 m (width: 10 mm)	2 pieces



## CORRUGATED LINKS

For anchoring movement joints and repairing brittle areas in the subfloor.  
For force-fit bonding of screed cracks, e.g. with UZIN KR-416.

Item no.	Product	Dimensions	PU
13932	Corrugated Links	70 x 6 mm (LxW)	1000 pieces
13878	Corrugated Links	70 x 6 mm (LxW)	100 pieces



# TESTING AND MEASUREMENT TECHNOLOGY

Measuring instruments ..... 106  
Test kit ..... 110



# MOISTURE METER

## V1-D4 PROFESSIONAL

Designed for use in moisture measurements of substrates. Non-destructive moisture measurement method while maintaining a high accuracy of the measurement result.



### Technical specifications

- Dimensions: 147 x 89 x 33 mm
- Power supply: Battery, 2 x AA 1.5 V
- Display: black and white with backlight
- Resolution: 128 x 64 pixels
- Operating temperature range: 5 °C up to 40 °C
- Available scales for substrates: Concrete, cement, anhydrite
- Relative scale
- IR surface temperature sensor
- 15.3 Scale/Digits

### Features

- Easy to handle the device
- Real-time display of the readings on the easy-to-read display
- Suitable for pre-testing the readiness of building materials for covering during CM measurements

Item no.	Scope of delivery
71053	V1-D4 Professional moisture measuring instrument Battery pack, carrying case

## BRUSH ELECTRODE SET BE-03

### Item no. Product

73618	Brush electrode set BE-03 For measuring the screed moisture via 2 boreholes
-------	--



## FLAT ELECTRODE SET FE-04

### Item no. Product

73619	Flat electrode set FE-04 Can be inserted at edge insulation strips, for detecting moisture under the floating screed.
-------	--



## DRIVE-IN ELECTRODE PP-05

### Item no. Product

73772	Drive-in electrode PP-05 For measuring the moisture content in wood.
-------	---



## CLIMATE SENSOR CS-06 WITH CABLE

### Item no. Product

73773	Climate sensor CS-06 with cable For determining temperature, humidity and dew point.
-------	---



## CLIMATE SENSOR CS-10 WITH CABLE

### Item no. Product

83665	Climate sensor CS-10 with cable For determining temperature, humidity and dew point To be left in the borehole on site. Supplied with #73775.
-------	---



## TUBE FOR CLIMATE SENSOR

### Item no. Product

73775	Tube for climate sensor As a closure for the borehole for measuring the relative humidity in concrete (RFT/ KRL method)
-------	--



## SET FOR RESISTANCE MEASUREMENT TEST

### Item no. Product

73774	Set for resistance measurement test For measuring resistance and conductivity.
-------	---



# THERMOHYGROMETER

## LVT 15 IR

Measurement of air temperature and relative humidity.



### Technical specifications

- Power supply: Battery supply, 2 x AA 1.5 V
- Power consumption: 34 mA
- Dimensions: 146 x 79 x 26 mm (HxWxD)
- Display: monochromatic with backlight
- Resolution 128 x 64 pixels
- Operating temperature range: 5 °C to 40 °C < 80 % of
- Relative humidity without condensation

### Features

- Calculation of the dew point
- Surface temperature measurement without additional sensor due to the built-in infrared sensor
- Optical and acoustic alarm for temperature differences

# HYDROMETER

## GM-200

For measuring the moisture of concrete, gypsum, cement.



### Technical specifications

- Dimensions: 142 x 79 x 24 mm
- Power supply: Battery supply, 2 x AA 1.5 V
- Display: monochrome with 128 x 64 pixel resolution and backlight
- Manual display orientation
- Operating temperature: from 5 °C to 40 °C
- 9 measuring scales

### Features

- Moisture measurement of wood possible
- Measurement without intervention in the investigated area
- Secure grip in the hand and comfortable handling due to small size, ergonomic shape and anti-slip rubber on the edges
- Manual display orientation
- Individual alarm limit value, also with acoustic signal

Item no.	Scope of delivery
83115	Thermohygrometer LVT 15 IR Battery pack, carrying case

Item no.	Scope of delivery
71054	Hydrometer GM-200 Battery pack, carrying case

## CALIBRATION SET FOR V1D4

The set enables calibrating the hygrometer V1D4 Professional

Item no.	Product
163080	Calibration set for V1D4 Scope of delivery: Calibration device for V1D4, manual, transport case



## CALIBRATION SET FOR CLIMATE SENSOR CS-06

The set enables calibrating the climate sensor CS-06. On the one side of the tube, the climate sensor CS-06 is inserted. On the other side of the tube the calibration ampoules are inserted and calibrate the climate sensor by creating the correct calibration humidity within the tube.

Item no.	Product
163083	Calibration set for Climate sensor CS-06 Scope of delivery: calibration tube for CS-06, 5x calibration ampoules, manual, transport case.



## SUBFLOOR TEST CASE

Fully equipped for testing the subfloor and for all moisture tests in preparation for CCM measurement.

Item no.	Product
79320	Subfloor test case

Item no.	Scope of delivery
83115	Thermohygrometer LVT 15 IR. For measuring air temperature, relative humidity (RH) and surface temperature and calculating the dew point.
71054	Moisture measuring instrument GM-200. For measuring the moisture of concrete, gypsum, cement and wood.
13803	Scriber. Set consisting of scriber, scribing template, protective case.
13628	Measuring wedge. For measuring the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above.  Practical accessories: Fitter's hammer and steel wire brush



## MEASURING WEDGE

For measuring the lowest point between 2 support points of the straightedge. Can be read from above.

Item no.	Product
13628	Measuring wedge



## SCRIBER

When using the scribing method, parallel lines are carved into the subfloor at an angle of 40 - 60°. The surface's solidity can be appraised by the grid engraving and parts of the subfloor that are removed.

Item no.	Product
13803	Scriber Scope of delivery: Scriber, scribing template, protective case



## ALU BUSINESS PRO CCM INSTRUMENT

Complete set in blue aluminium case, incl. protocol printer.

Item no.	Product
84546	Alu Business Pro CCM instrument Scope of delivery: Sledgehammer 1,000 g, fitter's hammer, flat chisel, sample spoon short, cleaning brush, digital sample balance up to 200 g, set of balls with 4 steel balls, smashing bowl, 2 sample beakers with lids, set of small materials with seals, batteries and calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, pressure gauge, digital, up to 3 bar, record printer, aluminium case



Item no.	Accessories	PU
74554	Carbide ampoules	25 pieces / pack
13662	Carbide ampoules	100 pieces / pack
15874	CM pressure gauge	
15876	Digital CM pressure gauge	
14020	Test ampoules	10 pieces
15872	Sealing rings (3 small + 3 large rings)	
14019	Set of balls	4 pieces
18372	Smashing bowl	
16256	Digital scale	
15873	Spring scale	

## CLASSIC CCM INSTRUMENT

Complete set with all devices necessary for moisture measurement - In aluminium case.

Item no.	Product
13486	Classic CCM instrument Scope of delivery: Sledgehammer 1,000 g, fitter's hammer, flat chisel, short sample spoon, cleaning brush, mechanical sample balance up to 100 g, set of balls with 4 steel balls, smashing bowl, 2 sample beakers with lids, set of small material with seals and calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, balance rod for precision spring balance, mechanical pressure gauge up to 2.5 bar, stopwatch, aluminium case



## PRESSOMESS SHEAR STRENGTH MEASURING INSTRUMENT

Special measuring instrument for experts and surveyors in the flooring industry. For measuring the shear strength of substrates such as screeds, levelling compounds or wood-based materials.

- The shear force is measured with a hydraulic sensor
- The shear strength can be read on the display
- Tested by the FMPA, Otto-Graf-Institut, Stuttgart
- Max. Test force 5 kN

Item no.	Product
16273	PressoMess shear strength measuring instrument Scope of delivery: PressoMess, distance gauge, hand spatula, reaction adhesive, 20 test and support blocks each, transport case

Item no.	Accessories	PU
13922	Supporting blocks	100 pieces / pack
13923	Test block	100 pieces / pack
13926	Reaction adhesive	



# MEASURING DEVICE KRL TN 75|80

## MEASURING DEVICE FOR DETERMINING THE RESIDUAL MOISTURE IN SCREEDS

The KRL method is a simplified and user-friendly measurement technique for testing the readiness of mineral-bound screeds, especially accelerated screeds.



### Description of the measurement procedure

The KRL method is a standardised method according to DIN EN 17668. Its use for determining the moisture content of screeds is described in detail in TKB leaflet 18. The KRL method can be used to determine the corresponding relative humidity (RH) of a caulking sample and serve as a reliable indicator of the moisture condition of a screed before it is laid. Compared to other measurement methods for testing the readiness for covering, the KRL method offers numerous advantages, for example, meaningful results can be obtained even if the material type of the screed is not known. Since the KRL method does not require an exact material weight, there are no measurement errors due to weighing errors and no additional hazardous materials, such as calcium carbide ampoules, are required.

### Features

- Dew point alarm at 75 or 80 % relative humidity (option for underfloor heating)
- Innovative sensor exchange
- Ergonomic housing
- Multilingual

### Technical data

- Battery supply: 2 x AAA
- Languages: German, English, French, Dutch, Polish and Spanish
- Operating temperature range: -40 °C to 90 °C
- Relative humidity range: 0-100 % ( $\pm 1.5 \%$ )
- Display: Black / White with backlight
- Resolution: 102 x 64
- Available measurements: Air temperature, relative humidity, dew point and water content in one cubic metre
- Meter dimensions: 147 x 56 x 27 mm

## KRL MEASURING CUP W-TN 1

Suitable for filling the crushed screed sample.

### Item no. Product

175309 KRL measuring cup W-TN 1



## CLIMATE PROBE MCS-250

For measuring temperature, relative humidity and dew point.

- Diameter 12 mm | Length 250 mm
- Material: stainless steel

### Item no. Product

175310 Climate probe MCS-250



## SENSOR BOARD FOR CLIMATE PROBE MCS-250

Easy calibration due to the exchangeable sensor

### Item no. Product

175311 Sensor board for climate probe MCS-250



## PROTECTIVE CAP FOR CLIMATE SENSOR MCS-250

The protective cap can be replaced at any time if lost or damaged.

### Item no. Product

175312 Protective cap for climate sensor MCS-250



## THERMO-HYDRO SENSOR FOR KRL TN 75|80

The sensor can be mounted on the meter instead of the probe.

### Item no. Product

175313 Thermo-hydro sensor for KRL TN 75|80



### Item no. Scope of delivery

175307	Measuring device KRL TN 75 80 SET Measuring device, 2 x AAA batteries, climate sensor, KRL box, brush, transport box
--------	---

# 18V POWER TOOLS

Removal	116
Mixing	120
Cutting	122
Grooving	124
Grinding	128
Parquet	130



# JUNIO STRIPPER 18V

## PRECISE PLAQUE REMOVAL IN HARD-TO-REACH PLACES

Removal of textile coverings, foam and covering residues as well as glass fibre wall coverings on small surfaces.



### Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Working width: 120 / 200 mm
- Weight with battery: 3,9 kg
- Speed: 8,500 rpm



### Features

- Enables work in inaccessible places such as window recesses or under radiators
- Ideal for stairs and walls
- Transport Systainer

Item no.	Scope of delivery
10327	Junio Stripper 18V baretool Spare blade, leather blade guard, transport systainer, case insert, open-ended spanner
10328	Junio Stripper 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), spare blade, transport systainer, fork spanner, leather blade guard
10329	Junio Stripper 18V UK
10334	Junio Stripper 18V US

## SPARE BATTERY SINGLE, 18V 5AH

### Item no. Product

10930 Spare battery single, 18V 5Ah



## BATTERY CHARGER

### Item no. Product

10939 230V battery charger

11772 230V battery charger UK

11770 115V battery charger US



## SPARE BLADE

### Item no. Product

13998 Spare blade

### Dimensions

### PU

120 mm 10 pieces



## SPARE BLADE

### Item no. Product

14000 Spare blade

### Dimensions

### PU

200 mm 10 pieces



## LEATHER BLADE GUARD

### Item no. Product

33199 Leather blade guard



# SCREED JOINT CUTTER EF 135 18V

FOR FAST AND LOW-DUST CUTTING OF  
MINERAL MATERIALS

Enables low-dust and fast working.  
Universal battery pack, full compatibility.



## Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Cutting blade: Ø 135 mm
- Cutting blade width: 2 mm
- Cutting depth: 0 - 35 mm
- Speed: 8.500 rpm
- Weight with battery: 4.55 kg



## Features

- The perfect solution for precise, clean and cordless work
- Cutting depth up to 35 mm
- Continuous depth adjustment
- Marking for centre of cutting blade
- Very compact due to battery operation
- Low-dust working
- Safe machine guidance due to roller chassis

Item no.	Scope of delivery
12845	Screed joint cutter EF 135 18V baretool 1 x cutting blade Ø 135 mm, transport systainer, shaft connector (100 pcs.)
12849	Screed joint cutter EF 135 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), 1 x cutting blade Ø 135 mm, transport systainer, shaft connector (100 pcs.)
12850	Screed joint cutter EF 135 230V UK
12848	Screed joint cutter EF 135 115V US

## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
10930	Spare battery single, 18V 5Ah



## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US



## DIA CUTTING BLADE

Item no.	Product	Dimensions
68602	DIA cutting blade (Standard)	Ø 135 mm



## CORRUGATED LINKS

For anchoring movement joints and repairing brittle areas in the subfloor.  
For force-fit bonding of screed cracks, e.g. with UZIN KR-416.

Item no.	Product	Dimensions	PU
13932	Corrugated Links	70 x 6 mm (LxW)	1000 pieces
13878	Corrugated Links	70 x 6 mm (LxW)	100 pieces



# POWER X 18V MIXER

## FLEXIBLE AND INDEPENDENT MIXING

Flexible 2-speed mixer that can be used independently of the mains power supply thanks to battery operation.



### Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Presettable maximum speed  
1st gear: 210/325/530 rpm  
2nd gear: 320/490/780 rpm
- Tool holder: M14
- Max. Diameter for stirrer: 120 mm
- Weight with battery: 5 kg



### Features

- For mixing levelling and stable levelling compounds as well as coatings
- For mixing applications up to 30 kg
- Robust 2-speed transmission: for material-appropriate speeds and strong torque in 3 adjustable maximum speeds
- Convenient 3-step switch accessible from handle position without interrupting work, step 1: cleaning, step 2: mixing, step 3: agitating
- Full-wave electronics: Soft running, temperature monitoring, overload protection
- Ergonomic handles
- Tool holder M14

Item no.	Scope of delivery
10415	Cordless Mixer Power X 18V baretool Mixer type KR 120 S/M14
10440	Cordless Mixer Power X 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), mixer type KR 120 S/M14
10442	Cordless Mixer Power X 18V UK
10443	Cordless Mixer Power X 18V US

## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
10930	Spare battery single, 18V 5Ah



## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US



## EXTENSION

Item no.	Product	Dimensions
68353	Extension	200 mm



# STRIP CUTTER LS35 / LS65 18V FOR LINO, VINYL AND RUBBER

Electric strip cutter for lino, vinyl, rubber and design covering.

## Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Working width LS 35 18V: 3 - 35 cm
- Working width LS 65 18V: 3 - 65 cm
- Rotational speed: 8.500 rpm
- Weight with battery: 7.2 kg



## Features

- For the production of skirting strips, covering friezes and stair coverings
- Ideal for material that is difficult to cut

Item no.	Scope of delivery
10339	Strip cutter LS35 18V baretool Saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10344	Strip cutter LS35 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10320	Strip cutter LS35 18V UK
10322	Strip cutter LS35 18V US
10318	Strip cutter LS65 18V baretool UK Saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10319	Strip cutter LS65 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10346	Strip cutter LS65 18V UK
10347	Strip cutter LS65 18V US

## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
10930	Spare battery single, 18V 5Ah



## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US



## SAW BLADE

Item no.	Product	Dimensions
15662	Saw blade Z30	105x2,4x22



# FRÄSMASTER 18V

## COMPACT JOINT GROOVING MACHINE WITH UNRESTRICTED MOBILITY

Compact joint grooving machine with unrestricted mobility due to battery operation. Automatic depth control ensures the full formation of the milled joint even on uneven substrates.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5Ah
- Rotational speed: 5.000 rpm
- Milling depth: 7 mm
- Milling blade: 3.5 mm wide, elliptical, 12 teeth, Ø 130 mm
- Weight with battery: 5,5 kg



### Features

- With adjustable side wheel e.g. for grouting rubber nap coverings
- Low-dust work due to improved chip catching
- Rotatable dust tube
- Easy adjustment of the milling depth up to 7 mm - even on very uneven floors
- No tilting due to optimum stability of the chassis on 3 rollers
- Protection against damage to the floor surface by automatic sliding back of the milling blade when the handle is lifted or released

Item no.	Scope of delivery
89660	Fräsmaster 18V baretool 1 carbide milling blade elliptical 3.5 mm, 1 Allen key, 1 dust bag, 1 transport systainer, 1 wide roller for sensitive coverings
89000	Fräsmaster 18V in set 1 x 18V battery with 5Ah, charger 230V (50 - 60 Hz), 1 carbide milling blade elliptical 3.5 mm, 1 Allen key, 1 dust bag, 1 transport systainer, 1 wide roller for sensitive coverings
89663	Fräsmaster 18V 230V UK
89664	Fräsmaster 18V 115V US

## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
10930	Spare battery single, 18V 5Ah



## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US



## CARBIDE CUTTING BLADE (STANDARD)

Item no.	Product	Dimensions
89623	Carbide cutting blade ellip. (Standard)	130 x 20 x 3.5



## CARBIDE MILLING BLADE, CIRCULAR

Item no.	Product	Dimensions
89625	Carbide milling blade, circular	130 x 20 x 2.8



## PCD MILLING BLADE (FOR SAFETY SURFACES)

Item no.	Product	Dimensions
89658	PCD milling blade con. (for safety surfaces)	130 x 20 x 3.8



# PIRANHA 18V

## EXACT DOOR CASE SAW

For exact cutting to length of door cases, frames and bases.

Also for cutting edge distances on parquet and laminate after installation.

The carbide saw blade with 54 teeth achieves a perfect, clean cut.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5 Ah
- Sawing depth: 0 - 45 mm
- Sawing height: 7 - 25 mm
- Suction connection: Ø 32 mm
- Speed: 8.500 rpm
- HM saw blade: 54 teeth, Ø 165 mm
- Weight with battery: 6.0 kg



### Features

- Precise cutting to length of frames and door leaves
- Universal battery pack, full compatibility

Item no.	Scope of delivery
10287	Piranha 18V baretool Carbide saw blade, Allen key, dust bag, transport systainer
10289	Piranha 18V in set Piranha 18V, 2 x 18V battery 5Ah, charger 230V (50 - 60 Hz), carbide saw blade, Allen key, dust bag, transport systainer
10290	Piranha 18V UK
10294	Piranha 18V US

## SPARE BATTERY SINGLE, 18V 5AH

### Item no. Product

10930 Spare battery single, 18V 5Ah



## BATTERY CHARGER

### Item no. Product

10939 230V battery charger

11772 230V battery charger UK

11770 115V battery charger US



## CARBIDE SAW BLADE

### Item no. Product

17227 Carbide saw blade



# ANGLE GRINDER WS 125 18V

## THE ALL-ROUNDER AMONG THE CORDLESS ANGLE GRINDERS

High cutting performance paired with maximum manoeuvrability. Universal battery pack, full compatibility.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5 Ah
- Cutting disc: Ø 125 mm
- Speed: 8.500 rpm
- Tool holder: M14
- Weight with battery: 2.4 kg



### Features

- Ideally suited as an all-round angle grinder - especially for tilers
- Brushless motor with high efficiency
- Overload protection extends the service life of the machine
- Work safety functions: Soft start and restart lock
- 3-fold winding protection against dust. Reduces the wear of the motor and extends the service life
- Protective cover can be adjusted without tools
- Spindle lock
- Left and right mountable handle

Item no.	Scope of delivery
159513	Angle grinder WS 125 18V baretool Protective cover, face spanner, cardboard box, without cutting disc
159520	Angle grinder WS 125 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), protective cover, face spanner, carrying case, without cutting disc
159521	Angle grinder WS 125 18V 230V UK
159522	Angle grinder WS 125 18V 115V US

## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
10930	Spare battery single, 18V 5Ah




## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US



## DIA CUTTING DISC FOR DRY CUTTING


Item no.	Product	Dimensions
10058	Dia cutting disc for dry cutting	Ø 125 mm



# PARQUET GROOVING MACHINE 18V

FOR EASY RENOVATION OF SOLID WOOD FLOORBOARDS

Cordless parquet grooving machine with unrestricted mobility due to battery operation. Automatic depth control ensures the full formation of the milled joint even on uneven substrates.



#### Features

- For reworking the V-groove that is no longer completely present after sanding solid wood floorboards.
- Low-dust work due to improved chip catching
- Rotatable dust tube
- Protection against damage to the floor surface by automatic sliding back of the milling blade when the handle is lifted or released

Item no.	Scope of delivery
163178	Parquet grooving machine 18V baretool Milling blade for profile grooves, adapter for vacuum cleaner, safety goggles, hearing protection, tool kit, dust bag, transport systainer
163177	Parquet grooving machine 18V in set 1 x 18V battery with 5Ah, charger 230V (50 - 60 Hz), cutter blade for profile grooves, adapter for hoover, tool set, dust bag, transport systainer, safety goggles, hearing protection
164716	Parquet grooving machine 18V 230V UK

## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
10930	Spare battery single, 18V 5Ah



## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US



## HM-FRÄSBLATT GELOCHT

Art.-Nr.	Produkt
163230	HM-Fräsblatt gelocht



# APPLYING FLOORS

Linoleum .....	134
Vinyl .....	142
Rubber .....	142
Textile coverings .....	152
Grooving .....	162
Welding .....	164



# LINOCUT

## SEAM CUTTER - THE CLASSIC

Perfect joints for all resilient floor coverings and needle punch.  
A wide range of possible uses thanks to different stops!



### Features

- Patented technology
- Top design
- Straight cut without straight edge
- Cuts from wall to wall
- Two blades for cutting in both directions
- Cuts the upper edge of the sheet and uses the lower edge as a guide
- Works directly in the adhesive bed
- Adjustable joint width
- Blade penetration depth adjustable

Item no.	Scope of delivery
40262	Linocut Standard base plate (2 mm), base for needle punch (4 mm), 10 spare blades (2 already fitted)

## TRAPEZOIDAL BLADES

Item no.	Product	PU
13429	Trapezoidal blades	10 pieces



## STANDARD BASE

Item no.	Product	Dimensions
13430	Standard stop	2 mm



## BASE FOR CARPET

Item no.	Product	Dimensions
13432	Stop for carpet	8 mm




## BASE FOR NEEDLE PUNCH

Item no.	Product	Dimensions
13431	Stop for needle punch	4 mm



## BASE FOR EDGE CUTTING

Item no.	Product
13449	Stop for edge cutting



## COUNTER BASE FOR LINOCUT

For using the Linocut as a counter-scriber or cutter for working directly on the wall. Suitable for all versions of the Linocut.


Item no.	Product
60676	Counter stop for Linocut



# GREENCUT

## SEAM AND EDGE CUTTER

Trimming factory edges quickly and securely with the GreenCut.  
Includes 2 base plates for more application possibilities.  
Suitable for right and left-handers.




### Features

- For cutting seams of needle punch and ball yarn coverings
- For clean cutting of factory edges
- Incl. 2 stops for needle punch and resilient coverings
- Suitable for right and left-handers


## Straight blades

Item no.	Product	PU
89530	Straight blades	10 pieces




## Hooked blades

Item no.	Product	PU
89522	Hooked blades	10 pieces



## Super hooked blade

Item no.	Product	PU
89527	Super hooked blade	10 pieces



## Spacer plate

Item no.	Product	Dimensions
64069	Spacer plate	0.7 mm



## Insert 5 mm

Item no.	Product	Dimensions
64108	Insert	5 mm



## Insert 10 mm

Item no.	Product	Dimensions
64109	Insert	10 mm



## Insert 15 mm

Item no.	Product	Dimensions
64110	Insert	15 mm




Item no.	Scope of delivery
63998	Greencut 4 mm stop, 2 mm stop, 3 inserts (5 mm, 10 mm, 15 mm), spacer, 10 hook blades, 10 straight blades

# RAILCUT

## SEAM CUT TO PERFECTION

Enables a perfect double joint cut on soft, resilient rubber and vinyl coverings. The seam cut is made using a rail at an optimum 90° angle to the covering plane.



### Features

- Can also be used as a strip cutter
- Height adjustable blade (0 - 15 mm)
- Handy, ergonomic shape
- Anti-slide rail (1.40 m)
- Rail can be extended
- Suitable for right and left-handers


## RAILCUT EXTENSION RAIL

Item no.	Product	Dimensions
69877	Railcut extension rail	1.40 metres



## STRAIGHT BLADES

Item no.	Product	PU
89530	Straight blades	10 pieces



Item no.	Scope of delivery
69864	Railcut Anti-slide rail (1.40 m), 10 straight blades

# LVT STRIPCUT

## STRIP CUT TO PERFECTION

For cutting skirting and insert strips from LVT coverings, homogeneous and heterogeneous PVC coverings in sheets and similar coverings.



### Features

- Cutting width 2.5 to 10 cm
- Designed for left and right-handers
- Cutting depth continuously adjustable
- 4-way insertable round blade

## ROUND BLADE

Item no.	Product	Dimensions	PU
163252	Round blade	Ø 26 mm	1 piece



## BLADE GUARD

Item no.	Product
163280	Blade guard




Item no.	Scope of delivery
163277	LVT Stripcut Round blade Ø 26 mm, blade guard

# EASYCUT

WALL CUT-OUTS HAVE NEVER BEEN SO EASY

For precise cutting along walls and skirting boards.



#### Features

- Enables perfect cutting along walls due to the angled blade position
- Height adjustment of the base plate to the covering thickness
- Adjustable cutting depth to cut only the covering and to prevent the blade from dipping into the subfloor.

## HOOK SNAP-OFF BLADES

Item no.	Product	PU
10830	Hook snap-off blades	10 pieces



## SNAP-OFF BLADES

Item no.	Product	PU
89521	Snap-off blades	10 pieces



Item no.	Scope of delivery
10807	Easycut 10 hook snap-off blades

# DESIGN COLLECTION

## COMPLETE SET FOR THE APPLICATION OF DESIGN FLOOR COVERINGS

The complete set for applying design flooring in a practical systainer for easy and secure transport.



### Features

- Perfect for cutting borders
- For the creative application of design coverings
- Chamfering of the back of the covering
- Reaming the seam for resilient coverings

Item no.	Scope of delivery
74843	Design Collection Linocut seam cutter, Chamfer king, Duo pressure roller, mitre-box shears for design coverings, Pica-Dry deep hole marker, transport systainer

Item no.	Accessories
74844	Transport Systainer
173522	Inlay Systainer

WOLFF.  
GOING  
BEYOND  
YOUR  
LIMITS.

# PROFESSIONAL CIRCULAR CUTTER

FOR RESILIENT AND TEXTILE COVERINGS AS WELL AS PARQUET AND LAMINATE FLOORING

Circle cutter and scribe for resilient and textile coverings as well as parquet and laminate. For exact cutting or scribing of circles and circle cut-outs up to 260 cm diameter - with extension bars over 12 m.



## Features

- Precise, repeatable circles
- Fixed in place with suction cups
- Quick adjustment of the radius
- Scribing and cutting
- Exact depth adjustment of the blade
- With knurled screw
- Smallest radius 160 mm

Item no.	Scope of delivery
15626	Professional circular cutter Plexiglas plate incl. adhesive strips, extensions up to 130 cm radius, pencil, spare blades, transport case

## SPARE BLADES

Item no.	Product	PU
80578	Spare blades	6 pieces



## EXTENSION RAILS

Item no.	Product
15629	Extension rails up to 4.86 m radius



## CORNER AND WALL RADIUS ADAPTER

To create a circle section with a wall corner or a point on the wall as the centre.

Item no.	Product
15631	Corner and wall radius adapter.

## JOINT GROOVER FOR CIRCULAR CUTTER

Item no.	Product
15628	Joint groover for circular cutter
13427	Spare blade for joint groover



# ELECTRIC STRIP CUTTER FOR LINO, VINYL AND RUBBER

Ideal for material that is difficult to cut. For the production of skirting strips, covering friezes and stair coverings.



#### Technical specifications

- Voltage: 230 V
- Power: 1,200 W
- Speed: 10,000 rpm
- Strip width LS 35: 35 cm
- Strip width LS 65: 65 cm
- Max. Material thickness: 6 mm

Item no.	Scope of delivery
15661	Electric strip cutter for lino and vinyl, LS 35 (35 cm cutting width)
16148	Electric strip cutter for lino and vinyl, LS 65 (65 cm cutting width)

Item no.	Accessories
15662	Saw blade Ø 105 mm, 2.4 mm wide, 30 teeth

## HOLE CUTTING DRILL

For drilling holes for heating pipes, conduit pipes and stair railings when laying design coverings, PVC, linoleum as well as laminate and parquet.



Item no.	Product	Dimensions
15807	Hole cutting drill	8 - 20 mm
87831	Hole cutting drill	16 - 30.5 mm

## LINO EDGE CUTTER

For pre-cutting the fabrication edge to remove tension in the seam area and/or transport damage.



Item no.	Product
15605	Lino edge cutter Scope of delivery: Lino edge cutter, 2 blades (available until end of 2021)

Item no.	Accessories	PU
13358	Pointed blades	5 pieces

## STRIP CUTTER FOR RESILIENT COVERINGS


For cutting strips, e.g. for skirting boards, friezes and stair treads and for trimming fabrication edges.




Item no.	Product
13350	Strip cutter for resilient coverings, for strips 0 - 8 cm (without bar)
13351	Strip cutter for resilient coverings, for strips 3 - 20 cm
13352	Strip cutter for resilient coverings, for strips 6 - 30 cm

Item no.	Accessories	PU
13353	Spare blades	5 pair
13947	Bar	5 pieces
13354	Conversion kit, for use with hook blades	
13421	Hooked blades	100 pieces

Arrangement pair of blades for simultaneous scribing and severing



Conversion kit, for use with hook blades



# DESIGN CUTTER

## WO 630

Enables precise cuts when laying larger floor tiles.



### Technical specifications

- Blade width 630 mm
- Max. material thickness 16 mm
- Max. object width 630 mm
- Assembled size
- 520 x 740 x 520 mm
- Weight: 18.8 kg

# DESIGN CUTTER

## WO 330

Enables fast and precise cuts when laying design coverings and carpet tiles.



### Technical specifications

- Blade width 330 mm
- Max. material thickness 16 mm
- Max. object width 320 mm
- Size assembled 650 x 460 x 500 mm
- Weight: 9.34 kg

Item no.	Scope of delivery
72663	WO 630 design cutter

Item no.	Accessories
72776	Spare blade for WO 630

Item no.	Scope of delivery
72661	WO 330 design cutter

Item no.	Accessories
72752	Spare blade for WO 330

# PRESSURE ROLLERS FOR FLOOR COVERINGS

With carrying handles for more comfortable transport.



## Features

- Rollers consisting of 4 castors that optimally adapt to the floor
- With extremely narrow roller gaps to prevent the formation of marks on the top layer

Item no.	Scope of delivery
56401	Pressure roller 30 kg with carrying handle, handle with grip
56402	Pressure roller 50 kg with carrying handle, handle with grip
56403	Pressure roller 68 kg with carrying handle, handle with grip

Item no.	Accessories
56404	Chassis for pressure rollers

**WOLFF.  
GOING  
BEYOND  
YOUR  
LIMITS.**

## PRESSURE ROLLER FOR FLOOR COVERINGS

- Ideal for pressing down all floor coverings on small to medium surfaces
- Rollers adapt to uneven floors
- Contact pressure can be regulated with body weight, also suitable for left-handers

Item no.	Product	Dimensions
15834	Pressure roller for floor coverings (weight: 5.2 kg).	1.35 x 0.47 x 0.15 m



## DUO PRESSURE ROLLER

For rubbing the seam of resilient floor coverings or pressing textile coverings into the adhesive bed.

Item no.	Product
73709	Duo pressure roller



## SEAM ROLLER

With barrel-shaped steel roller, 45 mm wide, 30 mm O and wooden handle.

Item no.	Product
54690	Seam roller



## RUBBING TOOL

- Lightweight, handy tool for rubbing down floor coverings, especially for stairs and edges.
- Rounded edges, thus no scratching of the coverings on the floor and wall
- Suitable for 45° and 90° edges

Item no.	Product
83734	Rubbing tool



## GLIDE WITH REMOVABLE FELT COVER

Practical, lightweight scribe for working comfortably while standing.  
Ideal for textile and resilient coverings. Rubbing width 40 cm, galvanised.

Item no.	Product
62694	Glide with removable felt cover incl. handle



Item no.	Spare part:
61201	Felt cover for glide

## RUBBING HAMMER

Forged from a single piece.

Item no.	Product
13619	Rubbing hammer



## CORK RUBBING BOARD

Item no.	Product
60505	Cork rubbing board



## SPACER FOR PARQUET

Item no.	Product
15848	Spacer for parquet



## SPACER WEDGES

Item no.	Product	VE
15859	Spacer wedges	16 Stück



## CHAMFER KING

The new chamfer king was designed for professional design installation. Especially the case with modern design flooring, the bottom edge often has to be broken cleanly or an element shortened by a tenth. This very dynamic tool has emerged from practical experience. The integrated industrial blade is able to cut even stiff coverings effortlessly and absolutely cleanly due to its low thickness and extraordinary sharpness. The stops are designed in such a way that time-consuming replacement is unnecessary. The design covering can be extended or shortened without installation in the interim. Blade change and adjustment take less than a minute.

Item no.	Product
77741	Chamfer king



## FASTRIMMER

For producing a 25° edge chamfer on the surfaces of vinyl tiles and design coverings after they have been cut to size. With quick stop for fast chamfering by hand or for chamfering on the adhesive bed!

Item no.	Product
15621	FasTrimmer Scope of delivery: FasTrimmer, Quick stop, transport bag, 6 spare blades

Item no.	Accessories	PU
15622	Stop for chamfering the underside of vinyl tiles and design coverings, for removing tear-off edges.	
80578	Spare blades	10 pieces



## FASTRIMMER

With stop for chamfering the back of the covering and for cleaning up the broken edges.

Item no.	Product
15623	FasTrimmer
Scope of delivery: FasTrimmer, stop for chamfering the back of the base, transport bag, 6 spare blades	
Item no.	Accessories
80578	Spare blades
	PU
	10 pieces



## COMBINATION SCRIBER

For scribing and cutting resilient floor coverings.  
Can be used as a scribe and counter-scriber.

Item no.	Product
13357	Combination scribe
Scope of delivery: Combination scribe, 2 scriber needles for linoleum and 2 pointed blades for vinyl and rubber (in handle)	
Item no.	Accessories
13356	Scriber needles
13358	Pointed blades
	PU
	20 pieces
	5 pieces



## SEAM SCRIBER

For scribing hard coverings. Adjustable scribing needle.

Item no.	Product
13355	Seam scribe
Item no.	Accessories
13356	Scriber needles
	PU
	20 pieces



## STAIR SCRIBER

For scribing stair coverings.

Item no.	Product
15620	Stair scribe
Item no.	Accessories
13356	Scriber needles
	PU
	20 pieces



## WALL BEVEL AND FLOOR COVERING SCRIBER

For scribing along a wall. Can also be used as a strip and circle scribe.

Item no.	Product
87911	Wall bevel and floor covering scribe - adjustment range 385 mm
85950	Wall bevel and floor covering scribe - adjustment range 200 mm
Item no.	Accessories
88329	Spare blades
	PU
	6 pieces



## FLOOR COVERING SCRIBER AND CUTTER

For scribing and cutting hard coverings of all kinds. Very light and handy version with plastic body and nickel-plated metal parts. By turning the lower guide rail, the device can be used not only as a conventional scribe, but also as a counter-scriber. Incl. 10 scribe pins.

Item no.	Product
34846	Floor covering scribe and cutter



## SCRIBER

Item no.	Product
34615	Scriber



## SCRIBER PIN

Item no.	Product	Dimensions	PU
87913	Scriber pin	Length 45 mm	25 pieces



## JOINT GROOVER WITH GUIDE ROLLERS

Guide in the seam with 2 rollers. Adjustable milling depth, 4-edged blade.

Item no.	Product
73710	Joint groover with guide rollers for safety coverings

Item no.	Accessories
13427	Spare blade

## JOINT GROOVER

Adjustable guide, 4-edged blade

Item no.	Product
13426	Joint groover
<b>Item no.</b> Accessories	
13427	Spare blade



## WELDING WIRE ROLLER

For pressing the welding wire into the joint.

Item no.	Product	Dimensions
15610	Welding wire roller	25 mm
15611	Welding wire roller	15 mm



## U-SHAPED JOINT GROOVER

Item no.	Product
13842	Joint groover for rubber coverings (U-shape)
<b>Item no.</b> Accessories	
13843	U-shaped spare blades



## FLAT STEEL JOINT GROOVER

Blade holder made of galvanised flat steel, with blade and wooden handle. 5 spare blades

Item no.	Product	PU
34674	Flat steel joint groover	
34514	Spare blades	10 pieces



## J-SHAPED JOINT GROOVER

Item no.	Product
87914	J-shaped joint groover
<b>Item no.</b> Accessories	
87915	J-shaped spare blades



## JOINT GROOVER WITH GUIDE LUG

Item no.	Product
13424	Joint groover with guide lug, adjustable groove depth
<b>Item no.</b> Accessories	
87915	Spare blades



# FRÄSMASTER JOINT GROOVING MACHINE

## THE NO. 1 JOINT CUTTER WITH CARBIDE GROOVING BLADE

Automatic depth control ensures the full formation of the milled joint even on uneven substrates. With adjustable side wheel e.g. for grouting rubber nap coverings.



### Technical specifications

- Voltage: 230 V
- Power: 1,500 W
- Speed: 6,000-10,000 rpm
- Soft start



Principle of automatic depth control

### Features

- Intervention protection when the machine is raised to prevent accidents
- Easy adjustment of the grooving depth up to 5 mm - even on very uneven floors
- No tilting due to optimum stability of the chassis on 3 rollers
- Protection against damage to the floor surface by automatic sliding back of the grooving blade together with the handle
- Soft start due to built-in electronic starting current limiter

Item no.	Scope of delivery
13305	Fräsmaster joint grooving machine Carbide grooving blade 3.3 mm, tool set, dust bag, transport systainer, wide roller for sensitive coverings, safety goggles, hearing protection
15711	Fräsmaster joint grooving machine 115V UK
50159	Fräsmaster joint grooving machine 115V US

## CARBIDE GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
36275	Carbide grooving blade, elliptical, 12 teeth	Ø 130 x 20 x 5.0 mm



## CARBIDE GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
13459	Carbide grooving blade, elliptical, 12 teeth	Ø 130 x 20 x 3.8 mm



## CARBIDE GROOVING BLADE, CIRCULAR

Item no.	Product	Dimensions
13461	Carbide grooving blade, circular, 12 teeth	Ø 130 x 20 x 3.3 mm



## DIAMOND GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
13460	Diamond grooving blade, elliptical, 4 teeth	Ø 130 x 20 x 3.8 mm



# FRÄSJUNIOR JOINT GROOVING MACHINE

FOR GROOVING ALL RESILIENT FLOOR COVERINGS

Easy grooving adjustment up to 5 mm depth.



#### Technical specifications

- Voltage: 230 V
- Power: 1500 W
- Speed: 8000 rpm

#### Features

- Secured against tilting due to optimum three-point support
- Clean preparation due to submersion principle
- Better chip ejection

Item no.	Scope of delivery
56092	Fräsjunior joint grooving machine Junior cutter, carbide grooving blade 3.3 mm, tool set, dust bag, transport systainer, safety goggles, hearing protection

## CARBIDE GROOVING BLADE, CIRCULAR

Item no.	Product	Dimensions
36275	Carbide grooving blade, circular, 12 teeth	Ø 130 x 20 x 3.3 mm



## CARBIDE GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
13459	Carbide grooving blade, elliptical, 12 teeth	Ø 130 x 20 x 3.8 mm



## CARBIDE GROOVING BLADE, CIRCULAR

Item no.	Product	Dimensions
13461	Carbide grooving blade, circular, 12 teeth	Ø 130 x 20 x 3.3 mm



## DIAMOND GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
13460	Diamond grooving blade, elliptical, 4 teeth	Ø 130 x 20 x 3.8 mm



# WELDMASTER 2.0

## THE AUTOMATIC WELDING MACHINE FOR PROFESSIONALS

The Weldmaster 2.0 with the latest technology offers precise welding results combined with high working speed. Special nozzles also allow grouting of PUR-coated coverings.



### Technical specifications

- Voltage: 230 V
- Total power: 3,400 W
- Temperature: 20 - 600 °C
- Speed: 1 - 8 m/min



### Features

- Digital thermometer for precise temperature control
- Central key pad for easy operation
- Can be used for all resilient coverings (vinyl, linoleum, rubber, etc.) without conversions
- Better welding results due to variable contact pressure
- 4-way welding nozzle: 4 individual nozzles ensure targeted distribution of the hot air
- Automatic wall shut-off with simultaneous lift-off of the heater and shut-off of the air supply.

## HEATING ELEMENT, 3,400 W

### Item no. Product

163964 Heating element, 3,400 W



## WELDING HEAD

### Item no. Product

55498 Welding head

### Item no. Scope of delivery

163317 Weldmaster 2.0 automatic welding machine  
Transport case

# COMBINATION GROOVING AND WELDING SET

## THE PERFECT SET FOR BEGINNERS

Beginner's set for floor layers,  
interior decorators and painters.  
Suitable for regular installation  
of resilient coverings in small to  
medium sizes.



# PHOENIX 1600 SET

## COMPLETE SET IN TRANSPORT SYSTAINER

Phoenix 1600 hand welder with  
complete accessories in case.  
With diamond grindstone for  
resharpening quarter-moon blades.



### Technical specifications

- Voltage: 230 V
- Power: 1600 W
- Temperature 40 - 700 °C continuous

Item no.	Scope of delivery
56357	Combination milling and welding set  Fräsjunior joint cutter, Phoenix 1600 hand welder, quarter moon blade incl. safety bag, 1 weld seam slide, 1 single nozzle 5 mm, 1 speed welding nozzle 5 mm
60865	Combination milling and welding set 115V US

Item no.	Scope of delivery
80614	Phoenix 1600 set  Phoenix 1600, single nozzle 5 mm, speed welding nozzle for PUR-finished floor coverings, joint extractor, diamond whetstone, quarter moon blade, welding seam slide, pressure roller 15 mm, cleaning brush, transport systainer.
82890	Phoenix 1600 115V UK

# PHOENIX 1600

MANUAL WELDING WITH PROVEN QUALITY.

For occasional welding work.



#### Technical specifications

- Voltage: 230 V
- Power: 1600 W
- Temperature 40 - 700 °C continuous



#### Features

- Heating pipe guard for more safety
- Easy to clean air filters
- Freely adjustable temperature from 40 °C - 700 °C

## PHOENIX 1600 HEATING ELEMENT

#### Item no. Product

80355	Phoenix heating element 1600 W, 230 V
80307	Phoenix heating element 1600 W, 115 V



## PUR SPEED WELDING NOZZLE

#### Item no. Product

41213	PUR speed welding nozzle
-------	--------------------------

#### Dimensions

5 mm



## PHOENIX 3400

Phoenix 3400, without nozzle. For heating coverings and skirting boards.

Technical specifications: Heating element 3,400 W, temperature 40 - 650 °C

#### Item no. Product

163179	Phoenix 3400
--------	--------------

#### Item no. Accessories

163964	Heating element, 3,400 W
13476	Round nozzle



Item no.	Scope of delivery
80078	Phoenix 1600
	Transport case, single nozzle 5 mm, speed welding nozzle 5 mm
80081	Phoenix 1600 115V UK

## LEISTER TRIAC ST SET

Triac ST hand welder with electronic control and cooled protective tube.  
Complete accessories in case. With diamond grindstone for resharpener quarter-moon blades.

Technical specifications: Total power 1,600 W, heating element 1,550 W, temperature 20 - 650 °C

### Item no. Product

74847	Leister Triac ST set
Scope of delivery: Triac ST, single nozzle 5 mm, speed welding nozzle for PUR-finished floor coverings, joint extractor, diamond whetstone, quarter moon blade, welding seam slide, pressure roller 15 mm, cleaning brush, transport systainer.	



## LEISTER TRIAC ST

Triac ST hand welder without single nozzle, single, as described in the set

### Item no. Product

74845	Leister Triac ST

### Item no. Accessories Dimensions

72315	Heating element 1,550 W for Triac ST	
13308	Speed welding nozzle	Ø 5 mm



## LEISTER TRIAC AT SET

Hand welder Triac AT as complete accessory in case.  
With diamond grindstone for resharpener quarter-moon blades.

Technical specifications: Total power 1,600 W, heating element 1,550 W, temperature 20 - 650 °C

### Item no. Product

82643	Leister Triac AT set
Scope of delivery: Triac AT, single nozzle 5 mm, speed welding nozzle for PUR-finished floor coverings, joint extractor, diamond whetstone, quarter moon blade, welding seam slide, pressure roller 15 mm, cleaning brush, transport systainer.	



## LEISTER TRIAC AT

- Digital display
- Robust hot air device for thermal sealing of seams
- Automatic levelling of the set temperature, voltage fluctuations are compensated
- The thermoprobe in front of the heating element guarantees precise temperatures
- The air volume can be adjusted independently of the temperature
- Total power 1,600 W, heating element 1,550 W

### Item no. Product

71991	Leister Triac AT without single nozzle

### Item no. Accessories Dimensions

72315	Triac AT heating element	
13308	Speed welding nozzle	Ø 5 mm



## PUR WELDING NOZZLE

No burning of the covering surface possible any more for sure!  
Special nozzle for thermal welding and grouting of elastic floor coverings with factory-applied polyurethane coating.

### Item no. Product

47049	PUR welding nozzle



## SINGLE NOZZLE

### Item no. Product

13465	Single nozzle

### Dimensions

5 mm
------

## SPEED WELDING NOZZLE

### Item no. Product

13308	Speed welding nozzle

### Dimensions

5 mm
------

## PUR SPEED WELDING NOZZLES

### Item no. Product

13466	Speed welding nozzles for PUR-finished floor coverings

### Dimensions

Inlet 4 mm
------------

41213	Speed welding nozzles for PUR-finished floor coverings

Inlet 5 mm
------------

## NOZZLE FOR TOUCH-UPS

### Item no. Product

13469	Nozzle for touch-ups

### Dimensions

Inlet 4 mm
------------

## "MIPOLAM" NOZZLE

### Item no. Product

13467	"Mipolam" nozzle

### Item no. Accessories

15610	Welding wire roller

### Dimensions

25 mm
-------

15611	Welding wire roller

15 mm
-------

## GOOSE NECK NOZZLE

### Item no. Product

13468	Goose neck nozzle

## RADIATOR NOZZLE

**Item no. Product**

13470 Radiator nozzle



## WIDE SLIT NOZZLE

**Item no. Product**

	Dimensions
19524 Wide slit nozzle	20 mm
13472 Wide slit nozzle, angled	20 mm
13473 Wide slit nozzle	40 mm



## SPEED WELDING NOZZLE

**Item no. Product**

13471 Speed welding nozzle for resilient wall coverings



## MOZART SPEED TRIMMER

With the new Mozart speed trimmer, relaxation and finish trimming can be done in one go and in an upright position. Cutting procedure, blades and spacer forks are identical to the Mozart trimming blade. The spacer fork under the pre-cutting blade can be swung out.

**Item no. Product**

62183 Mozart Speed Trimmer

Scope of delivery: Mozart Speed Trimmer complete with blade and spacer forks 0.5 and 0.7 mm thickness, in box, telescopic handle



## MOZART TRIMMING KNIFE

The patented solution for secure, clean and fast trimming of welding wires. Integrated carriage for pre-cutting, exchangeable blade, variable heights due to exchangeable spacer forks, no scratching or damage to surfaces, internal blade prevents danger of injury, ergonomic handle, no further finishing and touching up necessary.

**Item no. Product**

49875 Mozart trimming knife

Scope of delivery: Trimming knife incl. blade and distance fork 0.50 mm and distance fork 0.7mm

Item no.	Accessories	Dimensions	PU
49876	Spare blades	5 pieces	
50772	Spacer fork	0.50 mm	
51270	Spacer fork	0.70 mm	
59856	Spare screw set		



## QUARTER MOON BLADE

For trimming welding wire, top quality

**Item no. Product**

13451 Quarter moon blade



## QUARTER MOON BLADE

For trimming welding wire, angled

**Item no. Product**

13452 Quarter moon blade



## QUARTER MOON BLADE

For trimming welding wire, bowed

**Item no. Product**

13453 Quarter moon blade



## WELD SEAM SLIDE

For trimming welding wire, bowed

**Item no.** **Product**

13450 Weld seam slide



## SAFETY SHEATH

Leather, for quarter moon blade

**Item no.** **Product**

60078 Safety sheath



## DIAMOND GRINDSTONE

For resharpening all knives and blades. In wooden box, grinding surface 153 x 50 mm.

**Item no.** **Product**

13491 Diamond grindstone



## DIAMOND GRINDSTONE

For resharpening. Foldable, fits in any bag, grinding surface 110 x 22 mm.

**Item no.** **Product**

15714 Diamond grindstone



## CARPET CUTTER

Nap channel cutter especially for fine velour, tufted and woven. The extremely fine guide lug provides for a precise guide, even in very narrow nap channels.

**Item no.** **Product**

65659 Nap channel cutter

Scope of delivery: Nap channel cutter, slotted blades



**Item no.** **Accessories**

65755 Slotted blades

recommended by:

**GIRLOON® INFLOOR**  
carpet made in Germany

## CARPET AWL

For optimal leadership in the nap channel

**Item no.** **Product**

65660 Carpet awl



recommended by:

**GIRLOON® INFLOOR**  
carpet made in Germany

## MITTAG CUTTER

For all textile coverings, except foam backing. Cuts from top to bottom.

**Item no.** **Product**

15641 Mittag cutter

**PU**

10 pieces



recommended by:

**ANKER**  
PROFESSIONAL CARPET  
©

## TOP EDGE SCRIBER

For transferring the top flooring edge to the bottom flooring sheet by scribing.

**Item no.** **Product**

57419 Top edge scribe for resilient floor coverings



## SEAM CLAMP

Holds the seam together

Item no.	Product	PU
13593	Seam clamp	5 pieces



## DOUBLE-HEADED CLAMP

Developed and manufactured by WOLFF to compensate for pattern distortions, as well as for channel and seam corrections. Adapt to any carpet by adjusting the coarse and fine grippers.

Item no.	Product
15781	Double-headed clamp Scope of delivery: Double-headed clamp, transport box

recommended by:

**GIRLOON®**  
INFLLOOR  
carpet made in Germany



## CARPET PIN

With 70 mm long, nickel-plated steel pin and plastic cap of 30 mm.

Item no.	Product
38991	Carpet pin



## CARPET NEEDLE

Made of steel, 1.5 mm thick. 75mm long

Item no.	Product
71130	Carpet needle



## ADJUSTABLE KNEE BRACE

With coarse and fine grippers. Coarse grippers with depth adjustment to adapt to the floor covering. Length adjustment in 5 steps from 50 to 60 cm.

Item no.	Product
51509	Adjustable knee brace

Item no.	Accessories	PU
15797	Buffer	
15798	Gripper insert, fine	3 pieces
15799	Base plate, coarse	



## C-CUT CARPET STRIP CUTTER

For exact cutting of needle punch and ball yarn skirting boards. Cutting width 2 to 7 cm.

Item no.	Product
47414	C-Cut carpet strip cutter Scope of delivery: C-Cut, 10 blades (1 already mounted)



Item no.	Accessories	PU
13454	Spare blades	10 pieces

## CARPET STRIP CUTTER

Extremely robust and easy to guide! With reinforced blade holder. For cutting skirting board strips from 45 to 100 mm.

Item no.	Product
13458	Carpet strip cutter Scope of delivery: Carpet strip cutter, 10 blades



Item no.	Accessories	PU
13454	Spare blades	10 pieces

## CARPET CUTTER - GREEN

For all textile floor coverings with fleece or foam backing. Blade position: cuts from below.

Item no.	Product
13456	Carpet cutter - green Scope of delivery: Carpet cutter, 10 blades



Item no.	Accessories	PU
13457	Spare blades	10 pieces

## CARPET CUTTER - RED

For all textile coverings, except foam backing. Cuts from the top.

Item no.	Product
13455	Carpet cutter - red Scope of delivery: Carpet cutter, 10 blades



Item no.	Accessories	PU
13454	Spare blades	10 pieces

## METAL CARPET CUTTER

For all textile floor coverings with fleece or foam backing. Blade position: cuts from below.

Item no.	Product
34834	Metal carpet cutter
<b>Item no.</b> Accessories	
34542	Carpet cutter spare blades



## METAL CARPET CUTTER

For all textile floor coverings with synthetic or textile backing. Blade position: cuts from above.

Item no.	Product
34833	Metal carpet cutter
<b>Item no.</b> Accessories	
34508	Carpet cutter spare blades



## CIRCULAR CUTTER

For touching up carpets. Adjustable from 4 to 21 cm diameter.

Item no.	Product
15624	Circular cutter
Scope of delivery: Circular cutter, 4 blades	
Item no.	Accessories
80578	Spare blades



## CARPET SEAM ROLLER

With 13 star-shaped, nickel-plated steel wheels on steel axle, nickel-plated bow and wooden handle.  
85mm wide

Item no.	Product
34830	Carpet seam roller



## PRESSURE AND STAIRCASE TOOL

For incorporating carpet behind the nail strip or in the edge area of the staircase.

Item no.	Product
65853	Pressure and staircase tool with roller



## STAIR TOOL

For incorporating carpet behind the nail strip or in the edge area of the staircase.

Item no.	Product	Dimensions
13809	Stair tool	7 cm
13862	Stair tool	9 cm



## CLAW TOOL

Item no.	Product
15802	Claw tool



## CARPET SHEARS

Forged from steel, with black lacquered eyes, finely polished blades and high screw.

Item no.	Product	Dimensions	PU
36432	Carpet shear	210 mm	1 piece
34512	Carpet shear	265 mm	1 piece
21536	Carpet shear	300 mm	1 piece



## UNIVERSAL AND CARPET SHEARS

Item no.	Product	Dimensions
15659	Universal shears	25 cm
15652	Carpet shears, serrated edge	22 cm
34831	Carpet shears	26 cm 6 pieces



## NAPPING SHEARS

Item no.	Product	Dimensions
15653	Napping shears, cranked	14 cm
15658	Napping shears, cranked	18 cm



# PARQUET GROOVE MILLING MACHINE

FOR EASY RENOVATION OF SOLID WOOD FLOORBOARDS

Fast retightening of V-joints. Precise cutting to length of frames and door leaves. Extra comfort due to guide wheel Easy to work with.



#### Technical specifications

- Voltage: 230 V
- Power: 1,500 W
- Speed: 8,000 rpm
- Weight 5,2 kg
- Milling depth 0 - 5 mm
- Milling blade carbide diameter 130 mm, thickness 9.0 mm, 6 teeth

#### Features

- Parquet groove milling machine for reworking the V-groove that is no longer completely present after sanding solid wood floorboards
- Extra comfort due to guide wheel
- Easy to work with

# PIRANHA DOOR FRAME SAW

VARIOUS APPLICATIONS DUE TO PRECISE ADJUSTMENT OPTIONS

For exact cutting to length of cases and door leaves and for cutting edge distances on parquet and laminate after installation.



#### Technical specifications

- Voltage: 230 V
- Power: 1,200 W
- Speed: 11.500 rpm

#### Features

- Simple continuously variable height and depth adjustment: Height 7 - 25 mm, depth 0 - 50 mm
- Carbide saw blade for long service life
- 6000 rpm
- 1200 W

Item no.	Scope of delivery
67323	Parquet groove milling machine Milling blade for profile grooves, adapter for vacuum cleaner, safety goggles, hearing protection, tool kit, dust bag, transport systainer, operating manual

Item no.	Accessories
63011	Milling blade for profile grooves

Item no.	Scope of delivery
16927	Piranha door frame saw Carbide blade diameter 160 mm with 54 teeth, transport systainer
20821	Piranha door frame saw 115V UK
39452	Piranha door frame saw 115V US

Item no.	Accessories
17227	Carbide saw blade

# FLOOR TILERS

Ramhammer .....	184
TrowTile cutters .....	186
Trowels and Spatulas .....	188
Adhesive notches .....	191
Washing .....	192
Basic Tools .....	194



# RAMHAMMER

## HAMMER WITH HIGH IMPACT FORCE FOR EASY REMOVAL OF TILES

Ergonomic design minimises the user's exposure to vibrations and ensures safe operation



### Technical data

- Rated output power: 1,750W
- Impact energy: 41J
- Impact speed at nominal speed: 1300 bpm
- Tool holder: HEX 30 mm
- Voltage: 230V
- Total weight: 51kg
- Weight hammer: 17kg
- Weight trolley: 34kg
- Dimensions l x w x h: 1285 mm x 610 mm x 860 mm
- Working width: 130 mm

### Properties

- Ergonomic working due to upright posture (independent of working angle)
- 9-fold angle adjustment
- Quick mounting of the demolition hammer on the trolley
- Powerful motor with 41 joules of impact energy
- Low vibration and high manoeuvrability enables perfect handling

### Item no. Scope of delivery

169208	RamHammer
	RamHammer Trolley, Bosch Hammer GSH16-30, Blade holder, Blade

## RAMHAMMER TROLLEY

Trolley for holding a Bosch GSH16-30 demolition hammer

- Total weight: 34kg
- Dimensions l x w x h: 920 mm x 610 mm x 860 mm
- Working width: 130 mm

### Item no. Product

170000 RamHammer Trolley



# TILE CUTTER PREMIUM 935 / 1200

FOR CUTTING LENGTHS UP TO 935 OR 1200 MM

The built-in line laser guarantees the highest cutting accuracy for diagonal cuts



#### Properties

- Integrated and fold-out table legs, for unprecedented comfort and fatigue-free work
- High-quality materials and a robust guide rail enable a straight and precise cut
- The 11-fold ball bearing cutting head enables an incomparable cutting comfort, no matter whether stoneware or fine stoneware is being cut
- Optionally connectable side table makes working with large formats even more comfortable
- Cutting wheel made of tungsten carbide for smooth cutting even on fine stoneware
- Suitable for tile thicknesses up to approx. 20 mm and cutting lengths up to 935 mm or 1200 mm (depending on model)

#### Properties

- Wheels and two carrying handles for simplified transport
- Double crushing device for normal and diagonal cuts
- Fold-up side angle, so the set dimension no longer has to be no longer have to be adjusted
- Angle stop for normal and diagonal cuts
- Adjustable angle from 0 - 45
- Additional angle stop for large-format tiles (with mm scale)
- Support surface spring-loaded on both sides
- Spring steel side arms for cutting large-format tiles

Item no.	Scope of delivery	Dimensions
10044	Tile cutter Premium 935 Laser (without table)	935 mm
10045	Tile cutter Premium 1200 Laser (without table)	1200 mm
10046	Tile cutting table Profi foldable left/right	
10047	Spare wheel tile cutter Profi – ball bearing incl. axle	

# TILE CUTTER PROFI 640

FOR CUTTING LENGTHS UP TO 640 MM

Smooth-running and precise guide rail due to 11-fold ball bearing (cutting head)



#### Properties

- Suitable for tile thicknesses up to approx. 20 mm and cutting lengths up to 640 mm
- High-quality materials and the very robust guide rail with 15 x 40 mm allow a straight and precise cut
- Cutting wheels made of tungsten carbide for smooth cutting even with fine stoneware
- Double breaking device for normal and diagonal cuts
- Fold-up side angle, so the set dimension no longer needs to be adjusted. Angle stop for normal and diagonal cuts
- Adjustable angle from 0-45
- Spring-loaded support surface on both sides
- Reinforced powder-coated base plate

Item no.	Scope of delivery	Dimensions
10043	Tile cutter Profi	bis 640 mm

## SPATULA<sup>1)</sup>

The number one for universal work  
• Riveted throughout  
• Steel blade: hardened, flexible grinded  
• Handle: beech wood, flat oval, waxed

Item no.	Product	Diamensions
89355	Spatula	40 mm
89356	Spatula	80 mm



## SMOOTHING TROWEL, WOODEN HANDLE<sup>1)</sup>

Universal smoothing trowel with welded support  
• Hardened and polished stainless steel blade  
• Prop made of light metal  
• Curved wooden handle

Item no.	Product	Diamensions
89363	Smoothing trowel, stainless steel	280 x 130 mm



## TROWEL WOODEN HANDLE<sup>1)</sup>

Our bestseller for the professional craft  
• Blade: 0.8 mm stainless spring band steel  
• dotted, hardened and polished  
• Tang: stainless round steel  
• Handle: wooden handle

Item no.	Product	Diamensions
89358	Trowel, stainless steel	60 mm
89359	Trowel, stainless steel	80 mm
89360	Trowel, stainless steel	100 mm



## TROWEL SOFT HANDLE<sup>1)</sup>

Our bestseller with improved soft grip for the professional craft  
• Blade: Made of polished stainless steel  
• Spotted tang made of round stainless steel  
• Ergonomically shaped 2-component plastic handle

Item no.	Product	Diamensions
53231	Trowel, stainless steel	80 mm
12959	Trowel, stainless steel	100 mm



## TILE TROWEL<sup>1)</sup>

Perfectly suited for smoothing and structuring plaster or other pasty coatings  
• Blade made of 1 mm thick, hardened, highly polished and stainless spring band steel  
• Tang made of stainless round steel  
• Spotted blade  
• Waxed wooden handle

Item no.	Product	Diamensions
89361	Tile trowel, stainless steel	160 mm
89362	Tile trowel, stainless steel	180 mm



## ADHESIVE TROWEL

You will find matching adhesive notches in the overview on page 191.

Item no.	Product	Diamensions
56205	Adhesiv trowel with side insert	280 mm



## PLASTIC SPATULA SET<sup>1)</sup>

Lösemittelbeständiges Set in Standard Qualität

Item no.	Product	Diamensions
89380	Plastic spatula set	1 set = 1x size each 50, 80, 105, 120 mm



## SPREADING TROWEL<sup>1)</sup>

Suitable for brushing on and combing off tile and flooring adhesives

- Polished and stainless steel blade
- Aluminum support
- Rounded wooden handle
- Upper transverse and right longitudinal side serrated

Item no.	Product	Dimensions
89371	Spreading trowel, stainless steel	280 x 130 mm / C2 Zahnung
89372	Spreading trowel, stainless steel	280 x 130 mm / C4 Zahnung
89373	Spreading trowel, stainless steel	280 x 130 mm / C5 Zahnung
89374	Spreading trowel, stainless steel	280 x 130 mm / M1 Zahnung
159605	Spreading trowel, stainless steel	280 x 130 mm / 12 mm Zahnung



 Pajarito®

## SPREADING TROWEL FOR LARGE AREAS<sup>1)</sup>

Suitable for working large surfaces

- Blade: 0.7 mm thick, hardened, polished spring band steel
- Screw-on wooden handle
- Upper transverse and right longitudinal side serrated

Item no.	Product	Dimensions
89377	Spreading trowel for large areas	500 x 140 mm C2 Zahnung
89378	Spreading trowel for large areas	500 x 140 mm C4 Zahnung



 Pajarito®

## RUBBER SPATULA<sup>1)</sup>

Excellent for grouting wall and floor tiles

- The elastic rubber is used to work the grout into the joints and to remove excess grout is pulled off again
- In addition, this grout rubber has a classic wooden handle, which fits very well in the hand and thus thus ensures all-day comfort
- Due to the soft rubber, the tiles are not damaged or scratched
- Universally applicable
- With 5 mm thick, stiff rubber blade
- 40 mm high waxed wooden handle

Item no.	Product	Dimensions
159641	Rubber spatula	120 x 60 mm
10033	Rubber spatula	200 x 60 mm
159643	Rubber spatula	250 x 60 mm



 Pajarito®

## RUBBER SPATULA, BRIGHT<sup>1)</sup>

Excellent for grouting wall and floor tiles

- The elastic rubber is used to work the grout into the joints and to remove excess grout is pulled off again
- In addition, this grout rubber has a classic wooden handle, which fits very well in the hand and thus thus ensures all-day comfort
- Due to the soft rubber, the tiles are not damaged or scratched
- Universally applicable
- With 4 mm thick, stiff rubber blade
- 55 mm high waxed wooden handle

Item no.	Product	Dimensions
159606	Rubber spatula, bright	250 x 45 mm



 Pajarito®

# ADHESIVE NOTCHES

Adhesive notches	Dimensions	Type
	4.00/4.00/4.00	C1 - 166384
	6.00/6.00/6.00	C2 - 166386
	8.00/8.00/8.00	C4 - 166387
	10.00/10.00/10.00	C5 - 166388

You will find more tooth profiles on page 102.

## PLASTIC GRATING BOARD <sup>1)</sup>

Handle and sole made of lightweight, dimensionally stable plastic, firmly bonded to the respective pads.

Item no.	Product	Dimensions
89381	Plastic grating board, cellular rubber, black	280 x 140 mm
159608	Plastic grating board, felt, brown	280 x 140 mm



 Pajarito®

## GROUT FLOAT

Stable grout float made of plastic with fine rubber coating for all epoxy resin jointing.

Item no.	Product	Dimensions
10041	Grout float	240 x 100 mm



## EPOXY GROUT FLOAT

For grouting epoxy resin and ceramic grout. Rounded corners on 2 sides for removing of silicone joints.

Item no.	Product	Dimensions
10035	Epoxy Grout float	250 x 100 mm



## PLASTIC GRATING BOARD (FOR EPOXID) <sup>1)</sup>

Suitable for smoothing and rubbing off plaster  
• Blade and handle made of foamed plastic

Item no.	Product	Dimensions
159609	Plastic grating board (for Epoxid)	280 x 140 mm



 Pajarito®

## SPONGE BOARD

Sponge board with extra thin hydro sponge layer for an effective washing process.

Item no.	Product
10042	Sponge board



## WASCHING UP TROWEL <sup>1)</sup>

With plate made of 5 mm thick plastic, plastic handle offset to the rear and glued-on, 30 mm thick, grid-cut, particularly absorbent plastic sponge plate.

Item no.	Product	Dimensions
89388	Wasching up trowel	280 x 140 mm
89389	Replacement plate	300 x 150 mm



 Pajarito®

## EPOXY CLEANING TROWEL <sup>1)</sup>

Holder made of foamed plastic, with attached Velcro tape and one abrasive fleece each Item no. #89385 and one cleaning fleece Item no. #89386.

Item no.	Product	Dimensions
159611	Epoxy cleaning trowel, set (holder #89387 + Abrasive fleece #89385 + Cleaning fleece #89386)	230 x 110 mm
89385	Epoxy cleaning trowel, abrasive fleece, hard version, 10 mm thick	250 x 115 mm
89386	Epoxy cleaning trowel, cleaning fleece, soft version, 20 mm thick	250 x 115 mm
89387	Epoxy cleaning trowel, holder, made of plastic, with glued-on Velcro tape	230 x 110 mm



 Pajarito®

## TILE SPONGE <sup>1)</sup>

Suitable for pre-cleaning tiles and other smooth surfaces.  
• Made of high quality, low-wear and absorbent plastic foam

Item no.	Product	Dimensions
89391	Tile sponge	180 x 120 x 60 mm



 Pajarito®

## TILE WASH BUCKET <sup>1)</sup>

Sloping floor contour towards the rear allows suspended solids (grout) to settle. (grout) Large radius in the rear bottom for easy removal of sediment. The long design of the bucket facilitates the insertion of the sponge board and at the same time the stripping over the two stripping rollers. Includes a wash down trowel #89388.

Item no.	Product
89392	Tile wash bucket



## STRIP ROLL <sup>1)</sup>

180 mm long plastic roller of 40 mm diameter and galvanized, 5 mm thick clamping bracket made of steel wire, suitable for any bucket rim.

Item no.	Product	Dimensions
89393	Strip roll	180 mm, ø 40 mm



 Pajarito®

## RUBBER SLIDER <sup>1)</sup>

For applying leveling fillers and sealers while standing up

- Smearing of jointing materials
- Pulling off liquids
- With galvanized metal back
- Riveted handle with wing screws
- Double 20 mm wide cellular rubber strip

Item no.	Product	Dimensions
159614	Rubber slider	450 mm
159615	Rubber slider	550 mm



 Pajarito®

## CARTRIDGE GUN

- For silicone cartridges and tubular bags (400 ml)
- Robust full metal construction, hardened push rod
- Automatic readjustment
- With trailing stop
- Includes universal nozzle and attachment plate

Item no. Product

84247 Cartridge gun



## SEALING GUN<sup>1)</sup>

Sealing gun with exceptionally robust, smooth-running push mechanism and smooth square push rod

- Trough-shaped cartridge holder, rotatable
- For cartridges up to 310 ml
- All parts are replaceable in case of wear

Item no. Product

159623 Sealing gun



## MANUAL PRESSURE GUN<sup>1)</sup>

Extremely robust and excellently processed press for very tough masses

- Smooth and even operation due to two plain bearings
- Push rod with ladder hook and specially hardened push block
- Rotatable shell
- Transmission ratio: 17:1
- Filling capacity: up to 310 ml

Item no. Product

159616 Manual pressure gun



## JOINT SADDLE<sup>1)</sup>

Holder made of elastic plastic in black. With 2 joint pullers for wedge joints 6/8/10/14 mm.

Item no. Product

10039 Joint saddle



## FILLING FOAM GUN<sup>1)</sup>

High quality dispensing gun for the professional foam user.

- With universal adapter (suitable for all PU foam cans available on the market)
- Easy cleaning
- High durability: metal body with long service life
- PTFE coating on the needle, adapter and body for easy cleaning

Item no. Product

89400 Filling foam gun



## FUG-FIX-SET<sup>1)</sup>

The multifunctional tool for processing many plastic jointing compounds such as silicone, acrylic, polyurethanes etc.

- 1 x 180° angle
- 1 x 90° angle
- 4 x 45° angles (16 / 10 / 8 / 5 mm)
- 3 x fillets (radius: 5 / 10 / 15 mm)
- 7 x convex shapes (30 / 25 / 20 / 15 / 10 / 8 / 6 mm x 3 mm)

Item no. Product

89401 Fug-Fix-Set



## SILIFIX<sup>1)</sup>

For fast, clean and cost-effective smoothing of silicone and acrylic joints. Made of highly flexible, acid-resistant special plastic.

Item no. Product

89402 Silifix



## TILE HAMMER

With forged, black lacquered head and inserted carbide tip.

Item no. Product

89403 Tile hammer, 50 g



## TILE HOLE TONG

Forged from steel, black lacquered, with polished head, head width 6 mm.

Item no. Product

89405 Tile hole tong

Diamensions

200 mm



## RUBBER HAMMER<sup>1)</sup>

With white rubber head and wooden handle. Total length 290 mm.

Item no.	Product	Dimensions
159620	Rubber hammer, weight 500 g	



## RUBBER HAMMER

Item no.	Product	Dimensions
47450	Rubber hammer, weight 350 g	Diameter 40 mm
15901	Rubber hammer, weight 600 g	Diameter 50 mm



## SUCTION LIFTER WITH 2 SUCTION HEADS<sup>1)</sup>

Made of cast aluminum, with 2 suction heads and rubber washers with clamping lever. Load capacity approx. 65 kg.

Item no.	Product	Dimensions
89410	Suction lifter	
89413	Spare rubber washer (not shown)	



## SUCTION LIFTER WITH 3 SUCTION HEADS<sup>1)</sup>

Made of cast aluminum, with 3 suction heads and rubber washers with clamping lever. Load capacity approx. 110 kg.

Item no.	Product	Dimensions
89412	Suction lifter	
89413	Spare rubber washer (not shown)	



## TEXTILE SCISSORS<sup>1)</sup>

Special stainless shears for decorative wallpaper and felts. Extra bevelled blades, micro-serrated, inside and outside finely polished. Plastic handle with soft component.

Item no.	Product	Dimensions
89416	Textile scissors	200 mm



## BROOM

Fastening with screws.

Item no.	Product	Dimensions
15924	Broom	50 cm
15925	Broom	60 cm
15926	Coconut broom	60 cm
15927	Metal handle	



## GLUE SYRINGE<sup>1)</sup>

Adhesive syringe with stainless steel injection needle and protective cover.

Item no.	Product	Dimensions
89417	Adhesive syringe	60 ml
89418	Adhesive syringe	20 ml



## PORTABLE SYRINGE<sup>1)</sup>

Compact portable syringe made of sturdy plastic with 1 liter capacity.

- 1.5 m long connection hose with meterable spray unit
- Pump mechanism is lockable
- Adjustable shoulder strap for comfortable transport

Item no.	Product	Dimensions
89419	Portable syringe	



## BACKPACK SPRAYER<sup>1)</sup>

Backpack sprayer made of sturdy plastic with 12 liters capacity.

- With pump lever and large filling opening with integrated filter
- Integrated carrying handle and strap for comfortable transport
- Complete with additional nozzles and spare parts

Item no.	Product	Dimensions
89421	Backpack sprayer	



## RUBBER PLASTER CUP<sup>1)</sup>

For mixing plaster and gypsum

- Conical shape
- Made of black rubber

Item no.	Product	Dimensions
159632	Rubber plaster cup, conical	125 x 90 mm



## NYLON ROLLER <sup>1)</sup>

For processing adhesives for flooring, for bitumen coatings, polyester processing, 2-K varnishes, acid-resistant coatings - extremely hard-wearing and solvent-resistant.

Item no.	Product	Dimensions
168936	Nylon roller	Length: 25 cm Pile height: 14 mm



Pajarito®

## FOAM ROLLER FINE <sup>1)</sup>

For painting work and coatings  
• Suitable for synthetic resins, acrylics, glazes, base colors and undercoats

Item no.	Product	Dimensions
168950	Foam roller fine	25 cm



Pajarito®

## ROLLER HANGER <sup>1)</sup>

High quality plastic handle.

Item no.	Product	Dimensions
169096	Roller hanger	25 cm Durchmesser: 8 mm



Pajarito®

## ROLLER BOX FLEXIBLE <sup>1)</sup>

The ideal way to store and keep paint rolls fresh. Suitable for all paint rolls from 18 - 25 cm. Easy to clean with cold or warm water. Supplied without hanger.


Item no.	Product
89424	Rollerbox Flexible (without hanger)



Pajarito®

## ROLLER BOX <sup>1)</sup>

Item no.	Product
034779	Roller box



Pajarito®

## TILE WEDGE LEVELING SYSTEM

System for leveling tiles with wedges and tabs.

- Incl. high-quality pliers for easy fitting of the wedges in the tabs.
- For joint widths of 1 mm, 1.5 mm and 2 mm

Item no.	Product	Dimensions	PU
10238	Wedge leveling starter set with wedges consisting of 250 pull tabs 1.5 mm, 250 wedges, 1 metal pliers		
10259	Wedges for wedge leveling system	250 pcs. / Bag	
10254	Wedge leveling system Pull tabs for joint width 1,0 mm	500 pcs. / Bag	
10255	Wedge leveling system Pull tabs for joint width 1,5 mm	500 pcs. / Bag	
10256	Wedge leveling system Pull tabs for joint width 2,0 mm	500 pcs. / Bag	
10272	Pliers f. wedge leveling system		



## TILE ROTARY LEVELING SYSTEM

Tile rotary leveling system consisting of threaded lugs and fixing hoods

- Avoidance of height differences when laying tiles
- Suitable for joint widths of 1.5 or 2 mm and covering thicknesses of 3 to 20 mm
- Smooth-running thread for comfortable tightening with the fixing hoods (without additional tools)
- Reusable fixing hoods

Item no.	Product	Dimensions	PU
10276	Tile rotary leveling system starter kit with pulling hoods consisting of 200 threaded lugs 1.5 mm, 200 pulling hoods		
10282	Threaded tab for Tile rotary leveling system	1,5 mm	500 pcs. / Bag
10283	Threaded tab for Tile rotary leveling system	2,0 mm	500 pcs. / Bag
10285	Tile rotary leveling system pull hoods		250 pcs. / Bag



## TILE WEDGES

Item no.	Product	Dimensions	PU
89426	Tile wedges, made of beech wood	1,5 x 7 x 55 mm	250 pcs. / Bag



# BASIC TOOLS

Knives.....	202
Rulers.....	206
Work safety.....	211



## PREMIUM KNIFE

Blade change without screwdriver. With plastic quiver. Without blades.  
Delivery from 20 pcs. in a representative counter display.

- With fixing magnets for convenient blade change
- PREMIUM quality blades
- Specially hardened blade holder

Item no.	Product
48221	Premium knife



## DOUBLE KNIFE SHEATH

made of leather, for particularly high safety and wearing comfort Blade not supplied.

Item no.	Product
15591	Double knife sheath for WOLFF knives #48221



## UNIVERSAL FLOOR LAYING KNIFE

- Universal knife made of aluminium for cutting carpeting, vinyl linings, bitumen sheeting, insulation materials, etc.
- Quick blade change thanks to tried and tested locking system
- Internal blade compartment
- Safe storage in the supplied plastic case

Item no.	Product
12299	Universal floor laying knife



## SNAP-OFF KNIFE

Delivery from 20 pcs. in a representative counter display.

Item no.	Product
55030	Snap-off knife

Item no.	Accessories	Dimensions	PU
89521	Snap-off blades	18 mm	10 pieces
13420	Snap-off blades, in representative aluminium box.	18 mm	100 pieces
62727	Quivers		



## BLADES

Tried and tested top quality at a reasonable price.

Item no.	Product	Dimensions	PU
89530	Trapezoidal blades	0.65 mm	10 pieces
13419	Trapezoidal blades	0.65 mm	100 pieces
89522	Hooked blade	0.65 mm	10 pieces
13421	Hooked blade	0.65 mm	100 pieces
89527	Super hooked blade	0.65 mm	10 pieces
13422	Super hooked blade	0.65 mm	100 pieces



## BLADES WITH TITANIUM COATING

Extremely high stability, durability and sharpness. Supplied in practical aluminium cans.

Item no.	Product	PU
89532	Straight blades with titanium coating	10 pieces
21149	Straight blades with titanium coating	100 pieces
89524	Hook blade with titanium coating	10 pieces
21150	Hook blade with titanium coating	100 pieces
89531	Super hooked blade with titanium coating	10 pieces
21151	Super hooked blade with titanium coating	100 pieces



## HOOK/TRAPEZE COMBINATION BLADE

For cutting carpet, plastic flooring or linoleum.

- Excellent cutting results
- Safety and efficient work

Item no.	Product	PU
32713	Hook/trapeze combination blade, double-edged blades	100 pieces



## CONCAVE BLADE

Professional blade, especially suitable for the exact, even cutting of all common materials.

- Extremely sharp and stable

Item no.	Product	PU
32760	Concave blade	100 pieces
89523	Concave blade	10 pieces



## PICA-DRY DEEP HOLE MARKER

Marker for hard-to-reach places. For all surfaces. With dust and moisture protection.

Item no.	Product
84773	Pica-Dry deep hole marker
Item no.	Accessories
84775	Replacement nibs, green
84774	Replacement nibs, graphite
162756	Counter display, consisting of: 20 Pica-Dry markers with graphite nib, 10 spare graphite nib cases (contents per case: 10 graphite nibs), 8 info flyers in 4 languages (German, English, French, Dutch)



## HEIGHT SCRIBER

For skirting boards etc. with pencil.

Item no.	Product
15555	Height scriber



## SKIRTING BOARD SHEARS

Item no.	Product
15651	Skirting board shears with stop
Item no.	Accessories
60736	Spare pad
33196	Mitre-box stop 90 degrees
17471	Spare blade
71213	Bolt with nut and sleeve (set)



## MITRE-BOX SHEARS

Double-action, with stop, for wooden and plastic boards.

Item no.	Product
15648	Mitre-box shears
Item no.	Accessories
15649	Spare blade
15650	Spare pad



## MITRE-BOX SHEARS FOR DESIGN FLOORING


Double-action, with stop and replaceable blade.

Item no.	Product
55031	Mitre-box shears for design flooring
Item no.	Accessories
56530	Blades
71910	Blade holder



## STEEL PINS, BLANK

Item no.	Product	Dimensions	PU
60425	Steel pins, blank	1.5 x 25 mm	1000 pieces
60426	Steel pins, blank	1.5 x 30 mm	1000 pieces
60427	Steel pins, blank	1.5 x 35 mm	1000 pieces



## SKIRTING BOARD PUNCHING MACHINE

For punching out the mitres on rigid skirting boards from 6 to 10 cm high.

Item no.	Product
15915	Skirting board punching machine
Item no.	Accessories
84659	Spare blade
15916	Spring



## WALLMASTER

Special tool to install skirting boards and form coves.

- Easy marking of the height
- Mitre joints on internal and external corners can be cut easily and accurately
- Enables clean shaping and pressing into the corner area, without the danger of pressing through the floor covering.

Item no.	Product
60890	WOLFF Wallmaster
Item no.	Accessories
61394	WOLFF Wallmaster straight edge



Wallmaster is recommended by:



## STEEL STRAIGHT EDGE

With anti-slip lining. Rubberised, no scratching of the lining.  
Guaranteed straightness deviations of max. 1.5 to 2.0 mm over 3 metres, width: 8 cm.

Item no.	Product	Dimensions
13872	Steel straight edge	205 x 8 cm
13873	Steel straight edge	405 x 8 cm



## STAINLESS STEEL ROLLER RULER

Made of non-stainless steel strip - width 80mm, thickness 0.5mm

Item no.	Product	Dimensions
34523	Roller Steel Ruler - Non Stainless	210 x 8 cm
72321	Roller Steel Ruler - Non Stainless	410 x 8 cm
34574	Roller Steel Ruler - Non Stainless	510 x 8 cm



## STEEL STRAIGHT EDGE CAMBERED

Made of stainless strip steel, hardened and finely polished - width 80 mm, thickness 0.5 mm.

Item no.	Product	Dimensions
48421	Steel straight edge cambered	205 x 8 cm
48422	Steel straight edge cambered	405 x 8 cm



## STEEL STRAIGHT EDGE WITH T-PIECE BRACKET

Curved steel straight edge, 80 mm wide, 0.5 mm thick, with hole for cross stop.

Item no.	Product	Dimensions
48425	Steel straight edge with T-piece bracket	210 x 8 cm
48426	Steel straight edge with T-piece bracket	410 x 8 cm
48428	Steel straight edge with T-piece bracket	510 x 8 cm



## CROSS STOP FOR STEEL STRAIGHT EDGE

Galvanised stop bar, 40 mm wide.

Item no.	Product	Dimensions
87903	Cross stop for steel straight edge (T-piece)	60 x 4 cm



## STRAIGHT EDGE, CAMBERED AND NOT STAINLESS

Made of non-stainless strip steel - pointed on one side, length: 80 cm, thickness 0.5 mm.

Item no.	Product	Dimensions
34731	Straight edge, cambered and not stainless	8 x 0,05 cm



## STRAIGHT EDGE, CAMBERED AND STAINLESS

Made of strip steel, hardened and finely polished - Pointed on one side, length: 80 cm, thickness 0.5 mm.

Item no.	Product	Dimensions
87904	Straight edge, cambered and stainless	8 x 0,05 cm



## HEAD SEAM STRAIGHT EDGE

For cutting exact seams on velour carpets

Item no.	Product	Dimensions
15561	Head seam straight edge	80 x 7,5 cm



## DOOR THRESHOLD STRAIGHT EDGE

Infinitely adjustable from 60 to 120 cm. Stainless steel blade 8 cm wide and 0.5 mm thick.

Item no.	Product	Dimensions
87905	Door threshold straight edge stainless steel	Length 60 - 120 cm



## DOOR SILL RULER EXTRA WIDE STAINLESS STEEL

Infinitely adjustable from 60 to 130 cm. Stainless steel blade 13 cm wide and 0.7 mm thick.

Item no.	Product	Dimensions
34590	Door threshold ruler extra wide stainless steel	Length 60 - 130 cm



## DOOR THRESHOLD STRAIGHT EDGE, SHORT

Suitable for particularly narrow doors.  
Infinitely adjustable from 46 to 73 cm. Stainless steel blade 8 cm wide and 0.5 mm thick.

Item no.	Product	Dimensions
87907	Door threshold straight edge, short, stainless steel	Length 46 - 73 cm



## DOOR THRESHOLD STRAIGHT EDGE, NOT STAINLESS STEEL

Infinitely adjustable from 60 to 120 cm. Non-stainless steel blade 8cm wide and 0.5 mm thick.

Item no.	Product	Dimensions
34843	Door threshold straight edge, not stainless steel	Length 60 - 120 cm



## STAIR BEVEL

For easy and fast determination and transfer of length measurements and angles.

Item no.	Product
15563	Stair bevel

Item no.	Accessories	Dimensions
87908	Spare stylus	600 mm
87909	Spare stylus	800 mm
87910	Spare stylus	1000 mm



## PROFILE GAUGE

For efficient and precise measuring of stair nosing profiles. Packed in a sturdy wooden box. Measuring range 740 to 1300 mm.

Item no.	Product
34587	Profile gauge



## CHAMFER AND MITRE TEMPLATES SET

Consisting of triangle template 30 x 15 cm, angle 90° and 45° as well as fillet mitre template 23.4 x 19.0 cm

Item no.	Product
74949	Chamfer and mitre templates set



## STEEL BRACKET

Polished, 30 mm wide, 5 mm thick.

Item no.	Product	Dimensions	PU
89414	Steel bracket	500x280 mm	1 pieces
89415	Steel bracket	1000x500 mm	1 pieces



## CARPENTER'S SQUARE

With brass fittings, mitre and division, shank length 250 mm.

Item no.	Product
34960	Carpenter's square



## JOINER'S SMITHY

Natural wood handle with brass fittings, maximum shank length 250 mm.

Item no.	Product
34837	Joiner's smithy



## CARTRIDGE GUN

- For silicone cartridges and tubular bags (400 ml)
- Robust full metal construction, hardened push rod
- Automatic readjustment
- With trailing stop
- Includes universal nozzle and attachment plate

Item no.	Product
84247	Cartridge gun



## RUBBER MALLET

Especially designed to install switchTec products!

Item no.	Product	Dimensions
47450	Rubber mallet, weight 335 g	Diameter 40 mm
15901	Rubber mallet, weight 600 g	Diameter 50 mm



## SOFT-FACE HAMMER

For hammering in diamond segments.

Item no.	Product	Dimensions
80208	Soft-face hammer, weight 400 g	Diameter 35 mm



## TAPPING BLOCK

Universal, made of plastic, unbreakable.

Item no.	Product
15852	Tapping block

## HAMMER BAR

Made of solid, galvanised steel. The firing pin is equipped with a shock-absorbing nylon cover.


Item no.	Product	Dimensions
15832	Hammer bar	42.5 cm
13840	Hammer bar	54.5 cm



## CHISEL

- Length-adjustable version for working in inaccessible places
- Quick work due to easy handling
- Hammer, chisel and crowbar in one tool

Item no.	Product	Dimensions
13626	Chisel	Length 41 mm
13627	Chisel	Length adjustable, 41 or 64 cm



## PARQUET FLOOR SCRAPER

With blade of crucible cast steel, slightly curved, sharpened edge and profiled wooden handle.

Item no.	Product	Dimensions
34419	Parquet floor scraper	40 mm
34447	Parquet floor scraper	80 mm
34453	Parquet floor scraper	120 mm



## ROLLER TRANSPORT TROLLEY

For transporting and unrolling rolls of decking with a diameter of up to 80 centimetres. For rolls of decking with a length of 4 to 5 metres, the use of two roll transport trolleys is necessary, as the load per trolley is limited to 250 kg.

Item no.	Product
84918	Roller transport trolley



## BROOM, HORSEHAIR MIXTURE

Fastened with screws.

Item no.	Product	Dimensions
15924	Broom, horsehair mixture	50 cm
15925	Broom, horsehair mixture	60 cm
15926	Coir broom	60 cm
15927	Metal handle	



## 200 PRO KNEE PROTECTORS

Knee protectors made of durable and waterproof material. Breathable insole distributes pressure over knee and lower leg to prevent back pain. Inlays and velcro straps replaceable.

Item no.	Product
81715	200 Pro knee protectors

Item no.	Accessories
81717	Extra inlays
81718	Extra Velcro straps



## KNEE PADS

For work trousers with knee pocket.

Item no.	Product
51560	Knee pads



## SAFETY POLY KNEE PROTECTORS

Ergonomically pre-shaped knee bed for best cushioning properties and perfect wearing comfort. Certified according to DIN EN 14404, PPE type 1.

Item no.	Product
65398	Safety Poly knee protectors



## KNEE PROTECTORS

Conforms to the current DIN standard. Nylon knee protectors, feather-light. 2 flexible elastic bands with velcro fastening.

Item no.	Product
55037	Knee protectors



## LEATHER KNEE PROTECTORS

Padded inside with felt insert.

Item no.	Product
15813	Leather knee protectors



## RUBBER KNEE PROTECTORS

Robust and protective knee protector with non-slip underside.  
Moulded from durable rubber, adjustable strap

Item no.	Product	PU
15810	Rubber knee protectors	1 pair



## MEDICAL KNEE PROTECTORS

Lightweight rubber knee protectors with Velcro fastening.  
Developed in cooperation with the German trade association and medical experts to prevent damage to the health of the knee joints.

Item no.	Product
89563	Medical knee protectors
Item no.	Accessories
17433	Velcro strap



## HEARING PROTECTION

Item no.	Product
15315	Hearing protection



## SAFETY GOGGLES

Item no.	Product
15316	Safety goggles



## DUST MASK

Item no.	Product
161502	Respiratory protection mask protection class FFP2 / KN95
16254	Respiratory protection mask for coarse dust



## DUST PROTECTION DOOR

Simple solution for protection against dust in adjoining rooms. Thanks to a zip, the accessibility of the areas next to the door lock is ensured. The extra strong fabric sheet is ideal for long-term use and can be easily fitted.

Item no.	Product
84246	Dust protection door



## PROTECTIVE GLOVES

Item no.	Product
15809	Protective gloves



## CABLE DRUM

Professional cable drum, cable length 25 metres ( $3 \times 2.5 \text{ m}^2$ ) housing made of ABS, with thermal switch

Item no.	Product
80460	Cable drum



## EXTENSION CABLE WOLFF 2.5<sup>2</sup>

Item no.	Product	Dimensions
41811	Extension cable WOLFF 2.5 <sup>2</sup>	25.0 m
47382	Extension cable WOLFF 2.5 <sup>2</sup>	12.5 m



## EXTENSION CABLE BLACK 1,5<sup>2</sup>

Item no.	Product	Dimensions
36690	Extension cable black 1.5 <sup>2</sup> , 230 V	10 m



## EXTENSION CABLE 400 V

Item no.	Product	Dimensions
15960	Extension cable 400 V, 16 A	25 m



## EXTERNAL STARTING CURRENT LIMITER

Provides only a low voltage to the connected machine at the moment of switch-on. This makes this unit the ideal problem solver and time saver for all work in weakly secured properties.

Item no.	Product
13639	External starting current limiter
15901	Starting current limiter with Swiss plug



# CLEANSPACE

## RELIABLE, FAN-ASSISTED PROTECTION AGAINST DUST AND OTHER POLLUTANTS

For environments with high dust exposure. Maintenance-free, easy cleaning. Comfortable to wear even over long periods of time.



### Technical specifications

- Optical and acoustic alarm: 75 dB(A) in the ear
- Max. air flow: 220 l/min,
- Automatic switch-off after 3 minutes of non-use
- Weight (blower unit): 500 g
- AC power supply/charger: Input range 100 - 240 V
- Battery: Operating time up to 8 hours
- Charging time < 2 hours (to 95 %)
- Output range: 13.5 V ± 5 %

### Features

- Light and compact
- Intrinsically safe (IECEx and ATEX approvals)
- No hoses, cables or battery belts
- Operating time of up to 8 hours
- Breathing-responsive positive pressure respiratory protection system
- Particle and gas filters available

Item no.	Scope of delivery
79922	CleanSpace without mask
79923	Half mask large
79924	Half mask medium
79925	Half mask small

## COMBINATION FILTER A1P3

Item no.	Product
79931	Combination filter A1P3 (organic gas & vapour + particles)



## COMBINATION FILTER ABE1P3

Item no.	Product
79932	Combination filter ABE1P3 (organic, inorganic & acid, gas & vapour + particles)



## FILTER ADAPTER

Item no.	Product
79930	Filter adapter



## PARTICLE FILTER

Item no.	Product	PU
79927	Particle filter	3 pieces



## PRE-FILTER

Item no.	Product	PU
79928	Pre-filter	10 pieces



## COMBINATION FILTER A2P3 FOR CLEANSPACE

Item no.	Product
89458	Combination filter A2P3 for CleanSpace

# CLEANSPACE EX

## ESPECIALLY FOR EXPLOSIVE AREAS

For environments with high dust exposure. Maintenance-free, easy cleaning. Comfortable to wear even over long periods of time.



### Technical specifications

- Optical and acoustic alarm: 75 dB(A) in the ear
- Max. air flow: 220 l/min,
- Automatic switch-off after 3 minutes of non-use
- Weight (blower unit): 500 g
- AC power supply/charger: Input range 100 - 240 V
- Battery: Operating time up to 8 hours
- Charging time < 2 hours (to 95 %)
- Output range: 13.5 V ± 5 %

### Features

- Especially for explosive areas
- Compatible with CleanSpace full face masks

Item no.	Scope of delivery
84209	CleanSpace Ex without mask
79923	Half mask large
79924	Half mask medium
79925	Half mask small
84239	Full mask

## COMBINATION FILTER A1P3

Item no.	Product
79931	Combination filter A1P3 (organic gas & vapour + particles)



## COMBINATION FILTER ABE1P3

Item no.	Product
79932	Combination filter ABE1P3 (organic, inorganic & acid, gas & vapour + particles)



## FILTER ADAPTER

Item no.	Product
79930	Filter adapter



## PARTICLE FILTER

Item no.	Product	PU
79927	Particle filter	3 pieces



## CLEAN SPACE EX PRE-FILTER

Item no.	Product
84206	Clean Space Ex pre-filter



## CLEAN SPACE EX PROTECTIVE COVER

Item no.	Product
84208	Clean Space Ex protective cover



## ABREISSBARE ANTI-KRATZ-FOLIEN

Item no.	Product
89121	Abreißbare Anti-Kratz-Folien für Vollmaske



## REINIGUNGSTÜCHER

Item no.	Product
79929	Reinigungstücher für Vollmaske



# CLEANING AND CARE

Cleaning ..... 220



# CLEANFOX

## CLEANING MACHINE FOR INTERMEDIATE AND FINAL CLEANING

Can be used with battery or power supply. Suitable for indoor and outdoor use.



### Technical specifications

- Voltage: 24 V
- Operating time: 1 hour (with 10 Ah battery)
- Cleaning width: 330 mm
- Suction width: 420 mm
- Area performance: up to 800 m<sup>2</sup>/h
- Weight: approx. 26.5 kg (with battery)
- Waste water capacity: 8 l



Item no.	Scope of delivery
83124	Cleanfox, 10 Ah battery capacity, 7.5 l clean water tank Cleanfox incl. battery, cylindrical brush medium (blue), battery charger
83125	Cleanfox, 20 Ah battery capacity, 7.5 l clean water tank Cleanfox incl. battery, cylindrical brush medium (blue), battery charger

## CYLINDRICAL BRUSH

### Item no. Product

83146	Soft cylindrical brush (grey - for parquet)
83145	Medium cylindrical brush (blue - for all insensitive floors)
83147	Hard cylindrical brush (black - for ceramic and stone floors)



## TYNEX BRUSH

### Item no. Product

83148	Tynex brush (green - for safety coverings)
-------	--



## MICROFIBRE BRUSH

### Item no. Product

84569	Microfibre brush (green - for all sensitive floors)
-------	---

## MICROFIBRE REPLACEMENT CLOTH

### Item no. Product

83929	Microfibre replacement cloth (for microfibre brush)
-------	---



## BATTERY CHARGER FOR CAR

### Item no. Product

83152	Battery charger for car
-------	-------------------------

## SPARE BATTERY

### Item no. Product

83150	Spare battery 10 Ah
83151	Spare battery 20 Ah



## POWER SUPPLY UNIT

### Item no. Product

83153	Power supply unit (connection to the mains instead of battery operation)
-------	--



## SUCTION LIP SET

### Item no. Product

83933	Suction lip set PU white
83149	Suction lip set Para red

## TANGO SINGLE DISC SANDING MACHINE

Handy 1,000 W machine with a wide range of applications.

- Sanding and brushing of screeds and compounds
- For the fine sanding of parquet + cork
- Wet cleaning of carpets and polishing of floors
- Polishing out oiled and waxed floors

### Item no. Product

56366 Tango single disc sanding machine 1,000 W

Scope of delivery: Tango sanding machine,  
without extraction and drive plate

Technical specifications: 230 V, 1,000 W, 154  
rpm, 41 kg, working width 375/400 mm



## CLEANING TANK

### Item no. Product

59831 Cleaning tank

## SHAMPOOING BRUSH

With soft brushes for cleaning carpet coverings.

### Item no. Product

13506 Shampooing brush



## PERLON BRUSH

With hard brushes for the initial cleaning of hard coverings (linoleum, vinyl, stone, ceramics)

### Item no. Product

13507 Perlon brush



## PLATE FOR NATURAL STONE

For cleaning natural stone floors.

Not for use with the Mambo single disc sanding machine!

### Item no. Product

33209 Plate for natural stone



## SCRUBBING BRUSH

For maintenance cleaning of hard coverings with coarse soiling and incrustations

### Item no. Product

13508 Scrubbing brush,



## COIR POLISHING BRUSH

For brushing and polishing hard coverings (linoleum, vinyl, stone, ceramics)

### Item no. Product

13505 Coir polishing brush



# SERVICE

Terms of delivery ..... 226  
Contact ..... 228



## DELIVERY & CONTACT

### TERMS OF DELIVERY

#### Terms of delivery (excerpt)

<b>Subject to change:</b>	Design and price subject to change without notice.
<b>Prices:</b>	The prices valid on the day of delivery plus statutory value added tax shall be charged. All prices are ex works, including packaging, within Germany and per PU (= sales unit), unless otherwise stated.
<b>Terms of delivery and payment:</b>	<b>Our terms of delivery and payment apply.</b> <b>Delivery by freight forwarder:</b> from 300,00 EURO net value of goods free domicile (within Germany) If the net value of the goods is less than 300,00 EURO, we charge handling costs (proportional freight, packaging, handling fee) of 15,00 EURO. <b>Delivery by parcel service:</b> <b>from 300,00 EURO net value of goods free domicile (within Germany)</b> If the net value of the goods is less than 300,00 EURO, we charge handling costs (proportional freight, packaging, handling fee) of 15,00 EURO.
<b>Minimum order value:</b>	All items in the WOLFF general catalogue are finished products or consumables and not spare parts. Therefore, a <b>minimum order value of 100,00 EURO</b> applies to all products. Below this amount, we charge a <b>minimum quantity surcharge of 20,00 EURO</b> .
<b>Spare parts deliveries:</b>	We keep relevant spare parts in stock for all products listed in the catalogue. These are free of minor quantities. Handling costs of 15,00 EURO will be charged for spare parts deliveries of less than 100,00 EURO. If the total weight of the spare parts deliveries is less than 1 kg, the amount is reduced to 7,50 EURO. <b>Any spare parts not listed in the catalogue are not eligible for discount.</b>
<b>Returns:</b>	Please return goods <b>only after prior notice</b> . Use the <b>return note</b> enclosed with each delivery note (please request if necessary). A restocking fee of 25,00 EURO will be charged.
<b>Contact:</b>	T + 49 (0) 7062 91556-0   tools@uzin-utz.com

### TRAINING COURSES

#### WOLFF product training courses

#### Have you always wanted to know more about WOLFF?

This year, we are again offering you and your team training courses at our location in Ilsfeld. If you are interested, please contact our application technology or your responsible technical advisor in the field.



#### WOLFF customer training courses

#### Have you always wanted to know more about WOLFF?

Our application engineers will also be happy to support you in informing and training your customers in the use of WOLFF products. If you are interested, please contact our application technology or your responsible technical advisor in the field.



### CONTACT PERSON FOR TRAININGS:



**Frank Wehrmann**  
M: +49 (0) 160-8836031  
frank.wehrmann@uzin-utz.com



**Karl-Heinz Würth**  
M +49 (0)160-3642058  
karl-heinz.wuerth@uzin-utz.com

# CONTACT WORLDWIDE

## CONTACT INFORMATION

### Customer service for commercial customers:

#### Orders /order processing:

Telephone +49 731 4097-301

Fax +49 731 4097-230

E-mail tools@uzin-utz.com

#### Technical Customer Service:

Telephone +49 7062 91556-43, -24

Fax +49 7062 91556-44

E-mail tks.tools@uzin-utz.com

#### All other countries:

Uzin Utz Tools GmbH & Co. KG  
Thilo Wolff  
Ungerhalde 1  
D-74360 Ilsfeld  
T +49 7062 91556 0  
F +49 7062 91556-44

#### Application Technology

Frank Wehrmann  
Mobile +49 160 883 6031  
E-mail frank.wehrmann@uzin-utz.com  
Karl-Heinz Würth  
Mobile +49 160 364 2058  
E-Mail karl-heinz.wuerth@uzin-utz.com

#### Availability

Montay - Friday 7:30 am to 4:15pm CET

**Australia**  
**Uzin Utz Soutz Pacific Ltd.**  
PO Box 426 - Whangaparaoa 0943  
T +64 21 933780  
F +64 9 4240366  
uzin.sp@uzin-utz.com

**Azerbaijan**  
**Uzin Utz AG**  
Dieselstrasse 3  
Germany, 89079 Ulm  
T +49 731 4097 205  
F +49 731 4097 107  
boris.schulmann@uzin-utz.com  
biuro@uzin-utz.com

**Republik Belarus**  
**Representative Office Uzin Utz AG**  
220035 Minsk  
Cimirazieva Strasse 67, Office 932  
Postfach 121  
T +375 (17) 235 00 50  
F +375 (17) 235 00 50  
M +375 (29) 655 56 26  
Ivan.rak@uzin-utz.com

**Belgium**  
**Uzin Utz Belgie n.v.**  
Poorttakkerstraat 41 a  
B-9051 Gent  
T +32 9 2225848  
F +32 9 222 3380  
info@uzin-utz.com

**China**  
**Uzin Utz Construction Materials (Shanghai) Co. Ltd.**  
Nº 3968 Huqingping Highway  
Zhaoxiang - District Qingpu  
Shanghai 201703  
T +86 21 5975 7890  
F +86 21 5975 8695  
info@uzin-utz.com

**Croatia**  
**Uzin Utz Hrvatska d.o.o.**

Trgovačka 6  
CMP, Savica-Šanci  
HR-10000-Zagreb  
T +385 1 2498214  
F +385 1 2498215  
sales.hr@uzin-utz.com

**Czech Republic**  
**Uzin Utz Česká Republika s.r.o.**  
Českomoravská 12a  
CZ-19000 Praha 9  
T +420 2 8308 3314  
cz@uzin-utz.com

**Denmark**  
**Uzin Utz Denmark**

Kongelundsvej 294  
2770 Kastrup

T +45 2584 8003  
dk@uzin-utz.com

**Estonia**  
**Gitana OÜ**  
Artellistr. 19  
10621 Tallinn

Telephone +372 52 97 343  
E-mail info@gitana.ee  
Internet www.gitana.ee

**Finland**  
**Uzin Utz Tools GmbH & Co. KG**

Thilo Wolff

Ungerhalde 1  
D-74360 Ilsfeld

T +49 7062 91556 0  
M +49 151 2926296 1

thilo.wolff@uzin-utz.com  
int.wolff-tools.com

**France**  
**Uzin Utz France SAS**

6 avenue du Professeur André Lemierre  
F-75980 Paris Cedex 20  
T +33 (0)1 41 63 27 20  
F +33 (0)1 41 63 27 21  
uzin.fr@uzin-utz.com

**Germany**  
**Uzin Utz Tools GmbH & Co. KG**

Thilo Wolff  
Ungerhalde 1  
D-74360 Ilsfeld  
T +49 7062 91556 0  
M +49 151 2926296 1

**Greece**  
**Uzin Hellas**

Polychimiki G. Matziaris S.A.  
14 km National Road  
Thessaloniki-Veria  
GR-57011 N. Anchialos  
T + 30 2310 7229 912  
F + 30 2310 7225 71

**Hungary**  
**Uzin Utz**

Magyarország Kft.  
Bányató u. 13  
H-1108 Budapest  
T + 36 1 431 9422  
F + 36 1 431 9423

info-hungary@uzin-utz.com

**Iceland**  
**Gólfefni ehf.**  
**Magyarország Kft.**

Skútuvogi 6  
104 Reykjavík  
T + 354 568 6755  
F + 354 568 1277  
alfaborg@alfaborg.is

**Indonesia**  
**PT Uzin Utz**

Plaza Pasifik B2 No. 32  
Kelapa Gading  
ID - Jakarta 14240  
T + 62 21 4587 6116  
F + 62 21 4587 6115  
sugi\_wei@yahoo.com

**Latvia**  
**SIA „Gitana tehniskais nodrošinājums“**

Zemnieku str. 60  
LV-3401 Liepaja,  
T + 371 634 813 05  
info@gitana.lv  
www.gitana.lv

**Lithuania**  
**UAB Gitana**

Biciuliu str. 32  
Budriku village  
LT-96320 Kliaipedos r.  
T + 370 46 410 881  
F + 370 46 310 485  
E-mail info@gitana.lt  
URL: www.gitana.lt

**Lithuania**  
**UAB Gitana Service**

UAB Gitana Service  
Biciuliu str. 30  
Budriku village  
LT-96320 Kliaipedos r.  
Lithuania  
T +370 700 55019  
servisas@gitana.lt  
www.gitana.lt

**Iceland**  
**Gólfefni ehf.**  
**Magyarország Kft.**

Skútuvogi 6  
104 Reykjavík  
T + 354 568 6755  
F + 354 568 1277  
alfaborg@alfaborg.is

**Netherlands**  
**Uzin Utz Nederland bv**

Bouwstraat 18  
7483 PA HAAKSBERGEN  
T + 31 (0) 53 5737373  
F + 31 (0) 53 5737333  
wolff.nl@uzin-utz.com

**New Zealand**  
**Uzin Utz South Pacific Ltd.**

PO Box 426 - Whangaparaoa 0943  
T + 64 21 933780  
F + 64 9 4240366  
info@uzin-utz.com

**Norway**  
**Uzin Utz Group Norge AS**

Elveien 34 – bygg 4  
N-3262 Larvik  
T + 47 35 50 64 00  
info@uzin-utz.com

**Poland**  
**Uzin Polska Sp.z o.o.**

ul. Jaworzy ska 287  
PL-59-220 Legnica  
T + 48 76 723 9150  
F + 48 76 723 9151  
biuro@uzin-utz.com

**Russia**  
**Uzin Utz AG**

Dieselstrasse 3  
Germany, 89079 Ulm  
T + 49 731 4097 205  
F + 49 731 4097 107  
boris.schulmann@uzin-utz.com  
biuro@uzin-utz.com

**Serbia**  
**Uzin Utz Serbia d.o.o.**

Fairline Centre - St.Marta Street  
Victoria Gozo - VCT 2552  
T + 356 21 556694  
F + 356 21 554175  
info@devalier.com.mt

**Slovakia**  
**HA-UZ market s.r.o.**

Štrkova ulica 94  
SK-01001 Žilina  
T + 421 41565 1794  
F + 421 41500 6014  
ha-uz@za.psg.sk

**Slovenia**  
**Uzin Utz Slovenija d.o.o.**

PO Box 426 - Whangaparaoa 0943  
T + 64 21 933780  
F + 64 9 4240366  
info@uzin-utz.com

**United Kingdom**  
**Uzin Utz UK Ltd.**

Unit 2, Mitchell Court

Central Park, Rugby

Warwickshire, CV23 0UY

T + 44 1788 530 080

F + 44 1788 536 508

uk@uzin-utz.com

**Spain**  
**Frank Keerl, S.A.**

C/Amadeo Torner 109  
08902 Hospitalet de Llobregat  
T +34 93 422 81 00  
F + 34 93 432 1098  
info@frankkeerl.com  
www.frankkeerl.com

**Sweden**  
**Flex Scandinavia AB**

Service center  
www.flexscandinavia.se  
service@flexscandinavia.se  
T+46 54 52 20 08  
Visit address:  
Sågvärksgatan 28  
652 21 Karlstad  
Post address:  
Box 5040  
650 05 Karlstad

**USA & Canada**  
**Uzin Utz North America**

Aurora, CO 80011 USA  
T +866.505.4810  
wolfftools.us@uzin-utz.com  
wolfftools.com

# INDEX

## THE COMPLETE RANGE NUMERICALLY

1	10033	Rubber spatula 200 x 60 mm	190
	10035	Epoxy Grout float 250 x 100 mm	192
	10039	Joint saddle	194
	10041	Grout float 240 x 100 mm	192
	10042	Sponge board	192
	10043	Tile cutter Profi bis 640 mm	187
	10044	Tile cutter Premium 935 Laser (without table)	186
	10045	Tile cutter Premium 1200 Laser (without table)	186
	10046	Tile cutting table Profi foldable left/right	186
	10047	Spare wheel tile cutter Profi – ball bearing incl. axle	186
	10057	LR 690 air purifier	86
	10058	Dia cutting disc for dry cutting Ø 125 mm	129
	10068	Two-hand ripper claw	38
	10238	Wedge leveling starter set with wedges	199
	10254	Wedge leveling system Pull tabs for joint width 1,0 mm	199
	10255	Wedge leveling system Pull tabs for joint width 1,5 mm	199
	10256	Wedge leveling system Pull tabs for joint width 2,0 mm	199
	10259	Wedges for wedge leveling system 250 pcs. / Bag	199
	10272	Pliers f. wedge leveling system	199
	10276	Tile rotary leveling system starter kit	199
	10282	Threaded tab for Tile rotary leveling system 1,5 mm	199
	10283	Threaded tab for Tile rotary leveling system 2,0 mm	199
	10285	Tile rotary leveling system pull hoods	199
	10287	Piranha 18V baretool	126
	10289	Piranha 18V in set	126
	10290	Piranha 18V UK	126
	10294	Piranha 18V US	126
	10318	Strip cutter LS65 18V baretool UK	122
	10319	Strip cutter LS65 18V in set	122
	10320	Strip cutter LS35 18V UK	122
	10322	Strip cutter LS35 18V US	122
	10327	Junio Stripper 18V baretool	116
	10328	Junio Stripper 18V in set	116
	10329	Junio Stripper 18V UK	116
	10334	Junio Stripper 18V US	116
	10339	Strip cutter LS35 18V baretool	122
	10344	Strip cutter LS35 18V in set	122
	10346	Strip cutter LS65 18V UK	122
	10347	Strip cutter LS65 18V US	122
	10415	Cordless Mixer Power X 18V baretool	120
	10440	Cordless Mixer Power X 18V in set	120
	10442	Cordless Mixer Power X 18V UK	120
	10443	Cordless Mixer Power X 18V US	120
	10509	Hose connection adapter Ø 205 mm	87
	10511	Cover plate for dust formation during mixing	87
	10513	Air hose, black Ø 125 mm / 6 m	87
	10514	Exhaust air hose, transparent Ø 125 x 0.15 mm, 88 m	87
	10515	G3 pre-filter mats 340x405 mm 10 pieces	87
	10516	G4 coarse filter, 1100 m <sup>3</sup> < 45 Pa 1 piece	87
	10519	HEPA H14 Filter, 620 m <sup>3</sup> < 330 Pa 1 piece	87
	10587	Air hose, black Ø 205 mm / 7,5 m	87
	10622	Turbo EMC	18
	10623	Turbo EMC 230V / 60HZ US	18
	10807	Easycut	142
	10830	Hook snap-off blades 10 pieces	143
	10831	PCD Viper Segment	49
	10832	PCD Viper XT Segment	49
	10930	Spare battery single, 18V 5Ah	117, 119, 121, 123, 125, 127, 129, 131
	10939	230V battery charger	117, 119, 121, 123, 125, 127, 129, 131
	11770	115V battery charger US	117, 119, 121, 123, 125, 127, 129, 131
	11772	230V battery charger UK	117, 119, 121, 123, 125, 127, 129, 131
	11829	Turbo EMC 115V / 50HZ UK	18
	12299	Universal floor laying knife	200
	12665	Sanding mesh - grain size 60 Ø 406 mm 10 pieces	60
	12666	Sanding mesh - grain size 80 Ø 406 mm 10 pieces	60
	12667	Sanding mesh - grain size 100 Ø 406 mm 10 pieces	60
	12668	Sanding mesh - grain size 120 Ø 406 mm 10 pieces	60
	12669	Sanding mesh - grain size 150 Ø 406 mm 10 pieces	60
	12676	Cleaning pads, beige 10mm, Ø 410 mm	65
	12677	Cleaning pads, green 10mm, Ø 410 mm	65
	12678	Cleaning pads, black 10mm, Ø 410 mm	65
	12679	Cleaning pads, white 10mm, Ø 410 mm	65
	12680	Cleaning pads, beige 20mm, Ø 410 mm	65
	12691	Cleaning pads, green 20mm, Ø 410 mm	65
	12692	Cleaning pads, black 20mm, Ø 410 mm	65
	12693	Cleaning pads, white 20mm, Ø 410 mm	65
	12845	Screeed joint cutter EF 135 18V baretool	118
	12848	Screeed joint cutter EF 135 115V US	118
	12849	Screeed joint cutter EF 135 18V in set	118
	12850	Screeed joint cutter EF 135 230V UK	118
	12887	Spare skids, VE 2 pcs	97
	12959	Trowel, stainless steel 100 mm	188
	13299	Drive plate Ø 375 mm	60
	13300	Drive plate for pads Ø 400 mm	64
	13305	Främaster joint grooving machine	160
	13308	Speed welding nozzle Ø 5 mm	170, 171
	13314	T-Rex	72
	13327	Drive plate Ø 400 mm	60
	13328	Microcellular rubber pad, single Ø 400 mm	60
	13329	Sandpaper discs - grain size 24 Ø 400 mm 10 pieces	61
	13330	Sandpaper discs - grain size 40 Ø 400 mm 10 pieces	61
	13335	Suction pipe 50 mm	73
	13336	Roller nozzle	73
	13337	Suction hose 50 mm, length 5 m	73, 78
	13338	Hose connection 50 mm	73, 78
	13339	End fitting 50 mm	73
	13340	Connecting piece 50 mm	73
	13342	Premium ripper claw	38
	13344	Spare blade for textile 210 x 60 x 0.7 mm 10 pieces	29
	13345	Spare blade 210 x 60 x 1.0 mm	29
	13346	Spare blade 210 x 60 x 1.5 mm	29
	13349	Transport box	29
	13350	Strip cutter for resilient coverings	149
	13351	Strip cutter for resilient coverings	149
	13352	Strip cutter for resilient coverings	149
	13353	Spare blades 5 pair	149
	13354	Conversion kit, for use with hook blades	149
	13355	Seam scribe	156
	13356	Scriber needles 20 pieces	156
	13357	Combination scribe	156
	13358	Pointed blades 5 pieces	149, 156
	13419	Trapezoid blades for Professional hand scraper	39, 203
	13420	Snap-off blades, 18mm 100 pieces	202
	13421	Ergo Cutter Pro spare blades 100 pieces	38, 149, 203
	13422	Super hooked blade 0.65 mm 100 pieces	203
	13424	Joint groover with guide lug, adjustable groove depth	158
	13426	Joint groover	158
	13427	Spare blade for joint groover	147, 157, 158
	13429	Trapezoidal blades 10 pieces	135
	13430	Standard stop 2 mm	135
	13431	Stop for needle punch 4 mm	135
	13432	Stop for carpet 8 mm	135
	13445	Hose clamp 40 – 60 mm	73
	13449	Stop for edge cutting	135
	13450	Weld seam slide	174
	13451	Quarter moon blade	173
	13452	Quarter moon blade	173
	13453	Quarter moon blade	173
	13454	Spare blades 10 pieces	175, 177
	13455	Carpet cutter - red	177
	13456	Carpet cutter - green	177
	13457	Spare blades 10 pieces	177
	13458	Carpet strip cutter	177
	13459	Carbide grooving blade, 12 teeth Ø 130 x 20 x 3.8 mm	161, 163
	13460	Diamond grooving blade, 4 teeth Ø 130 x 20 x 3.8 mm	161, 163
	13461	Carbide grooving blade, 12 teeth Ø 130 x 20 x 5.0 mm	161, 163
	13465	Single nozzle 5 mm	171
	13466	Speed welding nozzles, Inlet 4 mm	171
	13467	"Mipolam" nozzle	172
	13468	Welding wire roller	172
	13469	Nozzle for touch-ups Inlet 4 mm	171
	13470	Radiator nozzle	172
	13471	Speed welding nozzle for resilient wall coverings	172
	13472	Wide slit nozzle, angled 20 mm	172
	13473	Wide slit nozzle 40 mm	172
	13476	Round nozzle	169
	13486	Classic CCM instrument	111
	13490	Grindstone, G 20	62
	13491	Diamond grindstone	174
	13493	Grinding stone with handle 20 x 10 x 3.5	95
	13500	Microcellular rubber pad, single Ø 375 mm	60
	13501	Drive plate Ø 375 mm	60
	13503	Vacuum plastic dust seal ring, complete	56
	13505	Coir polishing brush	65, 221
	13506	Shampooing brush	64, 221
	13507	Perlon brush	64, 221
	13508	Scrubbing brush	65, 221
	13510	Carbide grinding disc - grain size 16 Ø 375 mm	61
	13515	Carbide grinding disc - grain size 16 Ø 400 mm	61
	13517	Carbide grinding disc - grain size 24 Ø 375 mm	61
	13518	Carbide grinding disc - grain size 24 Ø 400 mm	61
	13526	Felt pad Ø 375 mm	60
	13527	Sandpaper discs - grain size 24 Ø 380 mm 10 pieces	61
	13528	Sandpaper discs - grain size 40 Ø 380 mm 10 pieces	61
	13529	Sandpaper discs - grain size 60 Ø 380 mm 10 pieces	61
	13530	Sandpaper discs - grain size 80 Ø 380 mm 10 pieces	61
	13532	Sandpaper discs - grain size 100 Ø 380 mm 10 pieces	61
	13533	Sandpaper discs - grain size 120 Ø 380 mm 10 pieces	61
	13534	Sandpaper discs - grain size 60 Ø 400 mm 10 pieces	61
	13535	Sandpaper discs - grain size 80 Ø 400 mm 10 pieces	61
	13536	Sandpaper discs - grain size 100 Ø 400 mm 10 pieces	61
	13537	Sandpaper discs - grain size 120 Ø 400 mm 10 pieces	61
	13539	Corrugated wire brush	64
	13540	Grinding plate with 6 stones G 20	62
	13549	Sanding mesh - grain size 180 Ø 406 mm 10 pieces	60
	13593	Seam clamp	

# INDEX

## THE COMPLETE RANGE NUMERICALLY

13637	Spike roller, Length 31 mm 25 cm	98
13638	Spike roller, Length 31 mm 75 cm	98
13639	External starting current limiter	213
13658	Large area screed rake	97
13659	Spare steel blade	97
13662	Carbide ampoules 100 pieces / pack	111
13746	Smoothing trowel for screed layers 600x115mm 1 piece	94
13761	Adhesive spatula, notched A1 18 cm	99
13762	Spike roller, Length 11 mm 50 cm	98
13803	Scriber	110
13809	Stair tool 7 cm	179
13840	Hammer bar 54.5 cm	210
13841	Adhesive spatula, notched B1 25 cm	99
13842	Joint groover for rubber coverings (U-shape)	158
13843	U-shaped spare blades 10 pieces	158
13862	Stair tool 9 cm	179
13872	Steel straight edge 205 x 8 cm	206
13873	Steel straight edge 405 x 8 cm	206
13876	Adhesive spatula, notched A2 18 cm	99
13877	Adhesive spatula, notched B1 18 cm	99
13878	Corrugated Links 70 x 6 mm (LxH) 100 pieces	71, 103, 119
13879	Spike roller, Length 11 mm 25 cm	98
13886	Adhesive spatula, notched A2 25 cm	99
13922	Supporting blocks 100 pieces / pack	111
13923	Test block 100 pieces / pack	111
13926	Reaction adhesive	111
13932	Corrugated Links 70 x 6 mm (LxH) 1000 pieces	71, 103, 119
13947	Bar 5 pieces	149
13978	Spare blade for textile 350 x 60 x 1.0 mm 10 pieces	22
13979	Spare blade 350 x 60 x 1.5mm 10 pieces	11, 22
13980	Spare blade 200 x 60 x 1.5 mm 10 pieces	22
13981	Spare blade 150 x 60 x 1.5 mm 10 pieces	22
13982	Blades for multi-layer parquet 350 x 120 x 1.5 mm	19, 21, 22
13982	Spare blade 350 x 120 x 1.5 mm	22
13983	Special U-shaped blade, top cutting edge 350 mm	10, 22
13998	Spare blade for textile 120 mm 10 pieces	31, 117
14000	Spare blade for vinyl 200 mm 10 pieces	31, 117
14019	Set of balls 4 pieces	111
14020	Test ampoules 10 pieces	111
14021	Spike roller, Length 21 mm 50 cm	98
14023	Multi grinding plate	62
14038	Hose set with T-piece	58
14039	Suction ring with apron	58
14043	Spring washer	60
14044	Left-hand threaded screw	60
14248	Grinding plate with diamond grinding heads, spiral fanned	63
14249	Diamond sanding head	63
14261	Fine dust filter	72, 73
14262	Suction nozzle, round	73
14263	Add-on nozzle 70 70 cm	73
14264	Add-on nozzle brush set	73
14265	Add-on nozzle rubber lip	73
14268	Metal connecting piece Ø 70 mm	73
14269	Hose clamp 60 – 80 mm	73
14270	Spike roller, Length 11 mm 75 cm	98
14271	Spike roller, Length 21 mm 75 cm	98
14272	Spike roller, Length 21 mm 25 cm	98
14273	End fitting Ø 70 mm	73
14931	Rubber Bearing	29
14959	A/F 8 Allen key	60
15221	Oscillator	29
15223	Rejector	29
15315	Hearing protection	212
15316	Safety goggles	212
15353	Brush ring	56
15532	Special blade for Version 1 strippers 350 mm	19, 21
15555	Height scribe	204
15561	Head seam straight edge 80 x 7,5 cm	207
15563	Stair bevel	208
15566	Adhesive spatula, notched B2 18 cm	99
15567	Adhesive spatula, notched B3 18 cm	99
15569	Adhesive spatula, notched A1 25 cm	99
15570	Adhesive spatula, notched B2 25 cm	99
15571	Adhesive spatula, notched B3 25 cm	99
15591	Double knife sheath for WOLFF knives	202
15605	Lino edge cutter	149
15610	Welding wire roller 25 mm	159, 172
15611	Welding wire roller 15 mm	159, 172
15620	Stair scribe	156
15621	FasTrimmer	155
15622	Stop	155
15623	FasTrimmer	156
15624	Circular cutter	178
15626	Professional circular cutter	146
15628	Joint groover for circular cutter	147
15629	Extension rails up to 4.86 m radius	147
15631	Corner and wall radius adapter	147
15641	Mittag cutter	175
15648	Mitre-box shears	204
15649	Spare blade	204
15650	Spare pad	204
15651	Skirting board shears with stop	204
15652	Carpet shears, serrated edge 22 cm	179
15653	Napping shears, cranked 14 cm	179
15658	Napping shears, cranked 18 cm	179
15659	Universal shears 25 cm	179
15661	Electric strip cutter for lino and vinyl, LS 35	148
15662	Saw blade Z30 105x2,4x22	123, 148
15711	Fräsmaster joint grooving machine 115V UK	160
15714	Diamond grindstone	174
15718	Carbide grinding stone, G 24	95
15735	Brush cup plate	62
15736	Cup brush set, 6 pieces	62
15737	Mounting set for cup brush set	62
15738	Flat wire brush	62
15739	Spare support for drive plate Ø 400 mm	64
15781	Double-headed clamp	176
15797	Buffer	176
15798	Gripper insert, fine 3 pieces	176
15799	Base plate, coarse	176
15802	Claw tool	176
15807	Hole cutting drill 8 – 20 mm	149
15809	Protective gloves	213
15810	Rubber knee protectors 1 pair	212
15813	Leather knee protectors	212
15829	Pouring spout 10 pieces	91
15832	Hammer bar 42.5 cm	210
15834	Pressure roller for floor coverings 1.35 x 0.47 x 0.15 m	154
15848	Spacer for parquet	155
15852	Tapping block	209
15859	Spacer wedges 16 pieces	155
15872	Sealing rings (3 small + 3 large rings)	111
15873	Spring scale	111
15874	CM pressure gauge	111
15876	Digital CM pressure gauge	111
15901	Rubber hammer, weight 600 g Diameter 50 mm	94, 209, 213
15915	Skirting board punching machine	205
15916	Spring	205
15924	Broom 50 cm	95, 211
15925	Broom 60 cm	95, 211
15926	Coconut broom 60 cm	95, 211
15927	Metal handle	95, 211
15930	BS 180 floor grinding machine	66
15934	Carbide grinding disc - G 16 Ø 180 mm	67
15935	Carbide grinding disc - G 24 Ø 180 mm	67
159513	Angle grinder WS 125 18V baretool	128
159520	Angle grinder WS 125 18V in set	128
159521	Angle grinder WS 125 18V 230V UK	128
159522	Angle grinder WS 125 18V 115V US	128
15960	Extension cable 400 V, 16 A 25 m	43, 213
159605	Spreading trowel, stainless steel 280 x 130 mm	190
159606	Rubber spatula, bright 250 x 45 mm	190
159608	Plastic grating board, felt, brown 280 x 140 mm	192
159609	Plastic grating board (for Epoxid) 280 x 140 mm	192
159611	Epoxy cleaning trowel, set, 230 x 110 mm	193
159614	Rubber slider 450 mm	193
159615	Rubber slider 550 mm	193
159616	Manual pressure gun	194
159620	Rubber hammer, weight 500 g	94
159623	Sealing gun	194
159632	Rubber plaster cup, conical 125 x 90 mm	197
159641	Rubber spatula 120 x 60 mm	190
159643	Rubber spatula 250 x 60 mm	190
159649	Smoothing trowel, stainless steel 500 x 130 x 0.7 mm	189
159650	Smoothing trowel, stainless steel 500 x 180 x 1.0 mm	189
160344	Ripper claw	38
16148	Electric strip cutter for lino and vinyl, LS 65	148
161456	Hose filter	78
161502	Respiratory protection mask protection class FFP2 / KN95	212
16254	Respiratory protection mask for coarse dust	212
16256	Digital scale	111
16273	PressoMess shear strength measuring instrument	111
162756	Counter display	204
162780	Dust extractor M30	80
162781	Height levelling template set	99
162800	Suction bonnet	35
162871	Milling drum	35
163014	Flat-fold filter 1 piece	81
163019	Fleece filter bags 5 pieces	81
163020	Disposal bag 5 pieces	81
163023	Hose filter 1 piece	81
163080	Calibration set for V1D4	110
163083	Calibration set for Climate sensor CS-06	110
163177	Parquet grooving machine 18V in set	130
163178	Parquet grooving machine 18V baretool	130
163179	Phoenix 3400	169
163230	HM-Frässtahl gelocht	131
163252	Round blade Ø 26 mm 1 piece	141
163277	LVT Stripcut	140
163280	Blade guard	141
163281	ES-5C 20 Segment	48
163282	ES-5C 40 Segment	48
163283	ES-5C 60 Segment	48
163284	BT-5C 20 Segment	48
163285	BT-5C 40 Segment	48
163286	BT-5C 60 Segment	48
163287	Xtra PCD Segment	48
163288	Jet PCD Segment	48

# INDEX

## THE COMPLETE RANGE NUMERICALLY

163289 Tri Spike Segment .....	48	172544 Transport chassis Independence .....	10	33209 Plate for natural stone .....	65, 223	36432 Carpet shear 210 mm 1 piece .....	179
163290 Diamond grinding disc BT-5C 20K Ø 125 mm .....	67	172588 Battery Li-Io 5kW-100Ah Independence .....	10	33291 Carbide grinding disc - grain size 12 Ø 375 mm .....	61	36690 Extension cable black 1,5 <sup>2</sup> , 230 V 10 m .....	213
163291 Diamond grinding disc BT-5C 20K Ø 180 mm .....	67	172770 Independence USA 2 Batteries .....	8	33292 Carbide grinding disc - grain size 12 Ø 400 mm .....	61	37299 Paper filter bags 80 cm 6 pieces .....	58
163316 Two-hand switch 12A .....	35	172781 Blade holder 250 RideOn 250 mm .....	11	33511 Sanding mesh - grain size 60 Ø 150 mm 10 pieces .....	60	37860 Smoothing trowel for screed layers, pointed tapered .....	95
163317 Weldmaster 2.0 automatic welding machine .....	164	173038 Hammer chisel 115 RideOn 115 mm .....	11	33513 Sanding mesh - grain size 80 Ø 150 mm 10 pieces .....	60	37871 Smoothing trowel for screed layers, pointed tapered .....	95
163361 Parquet milling machine PM 200 .....	34	173056 Hammer chisel 115 RideOn 75 mm .....	11	33514 Sanding mesh - grain size 100 Ø 150 mm 10 pieces .....	60	38197 Carbide grinding disc - grain size 36 Ø 400 mm .....	61
163417 Robo Stripper .....	14	173066 Blade holder 450 RideOn 450 mm .....	11	33515 Sanding mesh - grain size 120 Ø 150 mm 10 pieces .....	60	38535 Additional weight 30 kg .....	19, 21
163443 Robo Stripper 230V US .....	14	173210 HM chisel 69 RideOn 69 mm .....	11	33516 Sanding mesh - grain size 150 Ø 150 mm 10 pieces .....	60	38622 Adhesive spatula, notched B11 18 cm .....	99
163794 PCD scraper starter set .....	49	173211 HM chisel 115 RideOn 115 mm .....	11	33517 Sanding mesh - grain size 180 Ø 150 mm 10 pieces .....	60	38764 Vario Silent Stripper .....	26
163795 PCD scraper starter set .....	49	173450 KS-U-MesseCold steel U-shaped blade, bottom cutting edge .....	11	33524 Cleaning pads for oiling, black 10mm, Ø 410 mm 10 Stück .....	65	38765 Spare blade for textile 250 x 60 x 0.7 mm 10 pieces .....	27
163964 Heating element, 3,400 W .....	165	173451 Cold steel U-shaped blade, top cutting edge .....	11	34097 Additional weight, 11 kg .....	58	38766 Spare blade for textile 250 x 60 x 1.0 mm .....	27
163964 Heating element, 3,400 W .....	169	173452 Cold steel U-shaped blade, top cutting edge .....	11	34278 Fine filter polyester .....	79	38767 Spare blade for linoleum, vinyl and rubber 250 x 60 x 1.5 mm .....	27
164252 Indexable insert set (including screws) 14 pieces .....	35	173463 Cold steel U-shaped blade, top cutting edge .....	11	34279 Microfilter .....	79	38768 Special U-shaped blade, top cutting edge 250 mm .....	27
164275 Turbo EMC 230V / 50HZ AUS .....	18	173464 KS-U-MesseCold steel U-shaped blade, bottom cutting edge .....	11	34298 Cleaning pads for sanding, red 20mm, Ø 410 mm .....	65	38778 Adjustment bar for pin rake (#51318) .....	97
164461 Turbo EMC 230V / 50HZ DK .....	18	173465 KS-U-MesseCold steel U-shaped blade, bottom cutting edge .....	11	34300 Cleaning pads for sanding, red 10mm, Ø 410 mm .....	65	38932 Special U-shaped blade, bottom cutting edge 250 mm .....	27
164716 Parquet grooving machine 18V 230V UK .....	130	173483 Blade holder 840 RideOn 840 mm .....	11	34419 Parquet floor scraper 40 mm .....	210	38933 Special U-shaped blade, bottom cutting edge 350 mm .....	10, 22
165828 Robo Stripper 230V CH .....	14	173490 Spare blade 840 x 120 x 1.5mm .....	11	34447 Parquet floor scraper 80 mm .....	210	38991 Carpet pin .....	176
165831 Robo Stripper 230V DK .....	14	173491 Spare blade 840 x 60 x 1.5mm .....	11	34453 Parquet floor scraper 120 mm .....	210	39086 Turbo Stripper 115 US .....	20
165833 Robo Stripper 230V AUS .....	14	173522 Inlay Systainer .....	144	34508 Carpet cutter spare blades .....	178	39087 Turbo Stripper 115V UK .....	20
165834 Robo Stripper 115V UK .....	14	173720 Additional weight Independence 12,5 kg each .....	10	34512 Carpet shear 265 mm 1 piece .....	179	39362 Special blade for Version 2 strippers 350 mm .....	19, 21
166154 Turbo EMC 230V / 50HZ CH .....	18	173752 Independence EU 2 Batteries .....	8	34514 Spare blades 10 pieces .....	158	39364 Mixer type KR - 140 (thread-mounting M14) .....	96
166208 Transport chassis .....	35	17433 Velcro strap .....	212	34521 Impact scraper Width 15 cm, handle length 140 cm .....	39	39452 Piranha door frame saw 115V US .....	181
166397 Rake serration R1 .....	97	174553 Spare blade 250 x 120 x 5 mm .....	10	34523 Roller Steel Ruler - Non Stainless 210 x 8 cm .....	206	39923 Adhesive spatula, notched B11 25 cm .....	99
166398 Rake serration R2 .....	97	174532 Spare blade 350 x 120 x 5 mm .....	10	34542 Carpet cutter spare blades .....	178	<b>4</b> 40066 Starter set .....	72, 73
166399 Rake serration R3 .....	97	174540 Spare blade 450 x 120 x 5 mm .....	10	34543 Floor scraper Width 30 cm, handle length 140 cm .....	39	40262 Linocut .....	134
168069 Paper Waste Bags 120 l 25 pieces .....	35	17471 Spare blade .....	204	34568 Smoothing trowel for screed layers 500x115mm 1 piece .....	94	40607 Velcro disc, complete Ø 410 mm .....	62
168070 Pre-separator LP .....	82	174735 Access ramp .....	12	34574 Roller Steel Ruler - Non Stainless 510 x 8 cm .....	206	40720 Multi-hole pad - grain size 36 Ø 410 mm 10 pieces .....	64
16876 Junio stripper .....	30	175307 Measuring device KRL TN 75 80 SET .....	112	34587 Profile gauge .....	208	40741 Multi-hole pad - grain size 40 Ø 410 mm 10 pieces .....	64
168801 Independence EU 1 Battery .....	8	175309 KRL measuring cup W-TN 1 .....	113	34590 Door threshold ruler extra wide stainless steel .....	207	40742 Multi-hole pad - grain size 60 Ø 410 mm 10 pieces .....	64
168936 Nylon roller Length: 25 cm, Pile height: 14 mm .....	96	175310 Climate probe MCS-250 .....	113	34615 Scriber .....	157	40743 Multi-hole pad - grain size 80 Ø 410 mm 10 pieces .....	64
168950 Foam roller fine 25 cm .....	96	175311 Sensor board for climate probe MCS-250 .....	113	34649 Spare floor scraper blade .....	39	40744 Multi-hole pad - grain size 100 Ø 410 mm 10 pieces .....	64
169096 Roller hanger 25 cm, Diameter 8 mm .....	96	175312 Protective cap for climate sensor MCS-250 .....	113	34650 Spare blade Impact scraper .....	39	40745 Multi-hole pad - grain size 120 Ø 410 mm 10 pieces .....	64
169208 RamHammer .....	32, 184	175313 Thermo-hygro sensor for KRL TN 75 80 .....	113	34674 Flat steel joint groover .....	158	40746 Multi-hole pad - grain size 150 Ø 410 mm 10 pieces .....	64
169270 Pre-separator 30l insert up to 2021 .....	84	18372 Smashing bowl .....	111	34683 Smoothing trowel for screed layers, pointed tapered .....	95	40747 Multi-hole pad - grain size 220 Ø 410 mm 10 pieces .....	64
169271 Piranha door frame saw .....	181	19524 Wide slit nozzle 20 mm .....	172	34731 Straight edge, cambered and not stainless 8 x 0,05 cm .....	207	40748 Multi-hole pad - grain size 320 Ø 410 mm 10 pieces .....	64
169272 Pre-separator 30l insert from 2022 .....	84	<b>2</b> 20747 Dust seal ring, complete .....	53	34779 Roller box .....	96	40749 Multi-hole pad - grain size 400 Ø 410 mm 10 pieces .....	64
169273 50 l pre-separator insert .....	85	20819 Junio stripper 115V UK .....	30	34790 Hand grindstone .....	95	40775 Multi-hole pad - grain size 40 Ø 150 mm 10 pieces .....	64
169398 Basic grinding Plate for diamond segments Ø 400 mm .....	53, 63	20821 Piranha door frame saw 115V UK .....	181	34830 Carpet seam roller .....	178	40776 Multi-hole pad - grain size 60 Ø 150 mm 10 pieces .....	64
169543 Grinding Plate with diamond grinding heads, spiral green .....	63	20993 Replacement brush for dust seal ring .....	53	34831 Carpet shears 26 cm .....	179	40777 Multi-hole pad - grain size 80 Ø 150 mm 10 pieces .....	64
169547 Diamond grinding head green .....	63	21149 Straight blades with titanium coating 100 pieces .....	203	34833 Metal carpet cutter .....	178	40778 Multi-hole pad - grain size 320 Ø 150 mm 10 pieces .....	64
170000 RamHammer Trolley .....	33, 185	21150 Hook blade with titanium coating 100 pieces .....	203	34834 Metal carpet cutter .....	178	40982 Brush ring, high. To work with Mambo sanding machine .....	62
17057 Stirrer type KR - 120S (thread-mounting M14) .....	90	21151 Super hooked blade with titanium coating 100 pieces .....	203	34837 Joiner's smithy .....	209	41043 Velcro pad .....	62
171083 Blade holder 350 Independence, 350 mm .....	11	21536 Carpet shear 300 mm 1 piece .....	179	34843 Door threshold straight edge, not stainless steel .....	208	41213 PUR speed welding nozzle 5 mm .....	169, 171
171262 Set blade angle adjustment .....	27	<b>3</b> 32713 Hook/trapeze combination blade, double-edged blades .....	203	34846 Floor covering scribe and cutter .....	157	41784 Ergostar spatula 21 cm .....	98
171766 Spatula set 30L .....	98	32760 Concave blade 100 pieces .....	203	34960 Carpenter's square .....	209	41787 Ergostar spatula 28 cm .....	98
171792 Connecting cable remote control 5 m .....	12	33196 Mitre-box stop 90 degrees .....	204	35082 Vacuum with basket .....	58	41811 Extension cable WOLFF 2,5 <sup>2</sup> 25 m .....	45, 53, 57, 213
17227 Carbide saw blade .....	127, 181	33199 Leather blade guard .....	31, 117	36275 Carbide grooving blade, 12 teeth Ø 130 x 20 x 3.3 mm .....	161, 163	42453 Vario Silent Stripper 115V UK .....	26

# INDEX

## THE COMPLETE RANGE NUMERICALLY

42796	Dust collection pad Ø 410 mm .....	62	56204	Swiss trowel 500 mm .....	94, 189	65491	75 l stirring station mounting .....	93	71991	Leister Triac AT without single nozzle .....	171	
43778	Turbo Stripper .....	20	56205	Adhesive trowel with side insert 280 mm .....	94, 189	65492	Stirrer for 75 l stirring station .....	90, 93	72225	Additional weight, complete .....	43	
47049	PUR welding nozzle .....	171	56357	Combination milling and welding set .....	166	65493	75 l stirring station mixing bucket .....	93	72315	Heating element 1,550 W for Triac ST .....	170, 171	
47382	Extension cable WOLFF 2,5 <sup>2</sup> 12,5 m .....	45, 213	56364	Samba sanding machine .....	54	65494	75 l stirring station hose mounting .....	93	72321	Roller Steel Ruler - Non Stainless 410 x 8 cm .....	206	
47414	C-Cut carpet strip cutter .....	177	56365	Flamenco sanding machine .....	55	65495	Adhesive nut spatula incl. handle 28 cm .....	95	72462	Dust seal ring with manifold .....	58	
47450	Rubber hammer, weight 350 g Diameter 40 mm .....	94, 209	56366	Tango sanding machine .....	56, 222	65496	Adhesive nut spatula replacement .....	95	72661	WO 330 design cutter .....	151	
48221	Premium knives .....	202	56401	Pressure roller 30 kg with carrying handle, handle with grip .....	152	65497	Universal telescopic handle .....	95, 96, 98	72663	WO 630 design cutter .....	150	
48371	Suction hose Ø 70 mm, (15 m) .....	73	56402	Pressure roller 50 kg with carrying handle, handle with grip .....	152	65499	Adapter for telescopic handle universal .....	98	72752	Spare blade for WO 330 .....	151	
48373	Hose set 70 mm .....	73	56403	Pressure roller 68 kg with carrying handle, handle with grip .....	152	65500	Professional hand scraper Working width 52 mm .....	39	72776	Spare blade for WO 630 .....	150	
48401	Serrated blade 250 x 60 x 1.0 mm .....	27	56404	Chassis for pressure rollers .....	152	65501	Levelling compound rake incl. handle 56 cm .....	96	72916	30 l pre-separator .....	85	
48402	Serrated blade 210 x 60 x 1.0 mm .....	29	56530	Blades 50 pieces .....	205	65502	Smoothing compound rake replacement .....	96	72983	ES G20 grinding disc Ø 125 mm .....	67, 69	
48421	Steel straight edge cambered 205 x 8 cm .....	206	57419	Top edge scribe for resilient floor coverings .....	175	65503	Smoothing compound rake incl. handle 60 cm .....	96	72984	BT G20 grinding disc, gold Ø 125 mm .....	67, 69	
48422	Steel straight edge cambered 405 x 8 cm .....	206	59831	Cleaning tank .....	59, 222	65504	Large area rake replacement .....	96	73385	Hose set for dust seal ring .....	58	
48425	Steel straight edge with T-piece bracket 210 x 8 cm .....	206	59856	Spare screw set .....	173	65505	Replacement pins for large area rake, 1 pair .....	96	73389	Parquet set blade holder .....	19, 21	
48426	Steel straight edge with T-piece bracket 410 x 8 cm .....	206	6	60078	Safety sheath .....	174	65656	Solid board notched trowel 18 cm .....	99	73618	Brush electrode set BE-03 .....	107
48428	Steel straight edge with T-piece bracket 510 x 8 cm .....	206	60425	Steel pins, blank 1,5 x 25 mm 1000 pieces .....	205	65659	Nap channel cutter .....	175	73619	Flat electrode set FE-04 .....	107	
49875	Mozart trimming knife .....	173	60426	Steel pins, blank 1,5 x 30 mm 1000 pieces .....	205	65660	Carpet awl .....	175	73709	Duo pressure roller .....	154	
49876	Spare blades 5 pieces .....	173	60427	Steel pins, blank 1,5 x 35 mm 1000 pieces .....	205	65755	Slotted blades .....	175	73710	Joint groover with guide rollers for safety coverings .....	157	
5	50080 Junio stripper 115V US .....	30	60505	Cork rubbing board .....	155	65846	Transportation caddy 30 l incl. mixing bucket .....	91, 98	73772	Drive-in electrode PP-05 .....	107	
	50159 Fräsmaster joint grooving machine 115V US .....	160	60676	Counter stop for Linocut .....	135	65847	30 l mixing bucket .....	91	73773	Climate sensor CS-06 with cable .....	107	
	50202 Vario Silent Stripper 115V US .....	26	60736	Spare pad .....	204	65848	Transportation caddy base frame .....	91	73774	Set for resistance measurement test .....	107	
	50286 Ersatzbürste für Rollendüse 430 mm 1 piece .....	73, 78	60865	Combination milling and welding set 115V US .....	166	65853	Pressure and staircase tool with roller .....	178	73775	Tube for climate sensor 20 pieces .....	107	
	50772 Spacer fork 0,50 mm .....	173	60890	WOLFF Wallmaster .....	205	65962	Smoothing trowel for screed layers 400x115mm 1 piece .....	94	74177	Vacuum metal dust seal ring, complete .....	58	
	50820 Sandpaper discs - grain size 16 Ø 380 mm 10 pieces .....	61	61201	Felt cover for glide .....	154	67323	Parquet groove milling machine .....	180	74215	Twin wheels .....	15	
	50849 Carbide grinding disc - grain size 14 Ø 375 mm .....	61	61394	WOLFF Wallmaster straight edge 600 x 100 mm .....	205	67983	Handle holder with articulated joint .....	95, 96	74554	Carbide ampoules 25 pieces / pack .....	111	
	50850 Carbide grinding disc - grain size 14 Ø 400 mm .....	61	61802	Connecting adapter 70/50 70/50 mm .....	73	68353	Extension 200 mm .....	90, 121	74650	Floor grinding machine NEO 230 .....	44	
	51152 Absolute filter (HEPA) .....	73	61804	Mambo Evo sanding machine .....	52	68388	PCD Scraper Segment .....	51	74843	Design Collection .....	144	
	51243 Sandpaper discs - grain size 16 Ø 400 mm 10 pieces .....	61	62183	Mozart Speed Trimmer .....	173	68389	PCD Split Segment .....	51	74844	Transport Systainer .....	144	
	51270 Spacer fork 0,70 mm .....	173	62227	Chassis .....	17, 19, 21	68390	BT K20 Segment .....	51	74845	Leister Triac ST .....	170	
	51316 Smoothing trowel for screed layers 300x115mm 1 piece .....	94	62551	Mambo Evo sanding machine 115V UK .....	52	68391	ES K20 Segment .....	51	74847	Leister Triac Set ST .....	170	
	51318 Large area rake .....	97	62694	Glide with removable felt cover incl. handle .....	154	68392	Ninja complete without segments .....	50	74895	Floor grinding machine NEO 230 115V UK .....	44	
	51505 Hand scraper, incl. 5 blades Working width 10 cm .....	39	62727	Quivers .....	202	68602	DIA cutting blade (Standard) Ø 135 mm .....	71, 119	74949	Chamfer and mitre templates set .....	208	
	51509 Adjustable knee brace .....	176	63011	Milling blade for profile grooves .....	180	68679	EF 135 screed joint cutter .....	70	75006	Spare blade 450 x 120 x 1.5 mm .....	15	
	51549 Nail shoes 1 pair .....	98, 103	63047	Samba sanding machine 115V US .....	52	68866	Ninja complete with PCD scraper segments .....	50	75007	Spare blade 450 x 60 x 1.5mm 10 pieces .....	11, 15	
	51560 Knee pads .....	211	63752	Parquet deflector .....	19, 21	68867	Ninja complete with PCD split segments .....	50	75010	Special U-shaped blade, top cutting edge 450 mm .....	10, 15	
	52298 Rake including R2 rake insert 56 cm .....	97, 98	63753	Blade holder for parquet deflector .....	19, 21	68868	Ninja complete with BT G20 segments .....	50	75011	Special U-shaped blade, bottom cutting edge 450 mm .....	10, 15	
	53091 Spare belt .....	103	63754	Parquet stripper set .....	19, 21	68869	Ninja complete with ES G20 segments .....	50	75364	PCD Ultra Segment .....	49	
	53231 Trowel, stainless steel 80 mm .....	188	63998	Greencut .....	136	68952	Mambo Evo sanding machine 115V US .....	52	75365	PCD Ultra XT Segment .....	49	
	53415 Underride protection .....	19, 21	64069	Spacer plate 0.7 mm .....	137	69864	Railcut .....	138	75366	PCD Scraper XT Segment .....	49	
	54690 Seam roller .....	154	64108	Insert 5 mm .....	137	69877	Railcut extension rail 1,40 Meter .....	139	75382	Floor grinding machine 115V US NEO 230 .....	44	
	54874 Copper band roll, self-adhesive 25 m 2 pieces .....	103	64109	Insert 10 mm .....	137	7	70754	Multi-hole pad - grain size 100 Ø 150 mm 10 pieces .....	64	75404	Grinding Disc PCD Split, silver Ø 125 mm .....	69
	55030 Snap-off knife .....	202	64110	Insert 15 mm .....	137	71053	V1-D4 Professional moisture measuring instrument .....	106	75405	PCD Scraper, silver Ø 125 mm .....	67, 69	
	55031 Mitre-box shears for design flooring .....	205	65080	Cleaning pads, brown 20mm, Ø 410 mm 5 Stück .....	65	71054	Hydrometer GM-200 .....	109	75406	BT G20 grinding disc, gold Ø 180 mm .....	67, 69	
	55037 Knee protectors .....	211	65218	Samba sanding machine 115V UK .....	52	71054	Moisture measuring instrument GM-200 .....	110	75407	ES G20 grinding disc Ø 180 mm .....	67, 69	
	55498 Welding head .....	165	65398	Safety Poly knee protectors .....	211	71130	Carpet needle .....	176	75408	PCD Split, silver Ø 180 mm .....	67, 69	
	56092 Fräsjunior joint grooving machine .....	162	65480	75 l stirring station complete .....	92	71213	Bolt with nut and sleeve (set) .....	204	75409	PCD Scraper, silver Ø 180 mm .....	67, 69	
	56203 Smoothing trowel 280 x 135 mm .....	94, 98, 189	65481	75 l stirring station base frame .....	93	71910	Blade holder .....	205	76970	Floor grinding machine NEO 400 .....	42	

# INDEX

## THE COMPLETE RANGE NUMERICALLY

77741	Chamfer king	155	81613	Standard filter class M	79	84150	Replacement kit nail shoes - nails and straps for one pair	103	87908	Spare stylus 600 mm	208	
78742	Brush for dust seal ring with manifold	58	81615	PTFE filter (Teflon-coated class M)	79	84169	Power X 1600 mixer	88	87909	Spare stylus 800 mm	208	
79320	Subfloor test case	110	81618	Floor nozzle 380 mm	78	84206	Clean Space Ex pre-filter	217	87910	Spare stylus 1000 mm	208	
79634	Spare blade 350 x 150 x 3.0 mm	15, 17	81620	Suction pipe	78	84208	Clean Space Ex protective cover	217	87911	Wall bevel and floor covering scribe	157	
79635	Spare blade, serrated 350 x 150 x 3.0 mm	15, 17	81626	Reducing piece 50/38mm	78	84209	CleanSpace Ex without mask	216	87913	Scriber pin Length 45 mm 25 pieces	157	
79636	Spare blade 350 x 120 x 3.0 mm	10, 22	81627	Conical nozzle	79	84239	Full mask	216	87914	J-shaped joint groover	158	
79637	Special blade 350/200 x 120 x 3.0 mm offset	22	81628	Cable tie for Vacuclean 2 LP	79, 83	84246	Dust door 2.3 x 1.3 m, 0.14 mm	87, 213	87915	J-shaped spare blades 10 pieces	158	
79638	Special blade 350/100 x 120 x 3.0 mm	22	81629	Dust bag, endless, for Vacuclean 2 LP 22m 4 pieces	79, 83	84247	Cartridge gun	194, 209	87946	One Mix stirring rod 1 piece	91	
79639	Spare blade, serrated 350 x 120 x 3.0 mm	10, 22	81706	Vacuclean 2 LP 115V US	76	84428	Laser distance measuring instrument PT 400	112	87947	OneMix stirring attachments 10 pieces	91	
79922	CleanSpace without mask	214	81715	200 Pro knee protectors	211	84546	Alu Business Pro CCM instrument	111	87948	Roller bracket attachment for telescopic handle	96	
79923	Half mask large	214, 216	81717	Extra Inlays	211	84569	Microfibre brush (green - for all sensitive floors)	221	87949	Handle holder (adapter) for all rakes	97	
79924	Half mask medium	214, 216	81718	Extra Velcro straps	21	84659	Spare blade	205	88292	BiTurbo Stripper 230V / 50HZ CH	16	
79925	Half mask small	214, 216	81990	Connecting piece 50 mm	78	84681	H14 / HEPA filter	79	88300	Ergo Cutter Pro	38	
79927	Particle filter 3 pieces	215	82215	50 l pre-separator, anti-static	84	84759	Transport case	71	88320	Spike roller, Length 100 mm	98	
79928	Pre-filter 10 pieces	215	82333	Deflector and oscillator set 450 mm	15	84773	Pica-Dry deep hole marker	204	88329	Spare blades 6 pieces	157	
79929	Reinigungstücher für Vollmaske	217	82452	Vacuclean 2 HEPA	74	84774	Replacement nibs, graphite 10 pieces	204	88367	Screw set for hand scraper	39	
79930	Filter adapter	215, 217	82453	Vacuclean 2 LP HEPA	76	84775	Replacement nibs, green 10 pieces	204	88449	Asbestos stopping plug 50 mm (2 pcs.)	93	
79931	Combination filter A1P3	215, 217	82643	Leister Triac Set AT	170	84888	Duro Stripper 2.0	28	88461	Asbestos stopping plug 76mm	93	
79932	Combination filter ABE1P3	215, 217	82650	BS 180 brush set	67	84918	Roller transport trolley	210	88462	Asbestos stopping plug 56mm	93	
8	80040	Level pin 10 x 10 pieces	103	82890	Phoenix 1600 115V UK	167	84919	PS 230 Parquet and joint saw	36	88530	BiTurbo Stripper 230V AUS	16
	80071	T-Rex 115V UK	72	83115	Thermohygrometer LVT 15 IR	108, 110	84983	Dust bag endless 4x20m	93	88634	Blade case for Robo, BiTurbo and Turbo	24
	80078	Phoenix 1600	168	83124	Cleanfox, 10 Ah battery capacity, 7.5 l clean water tank	220	85000	BiTurbo Stripper	16	88635	Blade case for Vario stripper	25
	80081	Phoenix 1600 115V UK	168	83125	Cleanfox, 20 Ah battery capacity, 7.5 l clean water tank	220	85147	Carbide saw blade (Standard) 230 mm	37	88755	BiTurbo Stripper 230V / 50HZ DK	16
	80159	Grinding plate cpl.	45	83145	Medium cylindrical brush (blue - for all insensitive floors)	221	85148	PCD saw blade (for wood) 230 mm	37	88764	Plastic bags for 40-60L containers (50 pcs.)	92
	80208	Rubber mallet, weight 400 g Diameter 35 mm	209	83146	Soft cylindrical brush (grey)	221	85149	DIA saw blade 230 mm (for soft substrate) 230 mm	37	88784	BiTurbo Stripper 115V / 50-60HZ UK	16
	80274	Torsion lock	15	83147	Hard cylindrical brush (black)	221	85357	Chassis for Duro stripper only	29	89000	Fräsmaster 18V in set	124
	80307	Phoenix heating element 1600 W, 115 V	169	83148	Tynex brush (green)	221	85541	DIA saw blade (for hard substrate-concrete) 230 mm	37	89121	Abreißbare Anti-Kratz-Folien für Vollmaske	217
	80355	Phoenix heating element 1600 W, 230 V	169	83149	Suction lip set PU white	221	85641	Duro Stripper 2.0 115V UK	28	89253	BiTurbo Stripper 230V / 60HZ US	16
	80358	Special blade, 350 x 150 x 3.0 mm	15, 17	83150	Spare battery 10 Ah	221	85642	Duro Stripper 2.0 115V US	28	89355	Spatula 40 mm	188
	80359	Special blade 350 x 150 x 3.0 mm	15, 17	83151	Spare battery 20 Ah	221	85950	Wall bevel and floor covering scribe	157	89356	Spatula 80 mm	188
	80454	Spiky nail shoes size M - for shoe size 42 and smaller	103	83152	Battery charger for car	221	85980	NEO 230 Asbestos	90	89358	Trowel, stainless steel 60 mm	188
	80455	Spiky nail shoes size L - for shoe size 42 - 44	103	83153	Power supply unit	221	86118	Vacuum Cleaner DC Tromb 400 H Asbestos	92	89359	Trowel, stainless steel 80 mm	188
	80456	Spiky nail shoes size XL - for shoe size 44 - 48	103	83178	Flat nozzle	78	86119	Pre-separator DC F Tromb L	93	89360	Trowel, stainless steel 100 mm	188
	80457	Standard spare nails, pointed 32 pieces	103	83233	Dust seal ring high	45	86121	Suction hose 5 m, Ø50 mm (optional)	93	89361	Tile trowel, stainless steel 160 mm	188
	80460	Cable drum	213	83248	110 l mixing bucket	96	86243	BS 125 Asbestos	91	89362	Tile trowel, stainless steel 180 mm	188
	80578	Spare blades 10 pieces	147, 155, 156, 178	83464	Spare nails round for epoxy coatings 32 pieces	103	87313	Replacement brush set	45	89363	Smoothing trowel, stainless steel 280 x 130 mm	189
	80582	BS 125 floor grinding machine	68	83574	Vacuclean 2 115V UK	74	87466	2-hand grease gun	17, 19, 21	89371	Spreading trowel, stainless steel 280 x 130 mm	190
	80614	Phoenix 1600 set	167	83665	Climate sensor CS-10 with cable	107	87733	Special grease	17, 19, 21	89372	Spreading trowel, stainless steel 280 x 130 mm	190
	80620	Special U-shaped blade, top cutting edge 250 mm	10	83702	Support wheel, complete	43	87831	Hole cutting drill 16 - 30.5 mm	149	89373	Spreading trowel, stainless steel 280 x 130 mm	190
	80622	Special U-shaped blade, bottom cutting edge 250 mm	10	83727	Vacuclean 2 LP 115V UK	76	87877	Rapid spatula, stainless steel 200 mm	100	89374	Spreading trowel, stainless steel 280 x 130 mm	190
	80718	Cleaning pads, grey 20mm, Ø 410 mm	65	83734	Rubbing tool	154	87878	Rapid spatula, stainless steel 270 mm	100	89377	Spreading trowel for large areas 500 x 140 mm	190
	80753	Spare brush set for BS 125 Ø 125 mm	69	83924	Power X 1000 mixer	95	87884	Floor spatula 530 mm	100	89378	Spreading trowel for large areas 500 x 140 mm	190
	80765	Floor grinding machine NEO 400 115V US	42	83929	Microfibre replacement cloth (for microfibre brush)	221	87889	Height levelling spatula, stainless steel 280 mm	99	89380	Plastic spatula set 1 set	189
	80943	Segment holders	45	83933	Suction lip set PU white	221	87903	Cross stop for steel straight edge (T-piece) 60 x 4 cm	206	89381	Plastic grating board, cellular rubber, black 280 x 140 mm	192
	81148	Vacuclean 2	74	83950	Metal wheel retrofit kit	57	87904	Straight edge, cambered and not stainless 8 x 0,05 cm	207	89385	Epoxy cleaning trowel, abrasive fleece, hard version	193
	81149	Vacuclean 2 LP	76	84094	Ripper	94	87905	Door threshold straight edge stainless steel	207	89386	Epoxy cleaning trowel, cleaning fleece, soft version	193
	81205	Blade serrated 350 x 60 x 1.5mm	11, 22	84137	Flow-Fix-Set for 30L mixing bucket	91	87907	Door threshold straight edge, short, stainless steel	207	89387	Epoxy cleaning trowel, holder, made of plastic	193

# INDEX

## THE COMPLETE RANGE NUMERICALLY

89388	Wasching up trowel 280 x 140 mm .....	192
89389	Replacement plate 300 x 150 mm .....	192
89391	Tile sponge 180 x 120 x 60 mm .....	193
89392	Tile wash bucket .....	193
89393	Strip roll 180 mm, ø 40 mm .....	193
89400	Filling foam gun .....	194
89401	Fug-Fix-Set .....	195
89402	Silifix .....	195
89403	Tile hammer, 50 g .....	195
89405	Tile hole tong 200 mm .....	195
89410	Suction lifter .....	196
89412	Suction lifter .....	196
89413	Spare rubber washer (not shown) .....	196
89414	Steel bracket 500x280mm 1 piece .....	209
89415	Steel bracket 1000x500mm 1 piece .....	209
89416	Textile scissors 200 mm .....	196
89417	Adhesive syringe 60 ml .....	197
89418	Adhesive syringe 20 ml .....	197
89419	Portable syringe .....	197
89421	Backpack sprayer .....	197
89424	Rollerbox Flexible (without hanger) .....	198
89426	Tile wedges, made of beech wood 1,5 x 7 x 55 mm .....	199
89432	Bucket trolley .....	91
89458	Combination filter A2P3 for CleanSpace .....	215
89520	Spare blades for hand scraper .....	39
89521	Snap-off blades 10 pieces .....	143, 202
89522	Ergo Cutter Pro spare blades 10 pieces .....	38, 137, 203
89523	Concave blade 10 pieces .....	203
89524	Hook blade with titanium coating 10 pieces .....	203
89527	Super hooked blade 0.65 mm 10 pieces .....	137, 203
89530	Straight blades 0.65 mm 10 pieces .....	137, 139, 203
89531	Super hooked blade with titanium coating 10 pieces .....	203
89532	Straight blades with titanium coating 10 pieces .....	203
89563	Medical knee protectors .....	212
89623	Carbide cutting blade ellip. (Standard) 130 x 20 x 3.5 .....	125
89625	Carbide milling blade, circular 130 x 20 x 2.8 .....	125
89658	PCD milling blade con. (for safety surfaces) 130 x 20 x 3.8 .....	125
89660	Fräsmaster 18V baretool .....	124
89663	Fräsmaster 18V 230V UK .....	124
89664	Fräsmaster 18V 115V US .....	124

**WOLFF.**  
**GOING**  
**BEYOND**  
**YOUR**  
**LIMITS.**

# INDEX

## THE COMPLETE RANGE A-Z

#	110 l mixing bucket	90	Alu Business Pro CCM instrument	111	BT K20 Segment	51	C-Cut carpet strip cutter	177
	115V battery charger US	117, 119, 121, 123, 125, 127, 129, 131	Angle grinder WS 125 18V 115V US	128	BT-5C 20 Segment	48	Chamfer and mitre templates set	208
	200 Pro knee protectors	211	Angle grinder WS 125 18V 230V UK	128	BT-5C 40 Segment	48	Chamfer king	155
	230V battery charger	117, 119, 121, 123, 125, 127, 129, 131	Angle grinder WS 125 18V baretool	128	BT-5C 60 Segment	48	Chassis	17, 19, 21
	230V battery charger UK	117, 119, 121, 123, 125, 127, 129, 131	Angle grinder WS 125 18V in set	128	Bucket trolley	91	Chassis for Duro stripper only	29
	2-hand grease gun	17, 19, 21	Asbestos stopping plug 50 mm (2 pcs.)	93	Buffer	176	Chassis for pressure rollers	152
	30 l mixing bucket	91	Asbestos stopping plug 56mm	93	<b>C</b> Cable drum	213	Chisel Länge verstellbar, 41 oder 64 cm	210
	30 l pre-separator	85	Asbestos stopping plug 76mm	93	Cable tie for Vacuclean 2 LP	79, 83	Chisel Length 41 mm	210
	50 l pre-separator insert	84	aser distance measuring instrument PT 400	112	Calibration set for Climate sensor CS-06	110	Circular cutter	178
	50 l pre-separator, anti-static	84	<b>B</b> Backpack sprayer	197	Calibration set for V1D4	110	Classic CCM instrument	111
	75 l stirring station base frame	93	Bar 5 pieces	149	Carbide ampoules 100 pieces / pack	111	Claw tool	179
	75 l stirring station complete	92	Base plate, coarse	176	Carbide ampoules 25 pieces / pack	111	Clean Space Ex pre-filter	217
	75 l stirring station hose mounting	93	Basic grinding Plate for diamond segments Ø 400 mm	53, 63	Carbide cutting blade ellip. (Standard) 130 x 20 x 3.5	125	Clean Space Ex protective cover	217
	75 l stirring station mixing bucket	93	Battery charger for car	221	Carbide grinding disc - G 16 Ø 180 mm	67	Cleanfox, 10 Ah battery capacity, 7.5 l clean water tank	220
	75 l stirring station mounting	93	Battery Li-Io 5kW-100Ah Independence	10	Carbide grinding disc - G 24 Ø 180 mm	67	Cleanfox, 20 Ah battery capacity, 7.5 l clean water tank	220
<b>A</b>	A/F 8 Allen key	60	BiTurbo Stripper	16	Carbide grinding disc - grain size 12 Ø 375 mm	61	Cleaning pads, black 10mm, Ø 410 mm 10 Stück	65
	Absolute filter (HEPA)	73	BiTurbo Stripper 115V / 50-60HZ UK	16	Carbide grinding disc - grain size 12 Ø 400 mm	61	Cleaning pads, black 20mm, Ø 410 mm 5 Stück	65
	Access ramp	12	BiTurbo Stripper 230V / 50HZ CH	16	Carbide grinding disc - grain size 14 Ø 375 mm	61	Cleaning pads, brown 20mm, Ø 410 mm 5 Stück	65
	Adapter for telescopic handle universal	98	BiTurbo Stripper 230V / 50HZ DK	16	Carbide grinding disc - grain size 14 Ø 400 mm	61	Cleaning pads, green 10mm, Ø 410 mm 10 Stück	65
	Additional weight 30 kg	19, 21	BiTurbo Stripper 230V / 60HZ US	16	Carbide grinding disc - grain size 16 Ø 375 mm	61	Cleaning pads, green 20mm, Ø 410 mm 5 Stück	65
	Additional weight Independence 12,5 kg each	10	BiTurbo Stripper 230V AUS	16	Carbide grinding disc - grain size 16 Ø 400 mm	61	Cleaning pads, white 10mm, Ø 410 mm 10 Stück	65
	Additional weight, 11 kg	58	Blade case for Robo, BiTurbo and Turbo	24	Carbide grinding disc - grain size 24 Ø 375 mm	61	Cleaning pads, white 20mm, Ø 410 mm 5 Stück	65
	Additional weight, complete	43	Blade case for Vario stripper	25	Carbide grinding disc - grain size 24 Ø 400 mm	61	Cleaning pads, black 10mm, Ø 410 mm 10 Stück	65
	Add-on nozzle 70 70 cm	73	Blade guard	141	Carbide grinding disc - grain size 36 Ø 400 mm	61	Cleaning pads, grey 20mm, Ø 410 mm 5 Stück	65
	Add-on nozzle brush set	73	Blade holder	205	Carbide grinding stone, G 24	95	Cleaning pads, red 10mm, Ø 410 mm 10 Stück	65
	Add-on nozzle rubber lip	73	Blade holder 350 Independence, 350 mm	11	Carbide grooving blade, circular, Ø 130 x 20 x 5.0 mm	161, 163	Cleaning pads, red 20mm, Ø 410 mm 5 Stück	65
	Adhesive nut spatula incl. handle 28 cm	95	Blade holder 250 Independence 250 mm	11	Carbide grooving blade, elliptical, Ø 130 x 20 x 3.3 mm	161, 163	Cleaning pads, beige 10mm, Ø 410 mm 10 Stück	65
	Adhesive nut spatula replacement	95	Blade holder 450 Independence 450 mm	11	Carbide grooving blade, elliptical, Ø 130 x 20 x 3.8 mm	161, 163	Cleaning pads, beige 20mm, Ø 410 mm 5 Stück	65
	Adhesive spatula, notched A1 18 cm	99	Blade holder 840 Independence 840 mm	11	Carbide milling blade, circular 130 x 20 x 2.8	125	Cleaning tank	59, 222
	Adhesive spatula, notched A1 25 cm	99	Blade holder for parquet deflector	19, 21	Carbide saw blade	127, 181	CleanSpace Ex without mask	216
	Adhesive spatula, notched A2 18 cm	99	Blade serrated 350 x 60 x 1.5mm	11, 22	Carbide saw blade (Standard) 230 mm	37	CleanSpace without mask	214
	Adhesive spatula, notched A2 25 cm	99	Blades 50 pieces	205	Carpenter's square	209	Climate probe MCS-250	113
	Adhesive spatula, notched B1 18 cm	99	Blades for multi-layer parquet 350 x 120 x 1.5 mm 1 Stück	19, 21, 22	Carpet awl	175	Climate sensor CS-06 with cable	107
	Adhesive spatula, notched B1 25 cm	99	Bolt with nut and sleeve (set)	204	Carpet cutter - green	177	Climate sensor CS-10 with cable	107
	Adhesive spatula, notched B11 18 cm	99	Broom 50 cm	95, 211	Carpet cutter - red	177	CM pressure gauge	111
	Adhesive spatula, notched B11 25 cm	99	Broom 60 cm	95, 211	Carpet cutter spare blades	178	Coconut broom 60 cm	95, 211
	Adhesive spatula, notched B2 18 cm	99	Brush cup plate	62	Carpet cutter spare blades	178	Coir polishing brush	65, 223
	Adhesive spatula, notched B2 25 cm	99	Brush electrode set BE-03	107	Carpet needle	176	Cold steel U-shaped blade, top cutting edge 250 x 60 x 3 mm x 45°	11
	Adhesive spatula, notched B3 18 cm	99	Brush for dust seal ring with manifold	58	Carpet pin	176	Cold steel U-shaped blade, top cutting edge 350 x 60 x 3 mm x 45°	11
	Adhesive spatula, notched B3 25 cm	99	Brush ring	58	Carpet seam roller	178	Cold steel U-shaped blade, top cutting edge 450 x 80 x 3 mm x 45°	11
	Adhesive syringe 20 ml	197	Brush ring, high. To work with Mambo sanding machine	62	Carpet shear 210 mm 1 piece	179	Combination filter A1P3 (organic gas & vapour + particles)	215, 217
	Adhesive syringe 60 ml	197	BS 125 Asbestos	91	Carpet shear 265 mm 1 piece	179	Combination filter A2P3 for CleanSpace	215
	Adhesive trowel with side insert 280 mm	94, 189	BS 125 floor grinding machine	68	Carpet shear 300 mm 1 piece	179	Combination filter ABE1P3	215, 217
	Adjustable knee brace	176	BS 180 brush set	67	Carpet shears 26 cm	179	Combination milling and welding set	166
	Adjustment bar for pin rake (#51318)	97	BS 180 floor grinding machine	66	Carpet shears, serrated edge 22 cm	179	Combination milling and welding set 115V US	166
	Air hose, black Ø 125 mm / 6 m	87	BT G20 grinding disc, gold Ø 125 mm	67, 69	Carpet strip cutter	177	Combination scriber	156
	Air hose, black Ø 205 mm / 7,5 m	87	BT G20 grinding disc, gold Ø 180 mm	67, 69	Cartridge gun	194, 209	Concave blade 10 pieces	203

# INDEX

## THE COMPLETE RANGE A-Z

Concave blade 100 pieces .....	203	Drive plate Ø 375 mm .....	60	Extra Inlays .....	211	Grinding stone with handle 20 x 10 x 3.5 .....	95
Conical nozzle .....	79	Drive plate Ø 375 mm .....	60	Extra Velcro straps .....	211	Grindstone, G 20 .....	62
Connecting adapter 70/50 70/50 mm .....	73	Drive plate Ø 400 mm .....	60	F FasTrimmer .....	155	Gripper insert, fine 3 pieces .....	176
Connecting cable remote control 5 m .....	12	Drive-in electrode PP-05 .....	107	FasTrimmer .....	156	Grout float 240 x 100 mm .....	192
Connecting piece 50 mm .....	73	Duo pressure roller .....	154	Felt cover for glide .....	154	H H14 / HEPA filter .....	79
Connecting piece 50 mm .....	78	Duro Stripper 2.0 .....	28	Felt pad Ø 375 mm .....	60	Half mask large .....	214, 216
Conversion kit, for use with hook blades .....	149	Duro Stripper 2.0 115V UK .....	28	Filling foam gun .....	194	Half mask medium .....	214, 216
Copper band roll 200 m (width: 10 mm) .....	103	Duro Stripper 2.0 115V US .....	28	Filter adapter .....	215, 217	Half mask small .....	214, 216
Copper band roll 50 m (width: 10 mm) .....	103	Dust bag endless 4x20m .....	93	Fine dust filter .....	72, 73	Hammer bar 42.5 cm .....	210
Copper band roll, self-adhesive 25 m (width: 10 mm) 2 pieces .....	103	Dust bag, endless, for Vacuclean 2 LP 22m 4 pieces .....	79, 83	Fine filter polyester .....	79	Hammer bar 54.5 cm .....	210
Cordless Mixer Power X 18V baretool .....	120	Dust collection pad Ø 410 mm .....	62	Flamenco sanding machine .....	55	Hammer chisel 115 RideOn 115 mm .....	11
Cordless Mixer Power X 18V in set .....	120	Dust door 2.3 x 1.3 m, 0.14 mm .....	87, 213	Flat electrode set FE-04 .....	107	Hammer chisel 115 RideOn 75 mm .....	11
Cordless Mixer Power X 18V UK .....	120	Dust extractor M30 .....	80	Flat nozzle .....	78	Hand grindstone .....	95
Cordless Mixer Power X 18V US .....	120	Dust seal ring high .....	45	Flat steel joint groover .....	158	Hand scraper, incl. 5 blades Working width 10 cm .....	39
Cork rubbing board .....	155	Dust seal ring with manifold .....	58	Flat wire brush .....	62	Handle holder (adapter) for all rakes (without articulated joint) .....	97
Corner and wall radius adapter .....	147	Dust seal ring, complete .....	53	Flat-fold filter 1 piece .....	81	Handle holder with articulated joint .....	95, 96
Corrugated Links 70 x 6 mm (LxH) 100 pieces .....	71, 103, 119	E Easycut .....	142	Fleece filter bags 5 pieces .....	81	Hard cylindrical brush (black - for ceramic and stone floors) .....	221
Corrugated Links 70 x 6 mm (LxH) 1000 pieces .....	71, 103, 119	EF 135 screed joint cutter .....	70	Floor covering scriber and cutter .....	157	Head seam straight edge 80 x 7,5 cm .....	207
Corrugated wire brush .....	64	Electric strip cutter for lino and vinyl, LS 35 (35 cm cutting width) .....	148	Floor grinding machine NEO 230 .....	44	Hearing protection .....	212
Counter display .....	204	Electric strip cutter for lino and vinyl, LS 65 (65 cm cutting width) .....	148	Floor grinding machine NEO 230 115V UK .....	44	Heating element 1,550 W for Triac ST .....	170, 171
Counter stop for Linocut .....	135	End fitting 50 mm .....	73	Floor grinding machine NEO 230 115V US .....	44	Heating element, 3,400 W .....	165
Cover plate for dust formation during mixing .....	87	End fitting Ø 70 mm .....	73	Floor grinding machine NEO 400 .....	42	Heating element, 3,400 W .....	169
Cross stop for steel straight edge (T-piece) 60 x 4 cm .....	206	Epoxy cleaning trowel, abrasive fleece, hard version .....	193	Floor grinding machine NEO 400 115V US .....	42	Height levelling spatula, stainless steel 280 mm .....	99
Cup brush set, 6 pieces .....	62	Epoxy cleaning trowel, cleaning fleece, soft version .....	193	Floor nozzle 380 mm .....	78	Height levelling template set .....	99
D Deflector and oscillator set 450 mm .....	15	Epoxy cleaning trowel, holder, made of plastic .....	193	Floor scraper Width 30 cm, handle length 140 cm .....	39	Height scribe .....	204
Design Collection .....	144	Epoxy cleaning trowel, set .....	193	Floor spatula 530 mm .....	100	HEPA H14 Filter, 620 m <sup>3</sup> < 330 Pa 1 piece .....	87
DIA cutting blade (Standard) Ø 135 mm .....	71, 119	Epoxy Grout float 250 x 100 mm .....	192	Flow-Fix-Set for 30L mixing bucket .....	91	HM chisel 115 RideOn 115 mm .....	11
Dia cutting disc for dry cutting Ø 125 mm .....	129	Ergo Cutter Pro .....	38	Foam roller fine 25 cm .....	96	HM chisel 69 RideOn 69 mm .....	11
DIA saw blade (for hard substrate-concrete) 230 mm .....	37	Ergo Cutter Pro spare blades 10 pieces .....	38, 137, 203	Fräsjunior joint grooving machine .....	162	HM-Frässtahl gelocht .....	131
DIA saw blade 230 mm (for soft substrate) 230 mm .....	37	Ergo Cutter Pro spare blades 100 pieces .....	38, 149, 203	Främaster 18V 115V US .....	124	Hole cutting drill 16 – 30.5 mm .....	149
Diamond grinding disc BT-5K 20K Ø 125 mm .....	67	Ergostar spatula 21 cm .....	98	Främaster 18V 230V UK .....	124	Hole cutting drill 8 – 20 mm .....	149
Diamond grinding disc BT-5K 20K Ø 180 mm .....	67	Ergostar spatula 28 cm .....	98	Främaster 18V baretool .....	124	Hook blade with titanium coating 10 pieces .....	203
Diamond grinding head green .....	63	Ersatzbürste für Rollendüse 430 mm 1 piece .....	73, 78	Främaster 18V in set .....	124	Hook blade with titanium coating 100 pieces .....	203
Diamond grindstone .....	174	ES G20 grinding disc Ø 125 mm .....	67, 69	Främaster joint grooving machine .....	160	Hook snap-off blades 10 pieces .....	143
Diamond grooving blade .....	174	ES G20 grinding disc Ø 180 mm .....	67, 69	Främaster joint grooving machine 115V UK .....	160	Hook/trapeze combination blade, double-edged blades 100 pieces .....	203
Diamond grooving blade, elliptical, Ø 130 x 20 x 3.8 mm .....	161, 163	ES K20 Segment .....	51	Främaster joint grooving machine 115V US .....	160	Hose clamp 40 – 60 mm .....	73
Diamond sanding head .....	63	ES-5C 20 Segment .....	48	Fug-Fix-Set .....	193	Hose clamp 60 – 80 mm .....	73
Digital CM pressure gauge .....	111	ES-5C 40 Segment .....	48	Full mask .....	216	Hose connection 50 mm .....	73, 78
Digital scale .....	111	Exhaust air hose, transparent Ø 125 x 0.15 mm, 88 m .....	87	G G3 pre-filter mats 340x405 mm 10 pieces .....	87	Hose connection adapter Ø 205 mm .....	87
Disposal bag 5 pieces .....	81	Extension 200 mm .....	90, 121	G4 coarse filter, 1100 m <sup>3</sup> < 45 Pa 1 piece .....	87	Hose filter .....	78
Door threshold ruler extra wide stainless steel .....	207	Extension cable 400 V, 16 A 25 m .....	43, 213	Glide with removable felt cover incl. handle .....	154	Hose filter 1 piece .....	81
Door threshold straight edge stainless steel .....	207	Extension cable black 1.5 <sup>2</sup> , 230 V 10 m .....	213	Greencut .....	136	Hose set 70 mm .....	73
Door threshold straight edge, not stainless steel .....	208	Extension cable WOLFF 2,5 <sup>2</sup> 12,5 m .....	45, 213	Grinding Disc PCD Split, silver Ø 125 mm .....	69	Hose set for dust seal ring .....	56
Door threshold straight edge, short, stainless steel .....	207	Extension cable WOLFF 2,5 <sup>2</sup> 25 m .....	45, 53, 57, 213	Grinding plate cpl. ....	45	Hose set with T-piece .....	56
Double knife sheath for WOLFF knives .....	202	Extension rails up to 4.86 m radius .....	147	Grinding plate with 6 stones G 20 .....	62	Hydrometer GM-200 .....	109
Double-headed clamp .....	176	External starting current limiter .....	213	Grinding plate with diamond grinding heads, spiral fanned .....	63	I Impact scraper Width 15 cm, handle length 140 cm .....	39
Drive plate for pads Ø 400 mm .....	64			Grinding Plate with diamond grinding heads, spiral green .....	63	Independence EU 1 Battery .....	8

# INDEX

## THE COMPLETE RANGE A-Z

Independence EU 2 Batteries	8	Mambo Evo sanding machine 115V UK	52	Napping shears, cranked 14 cm	179	Phoenix heating element 1600 W, 115 V	169
Independence USA 2 Batteries	8	Mambo Evo sanding machine 115V US	52	Napping shears, cranked 18 cm	179	Phoenix heating element 1600 W, 230 V	169
Indexable insert set (including screws) 14 pieces	35	Manual pressure gun	194	NEO 230 Asbestos	90	Pica-Dry deep hole marker	204
Inlay Systainer	144	Measuring device KRL TN 75 80 SET	112	Ninja complete with BT G20 segments	50	Piranha 18V baretool	126
Insert 10 mm	137	Measuring wedge	110	Ninja complete with ES G20 segments	50	Piranha 18V in set	126
Insert 15 mm	137	Medical knee protectors	212	Ninja complete with PCD scraper segments	50	Piranha 18V UK	126
Insert 5 mm	137	Medium cylindrical brush (blue - for all insensitive floors)	221	Ninja complete with PCD split segments	50	Piranha 18V US	126
<b>J</b>		Metal carpet cutter	178	Ninja complete without segments	50	Piranha door frame saw	181
Jet PCD Segment	48	Metal carpet cutter	178	Nozzle for touch-ups Inlet 4 mm	171	Piranha door frame saw 115V UK	181
Joiner's smithy	209	Metal connecting piece Ø 70 mm	73	Nylon roller Length: 25 cm, Pile height: 14 mm	198	Piranha door frame saw 115V US	181
Joint groover	158	Metal handle	195, 211	<b>O</b> One Mix stirring rod 1 piece	91	Plastic bags for 40-60l containers (50 pcs.)	92
Joint groover for circular cutter	147	Metal wheel retrofit kit	57	OneMix stirring attachments 10 pieces	91	Plastic grating board (for Epoxid) 280 x 140 mm	192
Joint groover for rubber coverings (U-shape)	158	Microcellular rubber pad, single Ø 375 mm	60	Oscillator	29	Plastic grating board, cellular rubber, black 280 x 140 mm	192
Joint groover with guide lug, adjustable groove depth	158	Microcellular rubber pad, single Ø 400 mm	60	<b>P</b> Paper filter bags 80 cm 6 pieces	58	Plastic grating board, felt, brown 280 x 140 mm	192
Joint groover with guide rollers for safety coverings	157	Microfibre brush (green - for all sensitive floors)	221	Paper Waste Bags 120 l 25 pieces	35	Plastic spatula set 1 set = 1x size each 50, 80, 105, 120 mm	189
Joint saddle	194	Microfibre replacement cloth (for microfibre brush)	221	Parquet deflector	19, 21	Plate for natural stone	65, 223
J-shaped joint groover	158	Microfilter	79	Parquet floor scraper 120 mm	210	Pliers f. wedge leveling system	199
J-shaped spare blades 10 pieces	158	Milling blade for profile grooves	180	Parquet floor scraper 40 mm	210	Pointed blades 5 pieces	149, 156
Junio stripper	30	Milling drum	35	Parquet floor scraper 80 mm	210	Portable syringe	197
Junio stripper 115V UK	30	Mipolam nozzle	172	Parquet groove milling machine	180	Pouring spout 10 pieces	91
Junio stripper 115V US	30	Mitre-box shears	204	Parquet grooving machine 18V 230V UK	130	Power supply unit	221
Junio Stripper 18V baretool	116	Mitre-box shears for design flooring	205	Parquet grooving machine 18V baretool	130	Power X 1000 mixer	89
Junio Stripper 18V in set	116	Mitre-box stop 90 degrees	205	Parquet grooving machine 18V in set	130	Power X 1600 mixer	88
Junio Stripper 18V UK	116	Mittag cutter	175	Parquet milling machine PM 200	34	Pre-filter 10 pieces	215
Junio Stripper 18V US	116	Mixer type KR - 140 (thread-mounting M14)	90	Parquet set blade holder	19, 21	Premium knives	202
<b>K</b>		Moisture measuring instrument GM-200	110	Parquet stripper set	19, 21	Premium ripper claw	38
Knee pads	211	Mounting set for cup brush set	62	Particle filter 3 pieces	215	Pre-separator 30l insert from 2022	84
Knee protectors	211	Mozart Speed Trimmer	173	PCD milling blade con. (for safety surfaces) 130 x 20 x 3.8	125	Pre-separator 30l insert up to 2021	84
KRL measuring cup W-TN 1	113	Mozart trimming knife	173	PCD saw blade (for wood) 230 mm	37	Pre-separator DC F Tromb L	93
KS-U-MesseCold steel U-shaped blade, bottom cutting edge	11	Multi grinding plate	62	PCD Scraper Segment	51	Pre-separator LP	82
KS-U-MesseCold steel U-shaped blade, bottom cutting edge	11	Multi-hole pad - grain size 100 Ø 150 mm 10 pieces	64	PCD scraper starter set	49	PressoMess shear strength measuring instrument	111
KS-U-MesseCold steel U-shaped blade, bottom cutting edge	11	Multi-hole pad - grain size 100 Ø 410 mm 10 pieces	64	PCD scraper starter set	49	Pressure and staircase tool with roller	178
<b>L</b>		Multi-hole pad - grain size 120 Ø 410 mm 10 pieces	64	PCD Scraper XT Segment	49	Pressure roller 30 kg with carrying handle, handle with grip	152
Large area rake	97	Multi-hole pad - grain size 150 Ø 410 mm 10 pieces	64	PCD Scraper, silver Ø 125 mm	67, 69	Pressure roller 50 kg with carrying handle, handle with grip	152
Large area rake replacement	96	Multi-hole pad - grain size 220 Ø 410 mm 10 pieces	64	PCD Scraper, silver Ø 180 mm	67, 69	Pressure roller 68 kg with carrying handle, handle with grip	152
Large area screed rake	97	Multi-hole pad - grain size 320 Ø 150 mm 10 pieces	64	PCD Split Segment	51	Pressure roller for floor coverings 1.35 x 0.47 x 0.15 m	154
Leather blade guard	31, 117	Multi-hole pad - grain size 320 Ø 410 mm 10 pieces	64	PCD Split, silver Ø 180 mm	67, 69	Professional circular cutter	146
Leather knee protectors	212	Multi-hole pad - grain size 36 Ø 410 mm 10 pieces	64	PCD Ultra Segment	49	Professional hand scraper Working width 52 mm	39
Left-hand threaded screw	60	Multi-hole pad - grain size 40 Ø 150 mm 10 pieces	64	PCD Ultra XT Segment	49	Profile gauge	208
Leister Triac AT without single nozzle	171	Multi-hole pad - grain size 40 Ø 410 mm 10 pieces	64	PCD Viper Segment	49	Protective cap for climate sensor MCS-250	113
Leister Triac Set AT	170	Multi-hole pad - grain size 400 Ø 410 mm 10 pieces	64	PCD Viper XT Segment	49	Protective gloves	213
Leister Triac Set ST	170	Multi-hole pad - grain size 60 Ø 150 mm 10 pieces	64	Perlon brush	64, 223	PS 230 Parquet and joint saw	36
Level pin 10 x 10 pieces	103	Multi-hole pad - grain size 60 Ø 410 mm 10 pieces	64	Phoenix 1600	168	PTFE filter (Teflon-coated class M)	79
Levelling compound rake incl. handle 56 cm	96	Multi-hole pad - grain size 80 Ø 150 mm 10 pieces	64	Phoenix 1600 115V UK	167	PUR speed welding nozzle 5 mm	169, 171
Lino edge cutter	149	Multi-hole pad - grain size 80 Ø 410 mm 10 pieces	64	Phoenix 1600 115V UK	168	PUR welding nozzle	171
Linocut	134	Nail shoes 1 pair	98, 103	Phoenix 1600 set	167	<b>Q</b> Quarter moon blade	173
LR 690 air purifier	86	Nap channel cutter	175	Phoenix 3400	169	Quarter moon blade	173
LVT Stripcut	140						
<b>M</b>							
Mambo Evo sanding machine	52						

# INDEX

## THE COMPLETE RANGE A-Z

Quarter moon blade .....	173	Rubber hammer, weight 500 g .....	196	Screed joint cutter EF 135 18V baretool .....	118	Spacer fork 0,50 mm .....	173	
Quivers .....	202	Rubber hammer, weight 600 g Diameter 50 mm .....	196, 209, 213	Screed joint cutter EF 135 18V in set .....	118	Spacer fork 0,70 mm .....	173	
<b>R</b>	<b>Radiator nozzle .....</b>	<b>172</b>	Rubber knee protectors 1 pair .....	212	Screed joint cutter EF 135 230V UK .....	118	Spacer plate 0.7 mm .....	137
Railcut .....	138	Rubber mallet, weight 400 g Diameter 35 mm .....	209	Screw set for hand scraper .....	39	Spacer wedges 16 pieces .....	155	
Railcut extension rail 1,40 Meter .....	139	Rubber plaster cup, conical 125 x 90 mm .....	197	Scriber .....	110	Spare battery 10 Ah .....	221	
Rake including R2 rake insert 56 cm .....	97, 98	Rubber slider 450 mm .....	193	Scriber .....	157	Spare battery 20 Ah .....	221	
Rake serration R1 .....	97	Rubber slider 550 mm .....	193	Scriber needles 20 pieces .....	156	Spare battery single, 18V 5Ah .....	117, 119, 121, 123, 125, 127, 129, 131	
Rake serration R2 .....	97	Rubber spatula 120 x 60 mm .....	190	Scriber pin Length 45 mm 25 pieces .....	157	Spare belt .....	103	
Rake serration R3 .....	97	Rubber spatula 200 x 60 mm .....	190	Scrubbing brush .....	65, 223	Spare blade .....	204	
RamHammer .....	32, 184	Rubber spatula 250 x 60 mm .....	190	Sealing gun .....	194	Spare blade .....	204	
RamHammer Trolley .....	33, 185	Rubber spatula, bright 250 x 45 mm .....	190	Sealing rings (3 small + 3 large rings) .....	111	Spare blade .....	205	
Rapid spatula, stainless steel 200 mm .....	100	Rubbing hammer .....	155	Seam clamp 5 pieces .....	176	Spare blade 250 x 120 x 5 mm .....	10	
Rapid spatula, stainless steel 270 mm .....	100	Rubbing tool .....	154	Seam roller .....	154	Spare blade 350 x 120 x 5 mm .....	10	
Reaction adhesive .....	111	<b>S</b>	<b>Safety goggles .....</b>	<b>212</b>	Seam scribe .....	156	Spare blade 450 x 120 x 5 mm .....	10
Reducing piece 50/38mm .....	78	Safety Poly knee protectors .....	211	Segment holders .....	45	Spare blade 350 x 120 x 3.0 mm .....	10, 22	
Reinigungstücher für Vollmaske .....	215	Safety sheath .....	174	Sensor board for climate probe MCS-250 .....	113	Spare blade 350 x 150 x 3.0 mm .....	15, 17	
Rejector .....	29	Samba sanding machine .....	54	Serrated blade 210 x 60 x 1.0 mm .....	29	Spare blade 350 x 60 x 1.5mm 10 pieces .....	11, 22	
Replacement brush for dust seal ring .....	53	Samba sanding machine 115V UK .....	54	Serrated blade 250 x 60 x 1.0 mm .....	27	Spare blade 450 x 120 x 1.5 mm .....	15	
Replacement brush set .....	45	Samba sanding machine 115V US .....	54	Set blade angle adjustment .....	27	Spare blade 450 x 60 x 1.5mm 10 pieces .....	11, 15	
Replacement kit nail shoes - nails and straps for one pair .....	103	Sanding mesh - grain size 100 Ø 150 mm 10 pieces .....	60	Set for resistance measurement test .....	107	Spare blade 840 x 120 x 1.5mm .....	11	
Replacement nibs, graphite 10 pieces .....	204	Sanding mesh - grain size 100 Ø 406 mm 10 pieces .....	60	Set of balls 4 pieces .....	111	Spare blade 840 x 60 x 1.5mm .....	11	
Replacement nibs, green 10 pieces .....	204	Sanding mesh - grain size 120 Ø 150 mm 10 pieces .....	60	Shampooing brush .....	64, 223	Spare blade for joint groover .....	147, 157, 158	
Replacement pins for large area rake, 1 pair .....	96	Sanding mesh - grain size 120 Ø 406 mm 10 pieces .....	60	Silifix .....	195	Spare blade 150 x 60 x 1.5 mm 10 pieces .....	22	
Replacement plate 300 x 150 mm .....	192	Sanding mesh - grain size 180 Ø 150 mm 10 pieces .....	60	Single nozzle 5 mm .....	171	Spare blade 200 x 60 x 1.5 mm 10 pieces .....	22	
Respiratory protection mask for coarse dust .....	212	Sanding mesh - grain size 180 Ø 406 mm 10 pieces .....	60	Skirting board punching machine .....	205	Spare blade 210 x 60 x 1.0 mm 10 pieces .....	29	
Respiratory protection mask protection class FFP2 / KN95 .....	212	Sanding mesh - grain size 60 Ø 150 mm 10 pieces .....	60	Skirting board shears with stop .....	204	Spare blade 210 x 60 x 1.5 mm 10 pieces .....	29	
Ripper .....	94	Sanding mesh - grain size 60 Ø 406 mm 10 pieces .....	60	Slotted blades .....	175	Spare blade 250 x 60 x 1.5 mm 10 pieces .....	27	
Ripper claw .....	38	Sanding mesh - grain size 80 Ø 150 mm 10 pieces .....	60	Smashing bowl .....	111	Spare blade 350 x 120 x 1.5 mm 1 Stück .....	22	
Robo Stripper .....	14	Sanding mesh - grain size 80 Ø 406 mm 10 pieces .....	60	Smoothing compound rake incl. handle 60 cm .....	96	Spare blade for textile 120 mm 10 pieces .....	31, 117	
Robo Stripper 115V UK .....	14	Sanding mesh - grain size 150 Ø 150 mm 10 pieces .....	60	Smoothing compound rake replacement .....	96	Spare blade for textile 210 x 60 x 0.7 mm 10 pieces .....	29	
Robo Stripper 230V AUS .....	14	Sanding mesh - grain size 150 Ø 406 mm 10 pieces .....	60	Smoothing trowel 280 x 135 mm .....	94, 98, 189	Spare blade for textile 250 x 60 x 0.7 mm 10 pieces .....	27	
Robo Stripper 230V CH .....	14	Sandpaper discs - grain size 100 Ø 380 mm 10 pieces .....	61	Smoothing trowel for screed layers 300x115mm 1 piece .....	94	Spare blade for textile 250 x 60 x 1.0 mm 10 pieces .....	27	
Robo Stripper 230V DK .....	14	Sandpaper discs - grain size 100 Ø 400 mm 10 pieces .....	61	Smoothing trowel for screed layers 400x115mm 1 piece .....	94	Spare blade for textile 350 x 60 x 1.0 mm 10 pieces .....	22	
Robo Stripper 230V US .....	14	Sandpaper discs - grain size 120 Ø 380 mm 10 pieces .....	61	Smoothing trowel for screed layers 500x115mm 1 piece .....	94	Spare blade for vinyl 200 mm 10 pieces .....	31, 117	
Roller box .....	96	Sandpaper discs - grain size 120 Ø 400 mm 10 pieces .....	61	Smoothing trowel for screed layers 600x115mm 1 piece .....	94	Spare blade for WO 330 .....	151	
Roller bracket attachment for telescopic handle .....	96	Sandpaper discs - grain size 16 Ø 380 mm 10 pieces .....	61	Smoothing trowel for screed layers, pointed tapered 500mm 1 piece .....	95	Spare blade for WO 630 .....	150	
Roller hanger 25 cm, Diameter 8 mm .....	198	Sandpaper discs - grain size 16 Ø 400 mm 10 pieces .....	61	Smoothing trowel for screed layers, pointed tapered 600mm 1 piece .....	95	Spare blade Impact scraper .....	39	
Roller nozzle .....	73	Sandpaper discs - grain size 24 Ø 380 mm 10 pieces .....	61	Smoothing trowel for screed layers, pointed tapered 700mm 1 piece .....	95	Spare blade, serrated 350 x 120 x 3.0 mm .....	10, 22	
Roller Steel Ruler - Non Stainless 210 x 8 cm .....	206	Sandpaper discs - grain size 24 Ø 400 mm 10 pieces .....	61	Smoothing trowel, stainless steel 280 x 130 mm .....	189	Spare blade, serrated 350 x 150 x 3.0 mm .....	15, 17	
Roller Steel Ruler - Non Stainless 410 x 8 cm .....	206	Sandpaper discs - grain size 40 Ø 380 mm 10 pieces .....	61	Smoothing trowel, stainless steel 500 x 130 x 0.7 mm .....	189	Spare blades 10 pieces .....	147, 155, 156, 178	
Roller Steel Ruler - Non Stainless 510 x 8 cm .....	206	Sandpaper discs - grain size 40 Ø 400 mm 10 pieces .....	61	Smoothing trowel, stainless steel 500 x 180 x 1.0 mm .....	189	Spare blades 10 pieces .....	158	
Roller transport trolley .....	210	Sandpaper discs - grain size 60 Ø 380 mm 10 pieces .....	61	Snap-off blades 10 pieces .....	143, 202	Spare blades 10 pieces .....	175, 177	
Rollerbox Flexible (without hanger) .....	198	Sandpaper discs - grain size 60 Ø 400 mm 10 pieces .....	61	Snap-off blades, in representative aluminium box. 18mm 100 pieces .....	202	Spare blades 10 pieces .....	177	
Round blade Ø 26 mm 1 piece .....	141	Sandpaper discs - grain size 80 Ø 380 mm 10 pieces .....	61	Snap-off knife .....	202	Spare blades 5 pair .....	149	
Round nozzle .....	169	Sandpaper discs - grain size 80 Ø 400 mm 10 pieces .....	61	Soft cylindrical brush (grey - for parquet) .....	221	Spare blades 5 pieces .....	173	
Rubber Bearing .....	29	Saw blade Z30 105x2,4x22 .....	123, 148	Solid board notched trowel 18 cm .....	99	Spare blades 6 pieces .....	157	
Rubber hammer, weight 350 g Diameter 40 mm .....	196, 209	Screed joint cutter EF 135 115V US .....	118	Spacer for parquet .....	155	Spare blades for hand scraper, in box 100 pieces .....	39	

# INDEX

## THE COMPLETE RANGE A-Z

Spare blades for hand scraper .....	39
Spare brush set for BS 125 floor grinding machine Ø 125 mm .....	69
Spare floor scraper blade .....	39
Spare nails round for epoxy coatings 32 pieces .....	103
Spare pad .....	204
Spare pad .....	204
Spare rubber washer (not shown) .....	196
Spare screw set .....	173
Spare skids, VE 2 pcs. ....	97
Spare steel blade .....	97
Spare stylus 1000 mm .....	208
Spare stylus 600 mm .....	208
Spare stylus 800 mm .....	208
Spare support for drive plate Ø 400 mm .....	64
Spare wheel tile cutter Profi – ball bearing incl. axle .....	186
Spatula 40 mm .....	188
Spatula 80 mm .....	188
Spatula set 30L .....	98
Special blade 350/200 x 120 x 3.0 mm offset .....	22
Special blade for strongly bonded coverings 350/100 x 120 x 3.0 mm .....	22
Special blade for Version 1 strippers 350 mm .....	19, 21
Special blade for Version 2 strippers 350 mm .....	19, 21
Special blade with screwed-on blade holder .....	15, 17
Special blade, serrated with screwed-on blade holder .....	15, 17
Special grease .....	17, 19, 21
Special U-shaped blade, bottom cutting edge 450 mm .....	10, 15
Special U-shaped blade, bottom cutting edge 250 mm .....	10
Special U-shaped blade, bottom cutting edge 250 mm .....	27
Special U-shaped blade, bottom cutting edge 350 mm .....	10, 22
Special U-shaped blade, top cutting edge 450 mm .....	10, 15
Special U-shaped blade, top cutting edge 250 mm .....	10
Special U-shaped blade, top cutting edge 250 mm .....	27
Special U-shaped blade, top cutting edge 350 mm .....	10, 22
Speed welding nozzle for resilient wall coverings .....	172
Speed welding nozzle Ø 5 mm .....	170, 171
Speed welding nozzles for PUR-finished floor coverings Inlet 4 mm .....	171
Spike roller, Length 100 mm (without splash protection cap) 50 cm .....	98
Spike roller, Length 11 mm 25 cm .....	98
Spike roller, Length 11 mm 50 cm .....	98
Spike roller, Length 11 mm 75 cm .....	98
Spike roller, Length 21 mm 25 cm .....	98
Spike roller, Length 21 mm 50 cm .....	98
Spike roller, Length 21 mm 75 cm .....	98
Spike roller, Length 31 mm 25 cm .....	98
Spike roller, Length 31 mm 75 cm .....	98
Spike rollers 50cm / 31mm .....	98
Spiky nail shoes size L - for shoe size 42 - 44 approx. 34 cm .....	103
Spiky nail shoes size M - for shoe size 42 and smaller approx. 32 cm .....	103
Spiky nail shoes size XL - for shoe size 44 - 48 approx. 36 cm .....	103
Sponge board .....	192
Spreading trowel for large areas 500 x 140 mm .....	190
Spreading trowel for large areas 500 x 140 mm .....	190
Spreading trowel, stainless steel 280 x 130 mm / 12 mm .....	190
Spreading trowel, stainless steel 280 x 130 mm .....	190
Spreading trowel, stainless steel 280 x 130 mm .....	190
Spreading trowel, stainless steel 280 x 130 mm .....	190
Spring .....	205
Spring scale .....	111
Spring washer .....	60
Stair bevel .....	208
Stair scribe .....	156
Stair tool 7 cm .....	179
Stair tool 9 cm .....	179
Standard filter class M .....	79
Standard spare nails, pointed 32 pieces .....	103
Standard stop 2 mm .....	135
Starter set .....	72, 73
Steel bracket 1000x500mm 1 piece .....	209
Steel bracket 500x280mm 1 piece .....	209
Steel pins, blank 1,5 x 25 mm 1000 pieces .....	205
Steel pins, blank 1,5 x 30 mm 1000 pieces .....	205
Steel pins, blank 1,5 x 35 mm 1000 pieces .....	205
Steel straight edge 205 x 8 cm .....	206
Steel straight edge 405 x 8 cm .....	206
Steel straight edge cambered 205 x 8 cm .....	206
Steel straight edge cambered 405 x 8 cm .....	206
Steel straight edge with T-piece bracket 210 x 8 cm .....	206
Steel straight edge with T-piece bracket 410 x 8 cm .....	206
Steel straight edge with T-piece bracket 510 x 8 cm .....	206
Stirrer for 75 l stirring station .....	90, 93
Stirrer type KR - 120S .....	90
Stirrer type KR - 120S (thread-mounting M14) .....	90
Stirrer type KR - 90S .....	90
Stirrer type MK 120 mm .....	90
Stirrer type MK 160 mm .....	90
Stop .....	155
Stop for carpet 8 mm .....	135
Stop for edge cutting .....	135
Stop for needle punch 4 mm .....	135
Straight blades 0.65 mm 10 pieces .....	137, 139, 203
Straight blades with titanium coating 10 pieces .....	203
Straight blades with titanium coating 100 pieces .....	203
Straight edge, cambered and not stainless 8 x 0,05 cm .....	207
Straight edge, cambered and not stainless 8 x 0,05 cm .....	207
Strip cutter for resilient coverings .....	149
Strip cutter for resilient coverings .....	149
Strip cutter for resilient coverings .....	149
Strip cutter LS35 18V baretool .....	122
Strip cutter LS35 18V in set .....	122
Strip cutter LS35 18V UK .....	122
Strip cutter LS35 18V US .....	122
Strip cutter LS65 18V baretool UK .....	122
Strip cutter LS65 18V in set .....	122
Strip cutter LS65 18V UK .....	122
Strip cutter LS65 18V US .....	122
Strip roll 180 mm, Ø 40 mm .....	193
Subfloor test case .....	110
Suction bonnet .....	35
Suction hose 5 m, Ø50 mm (optional) .....	93
Suction hose 50 mm, length 5 m .....	73, 78
Suction hose Ø 70 mm, (15 m) .....	73
Suction lifter .....	196
Suction lifter .....	196
Suction lip set PU white .....	221
Suction lip set PU white .....	221
Suction nozzle, round .....	73
Suction pipe .....	78
Suction pipe 50 mm .....	73
Suction ring with apron .....	58
Super hooked blade 0.65 mm 10 pieces .....	137, 203
Super hooked blade 0.65 mm 100 pieces .....	203
Super hooked blade with titanium coating 10 pieces .....	203
Super hooked blade with titanium coating 100 pieces .....	203
Support wheel, complete .....	43
Supporting blocks 100 pieces / pack .....	111
Swiss trowel 500 mm .....	94, 181
Tango sanding machine .....	56, 222
Tapping block .....	209
Test ampoules 10 pieces .....	111
Test block 100 pieces / pack .....	111
Textile scissors 200 mm .....	196
Thermohygrometer LVT 15 IR .....	108, 110
Thermo-hygro sensor for KRL TN 75 80 .....	113
Threaded tab for Tile rotary leveling system 1,5 mm 500 pcs. / Bag .....	199
Threaded tab for Tile rotary leveling system 2,0 mm 500 pcs. / Bag .....	199
Tile cutter Premium 1200 Laser (without table) bis 1200 mm .....	186
Tile cutter Premium 935 Laser (without table) bis 935 mm .....	186
Tile cutter Profi bis 640 mm .....	187
Tile cutting table Profi foldable left/right .....	186
Tile hammer, 50 g .....	195
Tile hole tong 200 mm .....	195
Tile rotary leveling system pull hoods 250 pcs. / Bag .....	199
Tile rotary leveling system starter kit .....	199
Tile sponge 180 x 120 x 60 mm .....	193
Tile trowel, stainless steel 160 mm .....	188
Tile trowel, stainless steel 180 mm .....	188
Tile wash bucket .....	193
Tile wedges, made of beech wood 1,5 x 7 x 55 mm 250 pcs. / Bag .....	199
Top edge scribe for resilient floor coverings .....	175
Torsion lock .....	15
Transport box .....	29
Transport case .....	71
Transport chassis .....	35
Transport chassis Independence .....	10
Transport Systainer .....	144
Transportation caddy 30 l incl. mixing bucket .....	91, 98
Transportation caddy base frame .....	91
Trapezoid blades for Professional hand scraper 100 pieces .....	39, 203
Trapezoidal blades 10 pieces .....	135
T-Rex .....	72
T-Rex 115V UK .....	72
Tri Spike Segment .....	48
Trowel, stainless steel 100 mm .....	188
Trowel, stainless steel 100 mm .....	188
Trowel, stainless steel 60 mm .....	188
Trowel, stainless steel 80 mm .....	188
Tube for climate sensor 20 pieces .....	107
Turbo EMC .....	18
Turbo EMC 115V / 50HZ UK .....	18
Turbo EMC 230V / 50HZ AUS .....	18
Turbo EMC 230V / 50HZ CH .....	18
Turbo EMC 230V / 50HZ DK .....	18
Turbo EMC 230V / 60HZ US .....	18
Turbo Stripper .....	20
Turbo Stripper 115 US .....	20
Turbo Stripper 115V UK .....	20
Twin wheels .....	15
Two-hand ripper claw .....	38
Two-hand switch 12A .....	35
Tynex brush (green - for safety coverings) .....	221
U Underride protection .....	19, 21
Universal floor laying knife .....	202
Universal shears 25 cm .....	179
Universal telescopic handle .....	95, 96, 98
U-shaped spare blades 10 pieces .....	158
V V1-D4 Professional moisture measuring instrument .....	106

# INDEX

## THE COMPLETE RANGE A-Z

Vacuclean 2 .....	74
Vacuclean 2 115V UK .....	74
Vacuclean 2 HEPA .....	74
Vacuclean 2 LP .....	76
Vacuclean 2 LP 115V UK .....	76
Vacuclean 2 LP 115V US .....	76
Vacuclean 2 LP HEPA .....	76
Vacuum Cleaner DC Tromb 400 H Asbestos .....	92
Vacuum metal dust seal ring, complete .....	56
Vacuum plastic dust seal ring, complete .....	56
Vacuum with basket .....	56
Varis Silent Stripper .....	26
Vario Silent Stripper 115V UK .....	26
Vario Silent Stripper 115V US .....	26
Velcro disc, complete Ø 410 mm .....	62
Velcro pad .....	62
Velcro strap .....	212
<b>W</b> Wall bevel and floor covering scribe .....	157
Wall bevel and floor covering scribe .....	157
Wasching up trowel 280 x 140 mm .....	192
Wedge leveling starter set with wedges .....	199
Wedge leveling system Pull tabs for joint width 1,0 mm .....	199
Wedge leveling system Pull tabs for joint width 1,5 mm .....	199
Wedge leveling system Pull tabs for joint width 2,0 mm .....	199
Wedges for wedge leveling system .....	199
Weld seam slide .....	174
Welding head .....	165
Welding wire roller .....	172
Welding wire roller 15 mm .....	159, 172
Welding wire roller 25 mm .....	159, 172
Weldmaster 2.0 automatic welding machine .....	164
Wide slit nozzle 20 mm .....	172
Wide slit nozzle 40 mm .....	172
Wide slit nozzle, angled 20 mm .....	172
WO 330 design cutter .....	151
WO 630 design cutter .....	150
WOLFF Wallmaster .....	205
WOLFF Wallmaster straight edge 600 x 100 mm .....	205
<b>X</b> Xtra PCD Segment .....	48

**WOLFF.**  
**GOING**  
**BEYOND**  
**YOUR**  
**LIMITS.**

## NOTES

## NOTES

## NOTES

## NOTES



STRONG BRANDS FOR A STRONG TRADE.



**uzin**

Installation systems  
for screeds, flooring  
and wood flooring.



**wolff**

Machinery and special  
tools for subfloor pre-  
paration and installati-  
on of floor coverings.



**pallmann**

Complete product ran-  
ge for the installation,  
renovation and  
maintenance of wood  
flooring.



**arturo**

Resin and cementitious  
floor finishes combi-  
ning performance  
and design.



**codex**

Installation systems  
for tiles and natural  
stone.



**pajarito**

High-quality painting,  
plastering and  
drywalling tools.



**Uzin Utz Tools GmbH & Co.KG**

Ungerhalde 1

74360 Ilsfeld

Germany

T +49 7062 91556-0

[tools@uzin-utz.com](mailto:tools@uzin-utz.com)

[int.wolff-tools.com](http://int.wolff-tools.com)